



HARRISON PACKAGING

YOUR ONE STOP PACKAGING SHOP!



Washroom



Dispensers



Disposable Safety



Cable Ties



Corrugated Board



Hi Vis Work Wear



Height Safety



Protective Packaging



Tapes

PRODUCT CATALOGUE

www.harrisonpackaging.com.au or CALL 1800 678 956

At Harrison Packaging, we deliver
free to your door!

ABOUT US

Harrison Packaging was established on the Central Coast of New South Wales in 1997. Since its inception, Harrison Packaging has built up an enviable reputation as one of Australia's premium packaging supply companies. We supply products Australia wide through our facilities in New South Wales and Queensland.

We specialise in an extensive range of products which include:

- * Adhesive Tapes
- * Packaging Materials
- * Warehouse Consumables
- * Safety Products
- * Stretch Film
- * Washroom Products
- * Protective Packaging

We provide a valuable service to industry by supplying well known brands at competitive prices.

We offer professional advice and service on our products and provide customer service that is unequalled in our industry.

We are constantly searching for new products to add to our range, and for ways of providing increasingly higher standards of service.

Harrison Packaging has a strong team focus, and our sales staff are familiar with our entire range and are looking forward to assisting you.

NSW BRANCH
Harrison Packaging
11 - 12 / 4 Merinee Road
West Gosford NSW 2250
Ph 02 4322 4811
Fax 02 4322 4855

POSTAL ADDRESS
Harrison Packaging
PO Box 6263
West Gosford NSW 2250

QLD BRANCH
Harrison Packaging
2 / 65 Business Street
Yatala QLD 4207
Ph 07 3382 7182
Fax 07 3382 7818

OUR FRIENDLY, HELPFUL STAFF ARE ON
HAND TO TAKE YOUR ORDER

Your Reps Name _____
Direct Phone Number _____

Pages 4 - 31	TAPES
Pages 32 - 51	GLOVES
Pages 52 - 56	PROTECTIVE CLOTHING
Pages 57 - 61	RESPIRATORY EQUIPMENT
Pages 62 - 65	PROTECTIVE EYEWEAR
Pages 66 - 69	HEARING PROTECTION
Pages 70 - 76	PROTECTIVE HEAD WEAR
Pages 77 - 85	CLOTHING
Pages 86	PROTECTIVE FOOTWEAR
Pages 87	SUN SCREEN
Pages 88 - 90	FIRST AID
Pages 91 - 93	SIGNAGE
Pages 94 - 99	WASHROOM
Pages 100 - 113	PACKAGING
Pages 114 - 119	STRAPPING & ACCESSORIES
Pages 120 - 127	BAGS
Pages 128 - 133	ADHESIVES & SILICONES
Pages 134 - 139	CABLE TIES
Pages 140 - 144	BUILDING SUPPLIES
Pages 145 - 160	SAFETY & HARNESS EQUIPMENT

General Purpose



A General Purpose polypropylene carton sealing tape. This is ideal for use in high volume, packaging and carton sealing for light to medium cartons.

Code	Description	Width	Length	Ctn
T426348100C	Gen Purp Clear Tape	48mm	100m	36
T426348100T	Gen Purp Brown Tape	48mm	100m	36
T426348100C	Gen Purp Clear Tape	48mm	1000m	6

Premium Grade



A Premium grade PP30 tape with an aggressive rubber solvent adhesive. It provides excellent adhesion to cartons and papers.

Code	Description	Width	Length	Ctn
T63036C	Eurocell Clear Tape	36mm	75m	48
T63036T	Eurocell Brown Tape	36mm	75m	48
T6350C	Eurocell Clear Tape	48mm	75m	36
T6350B	Eurocell Brown Tape	48mm	75m	36

Premium Packaging Tape



This 50um pp tape is suitable for most transport and extended storage conditions including freezers.

Code	Description	Width	Length	Ctn
T426518C	Panfix Clear Tape	18mm	75m	192
T426518B	Panfix Brown Tape	18mm	75m	192
T426524C	Panfix Clear Tape	48mm	75m	144
T426524B	Panfix Brown Tape	48mm	75m	144
T426536C	Panfix Clear Tape	36mm	75m	96
T426536B	Panfix Brown Tape	36mm	75m	96
T426548C	Panfix Clear Tape	48mm	75m	72
T426548B	Panfix Brown Tape	48mm	75m	72
T426572C	Panfix Clear Tape	72mm	75m	48
T426572B	Panfix Brown Tape	72mm	75m	48

3M Packaging Tape



General purpose, consistent performance, easy unwind tape. For use in packaging and sealing in general industries.

Code	Description	Width	Length	Ctn
3M-370C	3M Clear Tape	48mm	75m	36
3M-370B	3M Brown Tape	48mm	75m	36

Economy Grade Masking



An economy grade paper masking tape for general purpose applications; masking, holding, sealing, fixing, light duty packaging etc. Temperature resistance up to 60°C (1 hour).



Code	Description	Width	Length	Ctn	Qty
T5010118	General Purpose Masking Tape	18mm	50m	48	
T5010124	General Purpose Masking Tape	24mm	50m	36	
T5010136	General Purpose Masking Tape	36mm	50m	24	
T5010150	General Purpose Masking Tape	48mm	50m	24	


Hystik Masking



An economy grade paper masking tape for DIY painting applications and light packaging and bundling

Code	Description	Width	Length	Ctn	Qty
T880112	Hystik Masking Tape	12mm	50m		
T880118	Hystik Masking Tape	18mm	50m	0	
T880124	Hystik Masking Tape	24mm	50m	0	
T880136	Hystik Masking Tape	36mm	50m	0	
T880148	Hystik Masking Tape	48mm	50m	0	
T880172	Hystik Masking Tape	72mm	50m	0	

Premium Grade Masking



This is a finely creped masking tape with a natural rubber adhesive. The product is suitable for general purpose applications: Masking, holding, sealing, fixing, light duty packaging etc. Temperature resistance up to 50° C short term.



Code	Description	Width	Length	Ctn	Qty
T432319	General Purpose Masking Tape	19mm	50m	96	
T432325	General Purpose Masking Tape	25mm	50m	72	
T432338	General Purpose Masking Tape	38mm	50m	48	
T432350	General Purpose Masking Tape	50mm	50m	36	

Economy Grade Masking



This general purpose masking tape is easily conformable with a cured rubber adhesive. It is suitable for automotive baking ovens and provides a good solvency resistance. Temperature resistance up to 90°C.



Code	Description	Width	Length	Ctn	Qty
T120006	General Purpose Masking Tape	6mm	50m	144	
T120012	General Purpose Masking Tape	12mm	50m	72	
T120018	General Purpose Masking Tape	18mm	50m	48	
T120024	General Purpose Masking Tape	24mm	50m	36	
T120036	General Purpose Masking Tape	36mm	50m	24	
T120048	General Purpose Masking Tape	48mm	50m	24	
T120072	General Purpose Masking Tape	72mm	50m	18	
T120096	General Purpose Masking Tape	96mm	50m	12	

Premium Grade Masking



This is a finely crêped masking tape with a natural rubber adhesive. The product is suitable for all kinds of indoor painting processes. tesa 4307 features a high immediate bond and can be easily removed without leaving any adhesive residue. Can be used in temperatures up to 50°C short term.



Code	Description	Width	Length	Ctn	Qty
T430719	General Purpose Masking Tape	19mm	50m	48	
T430725	General Purpose Masking Tape	25mm	50m	36	
T430738	General Purpose Masking Tape	38mm	50m	24	
T430750	General Purpose Masking Tape	50mm	50m	18	
T430772	General Purpose Masking Tape	72mm	50m	12	



3 Day Masking
For Hard to Stick Surfaces



This tape can be removed cleanly for up to 3 days. It features very high adhesion for use with lacquer coatings or cool temperatures. It is also ideal for rough surfaces such as render, concrete or brick.

Code	Description	Width	Length	Ctn	Qty
3M-2060/18	3M 3 Day Masking Tape	18mm	55m	48	
3M-2060/24	3M 3 Day Masking Tape	24mm	55m	36	
3M-2060/36	3M 3 Day Masking Tape	36mm	55m	24	

High Performance Masking



The 233+ features the latest developments in premium masking tape technology. Its unique green backing is highly conformable and has a clean edge designed for critical masking applications. The specially formulated adhesive sticks to most surfaces securely (including EPDM) and removes cleanly for up to 5 days. 233+ also has excellent resistance to paint bleed-through and good temperature resistance up of up to 121° (short term).

Code	Description	Width	Length	Ctn	Qty
3M-233/18	233 High Performance Mask	18mm	55m	48	
3M-233/24	233 High Performance Mask	24mm	55m	24	
3M-233/36	233 High Performance Mask	36mm	55m	16	
3M-233/48	233 High Performance Mask	48mm	55m	12	

Professional 5 Day Masking



A medium tack masking for professional applications. This tape provides a high quality finish leaving no residue for up to 5 days. There is no bleed-through, the tape is UV resistant and resists lifting. Not suitable for plasterboard or painted surfaces.

Code	Description	Width	Length	Ctn	Qty
TCL-RB181/24	Professional 5 Day Mask	24mm	50m	72	
TCL-C41/36	Professional 5 Day Mask	36mm	50m	32	
TCL-C41/48	Professional 5 Day mask	48mm	50m	24	

Long Life 14 Day Masking



A medium to low tack masking tape for long term masking jobs. Outdoor masking tape is ideal for use in direct sunlight, it is tear and UV resistant. Not suitable for plasterboard or painted surfaces. Provides a high quality finish, leaving no residue for up to 14 days.

Code	Description	Width	Length	Ctn	Qty
TCL-RB183	Long Life 14 Day Masking	24mm	50m	72	
TCL-C16/36	Long Life 14 Day Masking	36mm	50m	32	
TCL-C16/48	Long Life 14 Day Masking	48mm	50m	24	

Hi Temperature Masking



tesa 4308 adheres dependably on plastics, it specialises in particularly challenging tasks. This blue tape ensures that edges of varnish work are precise and very clean. It is also suitable for infrared and oven drying at up to 110°C.

Code	Description	Width	Length	Ctn	Qty
T430819	Blue Masking Tape	19mm	50m	48	
T430825	Blue Masking Tape	25mm	50m	36	
T430850	Blue Masking Tape	50mm	50m	18	

14 Day Outdoor Masking



This product is designed for masking wherever it will be exposed to weather for up to 14 days. Excellent conformability with a smooth backing for superior paint lines and reduced fingertip abrasion. Compatible for most surfaces including freshly painted wallboard.

Code	Description	Width	Length	Ctn	Qty
TA56918	Blue 14 Day Masking Tape	18mm	50m	64	
TA56924	Blue 14 Day Masking Tape	24mm	50m	48	
TA56936	Blue 14 Day Masking Tape	36mm	50m	32	
TA56948	Blue 14 Day Masking Tape	48mm	50m	24	

Long Life 14 Day Masking



14 Day UV resistant, extended life, Blue masking tape for indoor and outdoor use. Removes cleanly and easily up to fourteen days after application on most surfaces without leaving adhesive residue. Ideal on timber, glass, plaster, metal and brick.

Code	Description	Width	Length	Ctn	Qty
T70824	Blue 14 Day Masking Tape	24mm	50m	36	
T70836	Blue 14 Day Masking Tape	36mm	50m	24	
T70848	Blue 14 Day Masking Tape	48mm	50m	12	

Delicate 30 Day Masking



A low tack masking tape for painted surfaces and plasterboard. It provides a high quality finish leaving no residue for up to 30 days. It is ideal for multi-coat painting and removes cleanly. This tape is recommended for decorative painting.

Code	Description	Width	Length	Ctn	Qty
TCL-RB182/24	30 Day Purple Masking	24mm	50m	72	
TCL-RB182/36	30 Day Purple Masking	36mm	50m	32	
TCL-RB182/48	30 Day Purple Masking	48mm	50m	24	

Hi Temp Auto Masking Tape



The 4309 is a finely creped, extremely stretchable and flexible paper masking tape. It is resistant to wet sanding and the adhesion of fillers or paints to the reverse side of the tape, it also prevents any kind of flaking. tesa 4309 can be used on painted metal, rubber, glass and chromed parts. The tape can be oven dried up to 120°C and then easily removed without tearing or leaving residue.



Code	Description	Width	Length	Ctn	Qty
T430919	Premium Grade Hi Temp Auto 19mm	50m	96		
T430925	Premium Grade Hi Temp Auto 25mm	50m	72		
T430938	Premium Grade Hi Temp Auto 38mm	50m	48		
T430950	Premium Grade Hi Temp Auto 50mm	50m	36		

Easy Cover Auto
3 in 1 Auto Masking System



Easy Cover® Auto is a 3 in 1 Auto Masking system. The masking tape is a finely crêped extremely flexible paper masking. It is suitable for water and solvent based paints and be used for spray painting with subsequent over or IR-drying up to a temperature of 120°C. The additional paper edge provides perfect paint absorption on the most critical area close to the repair.



Code	Description	Width	Length	Ctn	Qty
T43781000	Easy Cover Auto 3 in 1	1m	20m	24	
T43782000	Easy Cover Auto 3 in 1	2m	20m	24	

Pro-Masker Pre-Folded Film



No paint flaking. Corona treated so paint sticks to film. Pre-folded, unfolds when released! Suitable for use with Pro-Masker and most standard film dispenser machines.



Code	Description	Width	Length	Ctn	Qty
T361	Pro-Masker Pre-Folded Film	1.21m	54.8m	12	
T362	Pro-Masker Pre-Folded Film	1.81m	27.4m	12	
T363	Pro-Masker Pre-Folded Film	2.410m	27.4m	12	



Easy Cover Indoor/Outdoor
Suitable for large areas



Easy Cover® 4368 is a combination of an environment-friendly HDPE film and a slightly crêped adhesive paper tape for the masking of large areas in one working step. It is resistant against dispersion paints and can easily be removed after short term application without residues.

Code	Description	Width	Length	Ctn	Qty
T4368/550	Easy Cover	550mm	33m	60	
T4368/1800	Easy Cover	1.8m	33m	20	
T4368/2600	Easy Cover	2.6m	17m	20	

Easy Cover Dispenser

For use with the 4368



The tesa® Easy Cover dispensers ensure an easy and fast application. The cutting blade adjusts the material from the roll and the dispensers protect it against dust and damage.

Code	Description	Suitable for
T4377-550	Easy Cover Dispenser	550mm
T4377	Easy Cover Dispenser	1.8m to 2.6m

Masking Film With Dispenser

4 Hour Film



Packmate Masking Film is an innovative product designed for mess-free painting. It comes complete with masking tape and is treated with static properties to cling to surfaces.

Code	Description	Width	Length	Ctn	Qty
TMF1800	Easy Cover with Dispenser	1.8m	33m	30	
TMF2400	Easy Cover with Dispenser	2.4m	20m	30	
TMF2700	Easy Cover with Dispenser	2.7m	17m	30	

Hand Masker Plus



3M™ Hand-Masker Masking Film Plus, comes pre-folded. It is a high-density, nonporous film for paint masking and paint overspray protection. It is flake resistant for multiple coat use. This product may also be used with lacquers.

Code	Description	Width	Length	Ctn	Qty
3M-MF24	Pre Fold Mask Film	609mm	54.8m	12	
3M-MF48	Pre Fold Mask Film	1219mm	54.8m	12	
3M-MF72	Pre Fold Mask Film	1829mm	27.4m	12	
3M-MF99	Pre Fold Mask Film	2515mm	27.4m	12	
3M-MF144	Pre Fold Mask Film	3658mm	18.2m	12	

Paper Masking

For use with 3M Dispenser



This paper masking is specifically designed for ease of use in masking smaller areas.

Code	Description	Width	Length	Ctn	Qty
TPA144	Paper Masking Rolls	144mm	50m	50	
TPA288	Paper Masking Rolls	288mm	50m	25	

Plasticised PVC Ducting Tape



- Plasticised PVC for sealing and joining flexible ducting
- Highly Conformable PVC backing
- For use in warm or cold air duct systems
- For use in either high or low air velocity

Code	Description	Carton
T4258...	24 mm x 50 m PVC Duct Tape	36
T425872...	48 mm x 30 m PVC Duct Tape	24

... denotes colour - BK Black, SL Silver

Nopi Duct & Joining Tape



- Highly conformable backing
- Good impact resistance
- Good abrasion resistance
- Aggressive adhesive holds well on a wide variety of surfaces
- Ideal for use in various air ducting systems
- Ideal for joining Poly-Sheeting used in the building industry

Code	Description	Carton
T405148...	48 mm x 30 m NOPI Duct Tape	60

... denotes colour - BK Black, SL Silver, WH White

Nitto PVC Duct Tape




- Joining Poly-Sheeting used in the building industry
- Joining and sealing flexible air conditioning ductwork
- Plasticised PVC
- Highly conformable PVC backing

Code	Description	Carton
TDUCT...	48 mm x 30 m Nitto PVC Duct Tape	60
TDUCT72...	72 mm x 30 m Nitto PVC Duct Tape	50

... denotes colour - BK Black, SL Silver



Nichiban



An extremely versatile fine rayon 80 mesh cloth tape. Easily hand torn but still retains a high tensile strength. Nichiban has a polythylene waterproof coating with a natural rubber backing.

Code	Description	Width	Length	Ctn	Qty
T12012...	Nichiban Cloth Tape	12mm	25m	60	
T12024...	Nichiban Cloth Tape	24mm	25m	48	
T12036...	Nichiban Cloth Tape	36mm	25m	36	
T12048...	Nichiban Cloth Tape	48mm	25m	36	
T12072...	Nichiban Cloth Tape	72mm	25m	18	
T12096...	Nichiban Cloth Tape	96mm	25m	12	
T1201200...	Nichiban Cloth Tape	1200mm	25m	1	

... denotes colour - BK Black, BL Blue, WH White, GR Green, R Red, S Silver, YE Yellow, BE Beige

Render Cloth Tape



This tape has been specially developed for the professional renderer. K180 has a special adhesive engineered to cope with the heat, UV and humidity. It's heavy duty construction allows it to strip cleanly up to 14 days after being applied outdoors.

Code	Description	Width	Length	Ctn	Qty
TK18024BL	Blue Render Cloth Tape	24mm	25m	48	
TK18036BL	Blue Render Cloth Tape	36mm	25m	32	
TK18048BL	Blue Render Cloth Tape	48mm	25m	24	

Premium




This premium grade cloth tape comes in a range of colours for labelling, colour coding and book binding. It's high tensile strength makes it useful for wrapping, bundling or temporary repairs. It's waterproof Polythylene coating makes it ideal for sealing out moisture. It provides excellent adhesion to most surface.

Code	Description	Width	Length	Ctn	Qty
T10524...	Cloth Tape	24mm	25m	48	
T10548...	Cloth Tape	48mm	25m	24	
T10554...	Cloth Tape	54mm	25m	24	
T10596...	Cloth Tape	96mm	25m	12	

... denotes colour - BK Black, BL Blue, WH White, R Red, LBL Light Blue, S Silver, BE Beige, BR Brown, GR Green, YE Yellow

General Purpose



This general purpose cloth tape has a high tensile strength for wrapping, bundling or temporary repairs. It's waterproof Polythylene coating makes it ideal for sealing out moisture. It provides excellent adhesion to most surfaces.

Code	Description	Width	Length	Ctn	Qty
T10324...	General Purpose Cloth Tape	24mm	25m	48	
T10348...	General Purpose Cloth Tape	48mm	25m	24	
T10354...	General Purpose Cloth Tape	54mm	25m	24	
T10396...	General Purpose Cloth Tape	96mm	25m	12	

... denotes colour - BK Black, BL Blue, WH White, R Red, GR Green, YE Yellow, S Silver, BR Brown

4688 Cloth Tape



tesa 4688 is a premium grade PE extruded cloth tape with a natural rubber adhesive that offers good handling characteristics. It is easy to tear by hand, waterproof and ageing resistant. 4688 can be used to hold and join builders' film and seal refrigeration units as well as being ideal for bookbinding and colour coding

Code	Description	Width	Length	Ctn Qty
T468824...	Premium Grade Cloth Tape	24mm	25m	48
T468836...	Premium Grade Cloth Tape	36mm	25m	32
T468848...	Premium Grade Cloth Tape	48mm	25m	24
T468872...	Premium Grade Cloth Tape	72mm	25m	16
T468896	Premium Grade Cloth Tape	96mm	25m	12

... denotes colour - BK Black, BL Blue, WH White, S Silver, BE Beige, R Red, GR Green, YE Yellow

Venhart 143



This cloth tape is designed for heavy packaging. It has good tack and shear strength. It is a waterproof polyethylene coated polyester/cotton with a natural rubber adhesive

Code	Description	Width	Length	Ctn Qty
T14312...	General Purpose Cloth Tape	12mm	25m	144
T14318...	General Purpose Cloth Tape	18mm	25m	96
T14324	General Purpose Cloth Tape	24mm	25m	72
T14336...	General Purpose Cloth Tape	36mm	25m	48
T14348...	General Purpose Cloth Tape	48mm	25m	36
T14372...	General Purpose Cloth Tape	72mm	25m	24
T146100...	General Purpose Cloth Tape	100mm	25m	18

... denotes colour - BK Black, BL Blue, WH White, S Silver, BE Beige, R Red, GR Green, YE Yellow, LB Light Blue, P Pink, BR Brown

Book Binding Premium



This cloth tape is designed for Book binding, carton sealing and colour identification. It is made from polyethylene coated rayon with a rubber solvent adhesive.

Code	Description	Width	Length	Ctn Qty
T14512...	Premium Book Binding Tape	12mm	25m	160
T14518...	Premium Book Binding Tape	19mm	25m	120
T14524	Premium Book Binding Tape	25mm	25m	80
T14536...	Premium Book Binding Tape	38mm	25m	60
T14348...	Premium Book Binding Tape	48mm	25m	40
T14372...	Premium Book Binding Tape	75mm	25m	30
T14396...	Premium Book Binding Tape	100mm	25m	20

... denotes colour - BK Black, BL Blue, WH White, S Silver, BE Beige, R Red, GR Green, YE Yellow

Heavy Duty Gaffer



tesa 58663 heavy duty cloth gaffer tape is a high quality waterproof, tough tape with high strength cloth backing and powerful adhesive which will stick to difficult surfaces such as carpet and holds aggressively under harsh conditions. It is suitable for fixing wires and cables in the entertainment industry, sandblast making and heavy machinery and sealing asbestos containment bags.

Code	Description	Width	Length	Ctn Qty
T5866324...	Heavy Duty Gaffer Tape	24mm	40m	48
T5866348...	Heavy Duty Gaffer Tape	48mm	40m	24
T5866372...	Heavy Duty Gaffer Tape	72mm	40m	16
T5866396...	Heavy Duty Gaffer Tape	96mm	40m	12

... denotes colour - BK Black, WH White,

Double Sided Cloth Tape



tesa 4974 is ideal for use in the carpet industry for temporary carpet laying applications at exhibitions etc. It can be used for attaching skirts to banquet tables and mounting lightweight articles to painted surfaces. It has a strong fabric backing with an aggressive rubber adhesive with high tack even on rough surfaces.

Code	Description	Width	Length	Ctn Qty
T497412	Double Sided Cloth Tape	12mm	22m	36
T497418	Double Sided Cloth Tape	18mm	22m	24
T497424	Double Sided Cloth Tape	24mm	22m	18
T497448	Double Sided Cloth Tape	48mm	22m	9
T4974300	Double Sided Cloth Tape	300mm	22m	4

available in Cream only

Double Sided Cloth Tape



An open weave cotton cloth tape, ideal for carpet laying. It has a synthetic hot melt adhesive. Can be hand torn.

Code	Description	Width	Length	Ctn Qty
TDSC12	Double Sided Cloth Tape	12mm	25m	48
TDSC19	Double Sided Cloth Tape	19mm	25m	48
TDSC25	Double Sided Cloth Tape	25mm	25m	48
TDSC38	Double Sided Cloth Tape	38mm	25m	48
TDSC50	Double Sided Cloth Tape	50mm	25m	48
TDSC-300	Double Sided Cloth Tape	300mm	25m	48

available in Cream only



Multifoam® 749 series

**APPLICATIONS**

- Sealing between Rigid Air Conditioning Duct Flanges
- Used as a Sealant Dam-Wall on auto windscreens
- Sealing Motorway Acoustic Barriers
- Sealing Access Panels and Doors

FEATURES

- 3mm firm foam with moderate compression strength
- Resistant to weathering, ageing and fungi
- High tack adhesive, suitable for many substrates including galvanised steel
- Resistant to oil, petrol, solvents and many chemicals

Code	Thickness	Length	Qty
T7492...	3mm	25m	1
T7493...	6mm	15m	1
T7494...	10mm	7m	1
T7495	12mm	7m	1
T7496	5mm	15m	1

... denotes tape width 6mm, 9mm,12mm,15mm,18mm,21mm,
24mm,36mm,48mm
denotes colour - WH White, GY Grey

Multifoam® 749 PV2 Series

**APPLICATIONS**

- Sealing Utility canopies
- Lining chutes to cushion movement of parts during manufacturing
- Sealant dam walling during installation of automotive windscreens

FEATURES

- 5mm Foam with High Abrasion resistance
- Tough PE Film surface which prevents scuffing and tearing of the foam.
- PE Film allows slippage across the surface of the film

Code	Thickness	Length	Qty
T7492PV2...	3mm	25m	1
T7493PV2...	10mm	7m	1
T7494PV2...	5mm	15m	1

BK Black, GY Grey

... denotes tape width 6mm, 9mm,12mm,15mm,18mm,21mm,
24mm,36mm,48mm

Durafoam® Neoprene Rubber Foam

**APPLICATIONS**

- Sealing electrical enclosures and switch cabinets
- Sealing exterior and interior lighting
- Sealing industrial access doors and hatches

FEATURES

- Resistant to petrol and oil
- Complies with auto industry standards
- Plastic compatible
- Flame retardant to FMVSS 302
- Available in Black only

Code	Thickness	Length	Qty
T61111...	1.6mm	25m	1
T61112...	3.2mm	25m	1
T61113...	4.8mm	15m	1
T61114...	6.4mm	15m	1
T61115...	9.5mm	7m	1
T61116...	12.7mm	7m	1

... denotes tape width 6mm, 9mm,12mm,15mm,18mm,21mm,
24mm,36mm,48mm

Durafoam® EPDM Rubber Foam



APPLICATIONS

- Sealing electrical enclosures and switch cabinets
- Sealing exterior and interior lighting
- Sealing industrial access doors and hatches
- Sealing hatches on boats
- Sealing domestic and commercial Glazing Systems
- Sealing external mounted air conditioning equipment

FEATURES

- Non-Staining, Non-Corrosive & Non-Conductive
- Will not contaminate drinking water
- Plastic compatible
- Non-toxic and flame retardant to FMVSS 302
- Available in Black only

Code	Thickness	Length	Qty
T61101...	1.6mm	25m	1
T61102...	3.2mm	25m	1
T61103...	4.8mm	15m	1
T61104...	6.4mm	15m	1
T61105...	9.5mm	7m	1
T61106...	12.7mm	7m	1
T61107...	19mm	5m	1

... denotes tape width 6mm, 9mm,12mm,15mm,18mm,21mm,24mm,36mm,48mm

Permafoam® Closed Cell PVC Foam



APPLICATIONS

- Sealing exterior mounted air conditioning fan units on walls or roofs
- Sealing electrical access panels on industrial machinery and controls
- Sealing electrical cabinet doors
- Sealing housings on commercial refrigeration motors and fans
- Used as a secondary seal in domestic glazing
- Used as a die-cut corner seal in domestic windows
- Sealing under glass stove-tops
- Used to reduce vibration noise in aluminium boats

FEATURES

- Adhesive is repositional for approximately 30 minutes
- Full adhesion reached after 48 hours
- Fungi resistant
- Oxidation, UV & Ozone resistant
- Medium to hard foam

Code	Thickness	Length	Colour	Qty
T60202...	1.6mm	45.7m	Black & Grey	1
T60203...	3.2mm	25m	Grey	1
T60204...	4mm	15m	White	1
T60206...	6.4mm	15m	Grey	1
T60209...	9.5mm	9.1m	Grey	1
T60212	12.7mm	7.6m	Grey	1

... denotes tape width 6mm, 9mm,12mm,15mm,18mm,21mm,24mm,36mm,48mm

Permafoam® Closed Cell PVC Foam

**APPLICATIONS**

- Sealing between logs in log homes
- Sealing fluorescent light fittings against ingress of dirt or insects
- Sealing electrical panels in petrol pumps
- Used as a secondary seal in domestic glazing
- Used as a die-cut corner seal in domestic windows
- Vibration dampener on auto weather shields
- Sealing between aluminium annexes and caravans

FEATURES

- Highly conformable PVC foam
- Adhesive is repositionable for approximately 30 mins
- Full adhesion reached after 48 hours
- Fungi resistant
- Oxidation, UV & Ozone resistant
- Soft foam / Black is flame retardant to FMVSS 302

Code	Thickness	Length	Colour	Qty
T60103...	3.2mm	25m	Black & Grey	1
T60105...	4.8mm	15m	Black	1
T60106...	6.4mm	15m	Black & Grey	1
T60109...	9.5mm	9.1m	Black & Grey	1
T60112...	12.7mm	7.6m	Black & Grey	1
T60119...	19mm	5m	Black	1

... denotes tape width 6mm, 9mm, 12mm, 15mm, 18mm, 21mm, 24mm, 36mm, 48mm

Permafoam® Closed Cell PVC Foam

**APPLICATIONS**

- Sealing Concrete formwork on building sites
- Sealing between the door or window frames and profiled cladding of caravans and portable homes
- Sealing lead light windows
- Sealing hatchery doors
- Sealing around stainless steel sinks

FEATURES

- Highly conformable PVC foam
- Adhesive is repositionable for approximately 30 mins
- Full adhesion reached after 48 hours
- Fungi resistant
- Oxidation, UV & Ozone resistant
- Super Soft foam

Code	Thickness	Length	Colour	Qty
T60003...	3.2mm	25m	Grey	1
T60006...	6.4mm	15m	Grey	1
T60009...	9.5mm	9.1m	Grey	1
T60012	12.7mm	7.6m	Grey	1

Soft Grade PVC / Nitrile Foam



APPLICATIONS

- Sealing electrical enclosures and switch cabinets
- Sealing industrial access doors and hatches
- Sealing hatches on boats
- Sealing externally mounted air conditioning equipment
- Pipe wrap insulation of hot and cold pipes

FEATURES

- Highly conformable PVC foam, compresses easily and recovers quickly
- Filmic interliner prevents stretch during application
- Robust foam is tear and abrasion resistant
- Good resistance to high temperatures and weathering
- Good thermal insulation properties
- Available in diecut pads and gaskets

Code	Thickness	Length	Colour	Qty
T50601...	3mm	9m	Black	1
T50602	6mm	9m	Black	1
T50603	9mm	9m	Black	1
T50604	12mm	9m	Black	1

... denotes tape width 6mm, 9mm,12mm,15mm,18mm,21mm,24mm,36mm,48mm

Flexifoam® Polyurethane Open-Cell Foam



APPLICATIONS

- Sealing concrete form work
- Draught seal on doors and windows
- Sealing between office partitions and walls or ceilings
- Dampening vibrations on instrument panels, air conditioning controls and interior body panels in the auto industry
- Vibration dampening in white goods, electric heaters and fans

FEATURES

- Low deformation characteristics
- Polyester-based formulation resists ageing and yellowing

Code	Thickness	Length	Colour	Qty
T4761...	3mm	10m	Black & White	1
T4761...	3mm	25m	Grey	1
T4763...	6mm	10m	Black & White	1
T4763	6mm	15m	Grey	1
T4765...	9mm	10m	Black & White	1
T4765...	9mm	7m	Grey	1
T4766..	12mm	10m	Black & White	1
T4766...	12mm	7m	Grey	1

... denotes tape width 6mm, 9mm,12mm,15mm,18mm,21mm,24mm,36mm,48mm

Durafoam® PVC / Nitrile Closed-Cell Foam



APPLICATIONS

- Sealing electrical enclosures and switch cabinets
- Ejection rubber on die-cutting forms
- Sealing industrial doors and hatches


FEATURES

- Firm foam with good compression strength, low compression set and quick recovery
- High strength interliner provides good dimensional stability
- Very high strength adhesive sticks permanently to a wide variety of surfaces
- Robust foam with high resistance to tearing and abrasion
- Ideally suited to die-cutting due to good dimensional stability and high quality paper liner
- Resistant to weathering - suitable for outdoor use
- Flame retardant to FMVSS 302
- Resistant to petrol and oil
- Electrically non-conductive - can be used as an electrolysis barrier
- Good resistance to acids, solvents and many chemicals

Code	Thickness	Length	Colour	Qty
T4772...	4mm	10m	Black	1
T4773...	6mm	10m	Black	1

... denotes tape width 6mm, 9mm,12mm,15mm,18mm,21mm,24mm,36mm,48mm

Double Sided Self Adhesive Foam



APPLICATIONS

- Fixing of mirrors in humid rooms
- Self adhesive mounting of cable clips and cable covers
- Fixing of car mirrors
- Fixing of window bars


FEATURES

- High shear resistance
- Resistant to humidity
- White tape with a brown paper liner
- PE foam carrier and an acrylic adhesive system

Code	Description	Width	Length	CtnQty
T4952-12	1.2mm D/S Foam	12mm	50m	10
T4952-18	1.2mm D/S Foam	18mm	50m	7
T4952-24	1.2mm D/S Foam	24mm	50m	5

Available in White only

Double Sided Polyprop High Strength



APPLICATIONS

- Fixing of car mirrors in plastic housings
- Mounting of mouldings and decorative trim parts
- Especially suitable for permanent bond and rough surfaces

FEATURES

- non-orientated PP carrier and a light and age resistant modified acrylic mass system
- Successfully used in high bond areas
- Very strong permanent bond on anti-adhesive plastic surfaces especially on rough surfaces without any pre-treatment

Code	Description	Width	Length	CtnQty
T51968-12	D/S High Strength Foam	12mm	50m	36
T51968-18	D/S High Strength Foam	18mm	50m	24
T51968-24	D/S High Strength Foam	24mm	50m	18
T51968-48	D/S High Strength Foam	48mm	50m	9

Available in White only

Double Sided Closed Cell PVC Foam



APPLICATIONS


- Primary seal between the glass and metal frame in commercial and domestic windows and walls
- Dampening vibrations between metal frame and cladding in the transport industry
- Used as a die cut corner seal in domestic and commercial windows

FEATURES

- Fungi resistant
- Oxidisation resistant
- UV and Ozone resistant
- Complies with AAMA 810.1-85 type 1
- Complies with AS 2047
- 604 Series has a permanently elastic adhesive and is not suitable for bonding or mounting applications

Code	Thickness	Length	Colour	Qty
T60402...	1.6mm	61m	Black	1
T60403...	3.2mm	30.5m	Black	1
T60405...	4.8mm	15.2m	Black	1
T60406...	6.4mm	10.7m	Black	1

... denotes tape width 6mm, 9mm,12mm,15mm,18mm,21mm & 24mm



Aluminium Foil - Unreinforced

**APPLICATIONS**

- Securing Heating and Cooling Lines in Refrigeration
- Joining and Sealing Foil-Faced Thermal Insulation in Roofs and Air Conditioning
- Sealing the Corners of Glazed Units
- Paint Masking in Critical Areas

FEATURES

- Pure Aluminium Foil tape with a Paper Liner
- Highly conformable backing
- Complies to AS 1530 Part 3 -1976



Code	Description	Carton
T737924SL	24 mm x 50 m Alum Foil Tape Unreinforced	48
T737948SL	48 mm x 50 m Alum Foil Tape Unreinforced	24
T737972SL	72 mm x 50 m Alum Foil Tape Unreinforced	16

Aluminium Foil- Reinforced

**APPLICATIONS**

- Fixing, Joining and Sealing Foil Faced Air Conditioning Ducting Insulation
- Joining Roofing Insulation

FEATURES

- Laminated Reinforced Aluminium Foil Tape
- Moisture Impervious
- Flammability Index rating of zero



Code	Description	Carton
T5149524	24 mm x 50 m Alum Foil Tape Reinforced	48
T5149548	48 mm x 50 m Alum Foil Tape Reinforced	24
T5149572	72 mm x 50 m Alum Foil Tape Reinforced	16

Aluminium Foil - Reinforced

**APPLICATIONS**

- Fixing, Joining and Sealing Foil Faced Air Conditioning Ducting Insulation
- Joining Roofing and Insulation

FEATURES

- Flame retardant additives
- Highly conformable backing
- Pressure sensitive adhesive system

Code	Description	Carton
T49348	48 mm x 50 m Alum Foil Tape Reinforced	20
T49363	63 mm x 50 m Alum Foil Tape Reinforced	16
T49372	72 mm x 50 m Alum Foil Tape Reinforced	16
T49396	96 mm x 50 m Alum Foil Tape Reinforced	12

Aluminium Foil - Reinforced

**APPLICATIONS**

- Vapour seal on aluminium faced insulation products

FEATURES

- 0/0 Flame/Smoke Rating
- Bonds and seals extremely well at temperatures as low as -12°C
- High Performance solvent acrylic adhesive performs well over a wide temperature range

Code	Description	Carton
T1529CW-48	48 mm x 45m Alum Foil Tape Reinforced	24
T1529CW-75	75 mm x 45m Alum Foil Tape Reinforced	16

1.4mm Aluminium Foil

**APPLICATIONS**

- Can be used on fibrous sheets

FEATURES

- 0/0 Flame/Smoke Rating
- Bonds and seals extremely well at temperatures as low as -12°C
- High Performance solvent acrylic adhesive performs well over a wide temperature range

Code	Description	Carton
T1529CW-48	48 mm x 45m Alum Foil Tape Reinforced	24
T1529CW-75	75 mm x 45m Alum Foil Tape Reinforced	16



Barrier Tape



- 100 metre roll x 75mm width
- Heavy duty plastic
- Designed for extended outdoor use

Code	Description	Pack	Carton
T4104100	Red & White 75mm x 100m Barrier Tape	1	20
T5104100	Green & White 75mm x 100m Barrier Tape	1	20
T6104100	Yellow & Black 75mm x 100m Barrier Tape	1	20
T7104100	Blue & White 75mm x 100m Barrier Tape	1	20



Ask about our range of printed tapes
You think it - We print it!

Printed Barrier Tape



- 100 m x 75mm
- Heavy duty plastic
- Designed for extended outdoor use

DANGER! ASBESTOS DUST HAZARD



Code	Description	Ctn
T4104100-DT	Red & White DANGER 75mm x 100m Barrier Tape	20
T4104100-DDNET	Red & White DANGER DO NOT ENTER 75mm x 100m Barrier Tape	20
T6104	CAUTION 75mm x 100m Barrier Tape	20

Hazard Tape



- For use with safety and warning signs
- Ideal for hazard warning & area identification
- High night visibility
- Can be cut to any width and printed
- 3 year grade

Code	Description	Qty
T500324R/W	24mm x 45m Red & White Reflective Tape	1
T500348R/W	48mm x 45m Red & White Reflective Tape	1
T500324B/Y	24mm x 45m Black & Yellow Reflective Tape	1
T500348B/Y	48mm x 45m Black & Yellow Reflective Tape	1

Warning Tape




- Class 2 engineering grade
- Designed for safety and warning signs
- Suitable for production of traffic, road and work signs
- High night visibility
- Can be cut to any width and printed
- 7 year grade

Code	Description	Qty
T500724...	24mm x 45m Reflective Warning Type2 Tape	1
T500748...	48mm x 45m Reflective Warning Type2 Tape	1

... denotes colour RE red, YE yellow, BL blue, WH white

Warning Tape



- Class 1 High Intensity Grade
- Designed for safety and warning signs
- Suitable for production of traffic, road and work signs
- High night visibility
- Can be cut to any width and printed
- 10 year grade

Code	Description	Qty
T501024Y	24mm x 45m Reflective Warning Type 1 Tape	1
T501048W	48mm x 45m Reflective Warning Type 1 Tape	1

... denotes colour RE red, YE yellow, BL blue, WH white

Floor Marking




- Available in 9 colours - black, blue, green, red, white, yellow, green/white, red/white or yellow/black
- Varying width rolls available on request
- Temperature resistant up to 70°C
- Tough plasticised PVC tape coated with an aggressive rubber adhesive
- Easy unwind feature which allows accurate positioning and prevents shrinkage
- PVC backing resists scuffing and cleaning agents



Code	Description	Carton
T416924...	24mm x 30m Floor Marking Tape	12
T416936...	36mm x 30m Floor Marking Tape	8
T416948...	48mm x 30m Floor Marking Tape	6
T416972	72mm x 30m Floor Marking Tape	4
T4169	6mm to 1240mm widths available on request	

... denotes colour YB Yellow/Black, Y Yellow, W White, GN green, GW Green/White, R Red, RW Red/White, BK Black, BL Blue

Lane Marking



- Matte Finish
- Yellow plasticised PVC with rubber solvent adhesive
- Temperature range -10°C to 80°C
- Marking walls and floors in factories, warehouses and sporting halls
- Lane marking for forklifts
- Delineating hazardous areas, fire risk areas and safe zones

Code	Description	Ctn
TLMT/48RW	50mm x 25m Red & White Lane Marking Tape	12
TLMT/48YB	50mm x 25m Yellow & Black Floor Marking Tape	6
TLMT/48Y	72mm x 30m Yellow Floor Marking Tape	4

Tread Tape



- Available in 6 colours - black, white, yellow, red, yellow & black striped and glow-in-the-dark
- Yellow and Yellow and Black striped tapes are used in safety areas
- Red tape is for fire hazard areas
- Glow-in-the-dark (Glo-tred) will glow for up to 30 minutes after exposure to a strong light source
- 18m length rolls
- Red is only available in 50mm width
- Temperature resistant -5° to 50°C long term
- Acrylic adhesive with PVC backing



Code	Description	Carton
T5666025...	25mm x 18m Anti Slip Tread Tape	12
T5666050...	50mm x 18m Anti Slip Tread Tape	6
T56660100...	100mm x 18m Anti Slip Tread Tape	3
T56660150...	150mm x 18m Anti Slip Tread tape	2

... denotes colour YB Yellow/Black, Y Yellow, W White, R Red, BK Black, GID Glow in the dark

Non Skid Tape



- Available in 5 colours - black, white, clear, yellow and yellow & black striped
- Durable non slip Aluminium oxide grip
- Easy application self adhesive
- Ideal in areas subject to moisture
- Maximum width 1000mm roll
- Temperature resistant to 60°C
- Acrylic adhesive with PVC backing



Code	Description	Ctn
T45024...	24mm x 18m Non Skid Tread Tape	48
T45036...	36mm x 18m Non Skid Tread Tape	36
T45048...	48mm x 18m Non Skid Tread Tape	24
T450/150...	150mm x 18m Anti Slip Tread Tape	8

... denotes colour YB Yellow/Black, Y Yellow, W White, CI Clear, BK Black

PVC Electrical Insulation Tape



APPLICATIONS

- Used to electrically insulate joints and splices in wires and cables
- Used to colour code wires and cables

FEATURES

- Non-Corrosive
- High conformability and flexibility

Code	Description	Carton
T60804	19mm x 20m PVC Electrical Insulation Tape	200
... denotes colour RD red, YE yellow, BL blue, GR green, WH white, BK black, YG yellow/green striped		

Flame Retardant Electrical Insulation Tape



APPLICATIONS

- Used to electrically insulate joints and splices in wires and cables
- Used to colour code wires and cables

FEATURES

- Flame retardant
- Non-Corrosive
- High conformability and flexibility
- Conforms to AS 1621.3 - 1998
- High elongation of PVC

Code	Description	Carton
T60805	19mm x 20m PVC Electrical Fire Retardant Insulation Tape	200
... denotes colour RD red, YE yellow, BL blue, GR green, WH white, BK black, YG yellow/green striped		

Nitto Electrical Tape



APPLICATIONS

- Used to electrically insulate joints and splices in wires and cables
- Used to colour code wires and cables

FEATURES

- Non-Corrosive
- High conformability and flexibility
- Can be purchased as assorted colours in a box

Code	Description	Carton
TNITTO203	19mm x 20m PVC Electrical Insulation Tape	120
... denotes colour B black, S Gray, E rainbow assorted colours		

Electrical Insulation Tape



APPLICATIONS

- Used to electrically insulate joints and splices in wires and cables
- Used to colour code wires and cables

FEATURES

- High conformability and flexibility
- Can be purchased as assorted colours in a box

Code	Description	Carton
T440...	18mm x 20m PVC Electrical Insulation Tape	200
... denotes colour RD red, YE yellow, BL blue, GR green, WH white, BK black, YG yellow/green striped		

PV3 Protection Tape



APPLICATIONS

- Protection of anodised or powder coated aluminium window frames
- Outdoor storage of the window frame is possible because the PV3 tape is UV resistant for 12 months

FEATURES

- Tough, tear and scuff resistant polyethylene film backing
- Good conformable backing allows tape to adhere well to complex shapes
- Easily unwound and applied in both narrow and wide width rolls



Code	Description	Ctn
T5100824PV3	24mm x 66m PVC Tape	72
T5100836PV3	18mm x 66m PVC Tape	72
T5100848PV3	24mm x 66m PVC Tape	72
T5100872PV3	36mm x 66m PVC Tape	72
Available up to 288mm	48mm x 66m PVC Tape	72

PVC Protection Tape



APPLICATIONS

- Protection of finished surfaces during fabrication, storage, transportation and installation
- Particularly suitable for the protection of aluminium window and door frames

FEATURES

- Low tack adhesive leaves no residue on removal
- High conformable backing allows tape to mould to intricate shapes
- Easy unwind and low curl characteristics for smooth operation



Code	Description	Ctn
T5148524BK	24mm x 66m PVC Tape	36
T5148536BK	36mm x 66m PVC Tape	24
T5148548BK	48mm x 66m PVC Tape	16
T5148572BK	72mm x 66m PVC Tape	12
T4004896BK	96mm x 66m PVC Tape	8

HD Plasticised PVC Isolation Tape



APPLICATIONS

- For the corrosion and abrasion protection of underground and above ground pipes
- For the joining of large electrical cables and conduit
- Used as an electrolysis barrier between dissimilar metals
- For joining sub concrete membranes

FEATURES

- Highly flexible anti-corrosive tape
- Puncture resistant
- PVC backing
- Excellent insulating properties



Code	Description	Ctn
T5148218BK	18mm x 30m PVC Isolation Tape	48
T5148224BK	24mm x 30m PVC Isolation Tape	36
T5148236BK	36mm x 30m PVC Isolation Tape	24
T5148248BK	48mm x 30m PVC Isolation Tape	16
T5148272BK	72mm x 30m PVC Isolation Tape	12
T5148296BK	96mm x 30m PVC Isolation Tape	8

PVC Tape



- Designed for packaging
- Bag neck sealing
- Identification and colour coding
- Smooth and silent release
- Unplasticised PVC
- Standard release
- Rubber solvent adhesive

Code	Description	Ctn
T40012	12mm x 66m PVC Tape	72
T40018	18mm x 66m PVC Tape	72
T40024	24mm x 66m PVC Tape	72
T40036	36mm x 66m PVC Tape	72
T40048	48mm x 66m PVC Tape	72

... denotes colour GR Green, LB Light Blue, Y Yellow, W White, R Red, BL Blue, BK Black, O Orange, FO Fluro Orange



Ask about our range of printed tapes
You think it - We print it !



Kikusui Double Sided Tissue



- Holds leather and fabric during sewing
- Flying splice tape for joining paper rolls
- Alternative to seam stick
- Holding fabrics in blinds and awnings
- Thin and hand tearable
- High strength long life acrylic adhesive
- Rayon tissue



Code	Description	Carton
T19006	6mm x 50m Double Sided Premium Tissue	198
T19009	9mm x 50m Double Sided Premium Tissue	128
T19012	12mm x 50m Double Sided Premium Tissue	96
T19018	18mm x 50m Double Sided Premium Tissue	64
T19024	24mm x 50m Double Sided Premium Tissue	48
T19036	36mm x 50m Double Sided Premium Tissue	32
T19048	48mm x 50m Double Sided Premium Tissue	24

Economy Double Sided Tissue



- Holds fabric and leather during assembly
- Permanent mounting of signs and displays
- Permanent mounting of badges and nameplates
- Laminating and mounting of foam products
- Manufacture of blinds and awnings
- Excellent adhesion to most surfaces
- High strength long life acrylic adhesive
- Excellent solvent and temperature resistance



Code	Description	Ctn
T19106	6mm x 50m Double Sided Economy Tissue	198
T19109	9mm x 50m Double Sided Economy Tissue	128
T19112	12mm x 50m Double Sided Economy Tissue	96
T19118	18mm x 50m Double Sided Economy Tissue	64
T19124	24mm x 50m Double Sided Economy Tissue	48
T19136	36mm x 50m Double Sided Economy Tissue	32
T19148	48mm x 50m Double Sided Economy Tissue	24

Non-Woven Double Sided Tissue



- Joining and holding of all kinds of light materials such as foils, films and paper
- Self adhesive converting of plastic bags, delivery envelopes, posters, continuous stationery, displays etc
- Affixing decorative trims to appliances, trophies etc
- Affixing plastic profiles, eg supermarket tags
- Adhesive resistant to ageing
- Unaffected by migrating plasticisers
- High adhesion and tack
- High shear strength



Code	Description	Ctn
T49596	6mm x 75m Double Sided Non-Woven Tissue	72
T495912	9mm x 75m Double Sided Non-Woven Tissue	36
T495918	12mm x 75m Double Sided Non-Woven Tissue	48
T495924	18mm x 75m Double Sided Non-Woven Tissue	18
T495948	24mm x 75m Double Sided Non-Woven Tissue	9

Double Sided Paper Tissue



APPLICATIONS


- Foam lamination
- Fabric lamination
- Bonding to low surface energy materials such as polyethylene and polypropylene
- Mounting metallic and filmic nameplates and control panels

FEATURES

- Aggressive acrylic adhesive
- Very high tack
- Treated paper release liner for easy handling and die-cutting

Code	Description	Carton
T6098512	12mm x 50m D/S Paper Tissue	36
T6098518	18mm x 50m D/S Paper Tissue	24
T6098524	24mm x 50m D/S Paper Tissue	18
T6098548	48mm x 50m D/S Paper Tissue	9

Double Sided Non Woven Fabric



APPLICATIONS

- Splicing of paper and film webs
- Laminating posters and signs
- Adhering aluminium name plates to trophies
- Lamination of plastic and metal components
- Laminating of poly carbonates

FEATURES

- Good shear strength
- Very high tack
- Resistant to light and ageing and largely resistant to plasticisers

Code	Description	Carton
T715812	12mm x 50m D/S Paper Tissue	36
T715824	18mm x 50m D/S Paper Tissue	24
T715848	24mm x 50m D/S Paper Tissue	9



Crossweave Filament



- Bundling and strapping heavy goods
- Securing pallets
- Closing and reinforcing shipping cartons
- Good longitudinal and transverse tensile strength
- Extremely good adhesive performance

Code	Description	Carton
T457912	12mm x 45m X/Ply Filament Tape	72
T457918	18mm x 45m X/Ply Filament Tape	48
T457924	24mm x 45m X/Ply Filament Tape	36
T457936	36mm x 45m X/Ply Filament Tape	24
T457948	48mm x 45m X/Ply Filament Tape	24

Heavy Duty Filament Tape



- Bundling and strapping heavy goods
- Securing pallets
- Closing and reinforcing shipping cartons
- Strong fibreglass reinforced filaments
- Rubber solvent adhesive
- Agresive shear strength

Code	Description	Carton
T82506	6mm x 45m Filament Tape	144
T82512	12mm x 45m Filament Tape	72
T82518	18mm x 45m Filament Tape	48
T82524	24mm x 45m Filament Tape	36
T82536	36mm x 45m Filament Tape	24
T82548	48mm x 45m Filament Tape	24

Bi-Directional Filament Tape



- Bundling and strapping heavy goods
- Securing pallets
- Closing and reinforcing shipping cartons
- Reinforce artwork and print folders
- Extra heavy duty
- High cross direction tensile strength backing
- Strong fibreglass reinforced filaments

Code	Description	Carton
T82606	6mm x 45m X/Ply Filament Tape	144
T82612	12mm x 45m X/Ply Filament Tape	72
T828618	18mm x 45m X/Ply Filament Tape	48
T828624	24mm x 45m X/Ply Filament Tape	36
T828636	36mm x 45m X/Ply Filament Tape	24
T828648	48mm x 45m X/Ply Filament Tape	24

Two Way Filament Tape



- Bundling and strapping heavy goods
- Securing pallets
- Closing and reinforcing shipping cartons
- Two way fibreglass reinforced PP
- Hot melt adhesive

Code	Description	Carton
T12212	12mm x 50m X/Ply Filament Tape	36
T12225	24mm x 50m X/Ply Filament Tape	36
T12250	48mm x 50m X/Ply Filament Tape	36

Nopi Tensilised PP Strapping



- Good initial tack and high shear strength
- When properly applied, tape shrinks around loads and holds them tightly
- Impact strength allows give and take without snapping
- Suitable for outdoor use
- Used for palletising and unitising corrugated and paper board boxes

Code	Description	Carton
T409212	12mm x 100m Black Strapping Tape	144
T409219	19mm x 100m Black Strapping Tape	96
T409219CL	19mm x 100m Clear Strapping Tape	96

PP Strapping Tape



- High strength, polypropylene strapping
- Hot melt adhesive
- High impact resistance
- Used for palletising and unitising corrugated and paper board boxes

Code	Description	Carton
TVH88-12BK	12mm x 66m Black Strapping Tape	72
TVH88-12C	12mm x 66m Clear Strapping Tape	72
TVH88-19BK	19mm x 66m Black Strapping Tape	72
TVH88-19C	19mm x 66m Clear Strapping Tape	72
TVH88-25BK	25mm x 66m Black Strapping Tape	72
TVH88-25C	25mm x 66m Clear Strapping Tape	72

Strapping Tape



- Good initial tack and high shear strength
- When properly applied, tape shrinks around loads and holds them tightly
- Impact strength allows give and take without snapping
- Suitable for outdoor use
- Used for palletising and unitising corrugated and paper board boxes

Code	Description	Carton
T60512	12mm x 66m Black Strapping Tape	72
T60519	19mm x 66m Black Strapping Tape	72

Strapping Tape



- High strength Tensilised Strapping, bundling tape
- High Impact resistance
- Used for palletising and unitising corrugated and paper board boxes

Code	Description	Carton
T18512B	12mm x 66m Black Strapping Tape	144
T18519B	19mm x 66m Black Strapping Tape	96

Tensilised PP Strapping Tape



- Strapping, bundling and unitising cartons
- Securing of parts on white goods
- L-Tabs
- Closing of export cartons and heavy goods subject to rough handling
- Non-staining adhesive
- High tack adhesive

Code	Description	Carton
T429812	12mm x 55m Tensilised Strapping Tape	144
T429818	18mm x 55m Tensilised Strapping Tape	96
T429825	25mm x 55m Tensilised Strapping Tape	72
T429838	38mm x 55m Tensilised Strapping Tape	48

Soft Strapping Tape



- Rubber based adhesive, allowing removal without leaving a trace
- Tear resistant and strong
- Transparent for reading labels and bar codes
- Only a small amount is required to secure a complete pallet
- Quick and easy dispenser system available
- Strapping bundling and unitising cartons
- Useful on printed cartons

Code	Description	Carton
T5112819	19mm x 66m Soft Strapping Tape	96
T5112825	25mm x 66m Soft Strapping Tape	72
T5112850	50mm x 66m Soft Strapping Tape	36

Want Professional Advice?



CALL US NOW

1800 678 956

DexiPro Glove



APPLICATIONS

- Mining
- Petroleum Industry
- White Goods
- Automotive Manufacture
- Construction
- Shipping and Handling
- General Purpose

FEATURES

- Lightweight lint free nylon machine knit
- LYCRA™ infusion for improved dexterity and contour to hand shape with ultra thin nitrile foam palm
- Nitrile coating provides superior gripping power in wet and dry conditions yet retains superior feel
- Extra long 20mm cuff
- Anti-static liner



Code	Description	Pack	Carton
G-BNNL07	DexiPro Nitrile Gloves Size 7	12 pairs	120 pairs
G-BNNL08	DexiPro Nitrile Gloves Size 8	12 pairs	120 pairs
G-BNNL09	DexiPro Nitrile Gloves Size 9	12 pairs	120 pairs
G-BNNL10	DexiPro Nitrile Gloves Size 10	12 pairs	120 pairs
G-BNNL11	DexiPro Nitrile Gloves Size 11	12 pairs	120 pairs

LiteGrip® Glove



APPLICATIONS

- Mining
- Petroleum Industry
- White Goods
- Automotive Manufacture
- Construction
- Shipping and Handling
- General Purpose

FEATURES

- Nitrile foam coated on nylon gives excellent dexterity
- Nylon liner makes this glove lightweight and breathable
- Ideal for production line and small parts handling
- Anti-static liner



Code	Description	Pack	Carton
G-NNF07	LiteGrip Nitrile Foam Glove Size 7	12 pairs	120 pairs
G-NNF08	LiteGrip Nitrile Foam Glove Size 8	12 pairs	120 pairs
G-NNF09	LiteGrip Nitrile Foam Glove Size 9	12 pairs	120 pairs
G-NNF10	LiteGrip Nitrile Foam Glove Size 10	12 pairs	120 pairs
G-NNF11	LiteGrip Nitrile Foam Glove Size 11	12 pairs	120 pairs

Black Panther® Glove



APPLICATIONS

- Construction
- General Purpose Handling
- Gardening
- Warehousing
- Brickwork
- Sheet Metal Work

FEATURES

- 100% nylon machine knit 13 gauge
- Nylon liner makes this glove lightweight and breathable
- Anti-static Liner
- Latex dipped palm for extra grip
- Excellent abrasion resistance



Code	Description	Pack	Carton
G-PANTH07	Black Panther Gloves Size 7	12 pairs	120 pairs
G-PANTH08	Black Panther Gloves Size 8	12 pairs	120 pairs
G-PANTH09	Black Panther Gloves Size 9	12 pairs	120 pairs
G-PANTH10	Black Panther Gloves Size 10	12 pairs	120 pairs
G-PANTH11	Black Panther Gloves Size 11	12 pairs	120 pairs

Latex Foam Glove



APPLICATIONS

- Construction
- Assembly Lines
- Gardening
- Sheet Metal Work
- Brick Work and Block Handling

FEATURES

- Revolutionary Latex foam coated palm provides the highest level of comfort
- Excellent grip in wet and dry environments
- Inherently hypo-allergenic
- Anti-static liner
- Anti-microbial and dust mite resistant
- Hi-Vis yellow for great visibility in the workplace

Code	Description	Pack	Carton
G-LFN08	Black & Yellow Hi Vis Latex Foam Sz 8	12 pairs	120 pairs
G-LFN09	Black & Yellow Hi Vis Latex Foam Sz 9	12 pairs	120 pairs
G-LFN10	Black & Yellow Hi Vis Latex Foam Sz 10	12 pairs	120 pairs
G-LFN11	Black & Yellow Hi Vis Latex Foam Sz 11	12 pairs	120 pairs

Stealth RONIN® Glove



APPLICATIONS

- Mining
- Petroleum Industry
- White Goods
- Automotive Manufacture
- Construction
- Shipping and Handling
- General Purpose

FEATURES

- Seamless 15 Gauge Black Nylon Shell
- Black PU Foam Coat provides excellent grip
- Soft, Durable & Flexible

Code	Description	Pack	Carton
G-STEALTH7	STEALTH RONIN Glove Size 7	12 pairs	120 pairs
G-STEALTH8	STEALTH RONIN Glove Size 8	12 pairs	120 pairs
G-STEALTH9	STEALTH RONIN Glove Size 9	12 pairs	120 pairs
G-STEALTH10	STEALTH RONIN Glove Size 10	12 pairs	120 pairs
G-STEALTH11	STEALTH RONIN Glove Size 11	12 pairs	120 pairs

Diamond Gripper Glove



APPLICATIONS

- Assembly
- General Purpose Handling
- Brick Work
- Sheet Metal Work
- Gardening
- Tiles and Ceramics
- Glass Handling

FEATURES

- Latex knitted palm and fingers for extra grip
- Elasticised, comfortable fit
- Open knit back for ventilation
- Individually, hygienically packed

Code	Description	Pack	Carton
G-342DG08	Knitted/Poly Cotton Glove Size 8	12 pairs	120 pairs
G-342DG09	Knitted/Poly Cotton Glove Size 9	12 pairs	120 pairs
G-342DG10	Knitted/Poly Cotton Glove Size 10	12 pairs	120 pairs
G-342DG11	Knitted/Poly Cotton Glove Size 11	12 pairs	120 pairs

Green Latex Glove



APPLICATIONS

- Abattoirs
- Brick Handling
- Waste Management
- Fisheries
- Glass, Tiles and Ceramics

FEATURES

- Green Latex rubber glove
- Heavy duty ripple gives excellent grip in wet environment
- Interlock lined for added comfort

Code	Description	Pack	Carton
G-GL09	Green Heavy Duty Latex Glove Size 9	12 pairs	60 pairs
G-GL10	Green Heavy Duty Latex Glove Size 10	12 pairs	60 pairs
G-GL11	Green Heavy Duty Latex Glove Size 11	12 pairs	60 pairs

Latex Glass Gripper Glove



APPLICATIONS

- Abattoir
- General Purpose Handling
- Fisheries
- Light Fabrication
- Brick Handling
- Glass, Tiles and Ceramics
- Warehousing
- Waste Management

FEATURES

- Latex rubber glove with ripple palm for added grip
- Jersey lined for comfort and sweat absorption
- Knitted wrist to exclude debris

Code	Description	Pack	Carton
G-GG105	Latex Glass Gripper Glove	12 pairs	120 pairs
ONE SIZE FITS ALL			

White Knitted Gripper Glove



APPLICATIONS

- Sharp Materials
- Metal & Glass handling
- Concrete Blocks & Timber Handling

FEATURES

- White knitted shell
- Red latex, tough textured palm
- Open back for breathability
- Knitted wrist
- Cut resistant crinkle finish

Code	Description	Carton
G-443038	White Knitted Gripper Glove Size 10	120 pairs
One Size Fits All		

Riggamate® Glove

COWGRAIN NATURAL LEATHER GLOVES



APPLICATIONS

- Mining
- Gardening
- Rigging
- General Purpose Handling
- Construction

FEATURES

- High quality grey cow grain leather
- Wing thumb, stitch-free palm
- Colour coded cuff for size identification

Code	Description	Pack	Carton
G-RGL-GYS	Riggers Gloves Grey Sm	12 pairs	120 pairs
G-RGL-GYM	Riggers Gloves Grey Med	12 pairs	120 pairs
G-RGL-GYL	Riggers Gloves Grey Lge	12 pairs	120 pairs
G-RGL-GYXL	Riggers Gloves Grey XL	12 pairs	120 pairs

Riggamate® Glove

COWGRAIN PREMIUM GLOVES



APPLICATIONS

- Mining
- Gardening
- Rigging
- General Purpose Handling
- Construction

FEATURES

- Premium cow grain rigger glove
- Wing thumb, stitch-free palm
- Colour coded cuff for size identification

Code	Description	Pack	Carton
G-RGL-BE-BOSS-S	BOSS Premium Riggers Gloves Sm	12 pairs	120 pairs
G-RGL-BE-BOSS-M	BOSS Premium Riggers Gloves Med	12 pairs	120 pairs
G-RGL-BE-BOSS-L	BOSS Premium Riggers Gloves Lge	12 pairs	120 pairs
G-RGL-BE-BOSS-XL	BOSS Premium Riggers Gloves XL	12 pairs	120 pairs

Riggamate® Glove

LINED GLOVE - PIG GRAIN LEATHER



APPLICATIONS

- Mining
- Gardening
- Rigging
- General Purpose Handling
- Construction

FEATURES

- 100g 3M™ Thinsulate Lining
- Pig grain beige rigger glove
- Dexterity and feel plus warmth
- Wing thumb, stitch-free palm

Code	Description	Pack	Carton
G-RG-BTL	THINSULATE Riggers Glove	12 pairs	120 pairs

One Size Fits All

"Cobra" Glove

GREY RIGGERS GLOVES

**FEATURES**

- Full grain cow hide
- Riggers/Drivers glove
- Colour coded size banding

APPLICATIONS

- Driving
- Forklifts
- Mining
- Rigging
- Construction & Equipment Operators
- General Purpose Handling
- Utility work

Code	Description	Carton
G-RGL-COB8	COBRA Riggers Gloves Size 8	120 pairs
G-RGL-COB9	COBRA Riggers Gloves Size 9	120 pairs
G-RGL-COB10	COBRA Riggers Gloves Size 10	120 pairs

Yellow Grey Leather Glove**APPLICATIONS**

- General Purpose Handling
- Construction
- Polishers Glove
- Mining
- Rigging

FEATURES

- Heavy duty cow split one-piece palm
- Yellow safety cuff and knuckle bar for extra protection
- Lightweight, economical, cotton back
- Leather protection

Code	Description	Pack	Carton
G-RGYRT	Yellow Grey Leather Glove	12 pairs	240 pairs
One Size Fits All			

Candy Stripe Glove

COWGRAIN PREMIUM GLOVES

**APPLICATIONS**

- Mining
- Landscaping
- Farming
- General Purpose Handling
- Construction
- Iron & Steel Work

FEATURES

- Split leather palm
- Knuckle bar and tips
- Candy stripe back and cuff
- Leather protection

Code	Description	Carton
G-CBG	Candy Back Gloves	120 pairs
One Size Fits All		

Stinga® Glove

PVC GLOVES



APPLICATIONS

- Woodworking
- Light Fabrication
- Construction
- Whitegoods
- Shipping and Assembly
- Petroleum Industry
- Automotive Industry
- General Purpose Handling

FEATURES

- (BHT) Bare Hand Technology
- Seamless 15 gauge, 100% apparel grade nylon shell
- PVC foam coating provides water repellency, comfort and enhanced gripping power in wet and dry conditions
- Silicone free



Code	Description	Pack	Carton
G-NPF7	Stinga Glove PVC Nylon Size 7	12 pairs	120 pairs
G-NPF8	Stinga Glove PVC Nylon Size 8	12 pairs	120 pairs
G-NPF9	Stinga Glove PVC Nylon Size 9	12 pairs	120 pairs
G-NPF10	Stinga Glove PVC Nylon Size 10	12 pairs	120 pairs
G-NPF11	Stinga Glove PVC Nylon Size 11	12 pairs	120 pairs

ProFit® Deerskin Rigger



APPLICATIONS

- Construction
- Hand & Power Tools
- Carpentry
- Machinists
- Mechanics

FEATURES

- Cool and comfortable premium gold deer grain leather palm for great feel and durability
- Perforated fourchettes for increased airflow
- Black neoprene knuckle bar to guard against knocks
- Elastic cuff with velcro fastener



Code	Description	Pack	Carton
G-PFDL	ProFit Deerskin Rigger Lge	12 pairs	72 pairs
G-PFDXL	ProFit Deerskin Rigger XL	12 pairs	72 pairs

ProFit® RiggaMate® Glove



APPLICATIONS

- Construction
- Hand & Power Tools
- Carpentry
- Machinists
- Mechanics

FEATURES

- One piece synthetic leather palm
- Reinforced foam padded inner palm
- Neoprene knuckle panel for increased flexibility
- Velcro strap for snug fit
- Non-slip grip is ideal for use for hand and power tools in dry, wet or oily conditions



Code	Description	Pack	Carton
G-PFRM	ProFit RiggaMate Glove Med	12 pairs	72 pairs
G-PFRL	ProFit RiggaMate Glove Lge	12 pairs	72 pairs
G-PFRXL	ProFit RiggaMate Glove XL	12 pairs	72 pairs

ProFit® Fingerless Glove



APPLICATIONS

- Construction
- Hand & Power Tools
- Mechanics
- Machinists

FEATURES

- One piece synthetic leather Gecko grip palm
- Integrated terry cloth sweat wipe
- Cut-off fingers perfect for handling small parts
- Rubberised reinforced canvas on thumb and forefinger for more gripping power
- Pull-tab finger for easy removal
- Easy-on finger loop
- Neoprene knuckle panel for increased flexibility
- Non-slip grip is ideal for use for hand and power tools in dry, wet or oily conditions



Code	Description	Pack	Carton
G-PFM	ProFit Fingerless Glove Med	12 pairs	72 pairs
G-PFL	ProFit Fingerless Glove Lge	12 pairs	72 pairs
G-PFXL	ProFit Fingerless Glove XL	12 pairs	72 pairs

Taeki 5™ Glove

LATEX PALM



APPLICATIONS

- Automotive
- Precise Operations
- Good Handling
- Clean Room/Environment
- Glass and Sheet Metal Handling
- Welding

FEATURES

- Latex coated palm
- Provides outstanding abrasion, cut and tear capabilities in handling dry, wet or greasy parts
- Lint free
- High contact heat protection - up to 250°C
- Can be washed and reused
- Stretchable and breathable material to allow perfect fit, dexterity and wearing comfort



Code	Description	Pack	Carton
G-T5LD8	Taeki 5 Latex Palm Size 08	12 pairs	120 pairs
G-T5LD9	Taeki 5 Latex Palm Size 09	12 pairs	120 pairs
G-T5LD10	Taeki 5 Latex Palm Size 10	12 pairs	120 pairs
G-T5LD11	Taeki 5 Latex Palm Size 11	12 pairs	120 pairs

Nitra Grip Kevlar® Glove

KNITTED KEVLAR® BLACK NITRILE



APPLICATIONS

- Assembly
- Automotive Industry
- Ceramics & Glass Handling
- Material Handling
- Metal Fabrication
- Workshops Working with Metal

FEATURES

- 100% Kevlar® knitted (13 gauge) gloves with black dipped nitrile palm to enhance grip
- Designed to increase cut and abrasion resistance
- Gives moderated heat protection



Code	Description	Pack	Carton
G-KKN8	Knitted Kevlar Black Nitrile Glove Size 08	12 pairs	120 pairs
G-KKN9	Knitted Kevlar Black Nitrile Glove Size 09	12 pairs	120 pairs
G-KKN10	Knitted Kevlar Black Nitrile Glove Size 10	12 pairs	120 pairs



Super Lite Orange Glove

SYNTHETIC NITRILE GLOVES



APPLICATIONS

- Assembly
- Foundry & Fabrication
- Manufacturing
- General Purpose Handling
- Mining
- Chemical Handling
- Waste Management

FEATURES

- Light weight fully dipped orange nitrile glove for full hand protection
- Abrasion resistant
- Knitted wrists to exclude debris

Code	Description	Pack	Carton
G-NBRFBY-9	SuperLite Orange Nitrile Size 09	12 pairs	120 pairs
G-NBRFBY-10	SuperLite Orange Nitrile Size 10	12 pairs	120 pairs



Medium Weight Nitrile Glove

"HERCULES" FULL COAT GLOVES



APPLICATIONS

- Assembly Work
- Handling Abrasive Objects
- Light Fabrication
- General Maintenance
- Shipping & Receiving

FEATURES

- Dark blue medium weight nitrile fullcoat
- Interlock cotton lining
- Knitted wrist
- Outstanding dry grip
- Cut, abrasion & puncture resistant
- Resistant to oil, grease & solvents

Code	Description	Carton
G-457002/07	Blue Nitrile Full Dipped Size 07	144
G-457002/08	Blue Nitrile Full Dipped Size 08	144
G-457002/09	Blue Nitrile Full Dipped Size 09	144
G-457002/10	Blue Nitrile Full Dipped Size 10	144

Heavy Duty Glove

"HERCULES" FULL COAT



APPLICATIONS

- Metal Processing
- Heavy Duty Handling of Casting & Cores
- Brick & Timber Handling
- Chemical Handling

FEATURES

- Dark blue heavy weight nitrile fullcoat
- Jersey lining
- Knitted wrist
- Excellent dry grip
- Superior cut, abrasion, snag and puncture resistant
- Resistant to oils and grease
- Resistant to solvents and acid

Code	Description	Carton
G-459902/08	Blue Nitrile Full Coat Size 08	144 pairs
G-459902/09	Blue Nitrile Full Coat Size 09	144 pairs
G-459902/10	Blue Nitrile Full Coat Size 10	144 pairs

Heavy Duty Glove

"HERCULES" 3/4 COATED



APPLICATIONS

- Metal Processing
- Heavy Duty Handling of Casting & Cores
- Brick & Timber Handling
- Chemical Handling

FEATURES

- Dark blue heavy weight nitrile palm coat
- Jersey lining
- Safety cuff
- Cotton back
- Excellent Dry grip
- Superior cut, abrasion, snag & puncture resistant
- Resistant to oils, grease, solvents & chemicals

Code	Description	Carton
G-459911/08	Blue Nitrile 3/4 Dipped Size 08	144 pairs
G-459911/09	Blue Nitrile 3/4 Dipped Size 09	144 pairs
G-459911/10	Blue Nitrile 3/4 Dipped Size 10	144 pairs

Heavy Duty Glove

"HERCULES" FULL COAT SAFETY CUFF GLOVES



APPLICATIONS

- Metal Processing
- Heavy Duty Handling of Casting and Cores
- Brick and Timber Handling
- Chemical Handling

FEATURES

- Dark blue heavy weight nitrile fullcoat
- Jersey lining
- Safety cuff
- Excellent dry grip
- Superior cut, abrasion, snag and puncture resistant
- Resistant to oils and grease
- Resistant to solvents and acid

Code	Description	Carton
G-459912/10	Blue Nitrile Safety Cuff Size 10	144

Chemical Glove



APPLICATIONS

- Chemical Processing and Handling
- Aerospace Industry
- Automotive Industry
- Machine Operating
- Industrial Cleaning
- Metal Fabrication
- Printing Industry
- Painting Industry
- Petroleum Refining
- Pharmaceutical Industry

FEATURES

- Premium grade nitrile for maximum abrasion and chemical resistance
- Premium grade soft cotton flock lining for comfort
- Electrostatic lining technology prevents lining being shed and improves comfort
- Textured palm for enhanced grip
- 33cm length

Code	Description	Pack	Carton
G-RNF15S	Nitrile Chemical Gloves Green Sm	12 pairs	144 pairs
G-RNF15M	Nitrile Chemical Gloves Green Med	12 pairs	144 pairs
G-RNF15L	Nitrile Chemical Gloves Green Lge	12 pairs	144 pairs
G-RNF15XL	Nitrile Chemical Gloves Green XL	12 pairs	144 pairs
G-RNF152XL	Nitrile Chemical Gloves Green 2XL	12 pairs	144 pairs
G-RNF153XL	Nitrile Chemical Gloves Green 3XL	12 pairs	144 pairs

Single Dipped Short Glove

**APPLICATIONS**

- Automotive
- Chemical Processing
- Fisheries
- Forestry
- Pharmaceutical
- Petroleum Refining
- Maintenance
- General Plant Use
- Manufacturing

FEATURES

- Single Dipped
- Resistant to oil, grease and chemicals
- 27cm length
- Interlock lined for easy on/off

Code	Description	Pack	Carton
G-PVC27	Red PVC Glove 27cm	12 pairs	120 pairs
One Size Fits All			

Single Dipped Long Glove

**APPLICATIONS**

- Automotive
- Chemical Processing
- Fisheries
- Forestry
- Pharmaceutical
- Petroleum Refining
- Maintenance
- General Plant Use
- Manufacturing

FEATURES

- Single Dipped
- Resistant to oil, grease and chemicals
- 45cm length
- Interlock lined for easy on/off

Code	Description	Pack	Carton
G-PVC45	Red PVC Glove 45cm	12 pairs	72 pairs
One Size Fits All			

Double Dipped Short Glove

**APPLICATIONS**

- Automotive
- Chemical Processing
- Fisheries
- Forestry
- Pharmaceutical
- Petroleum Refining
- Maintenance
- General Plant Use
- Manufacturing

FEATURES

- Double dipped with sand finish for improved grip and increased resistance to oil, grease and chemicals
- 27cm length
- Jersey lined for comfort and sweat absorption

Code	Description	Pack	Carton
G-PVC27DD	Green PVC Double Dipped Short Glove	12 pairs	72 pairs
One Size Fits All			



Double Dipped Long Glove



APPLICATIONS


- Automotive
- Chemical Processing
- Fisheries
- Forestry
- Pharmaceutical
- Petroleum Refining
- Maintenance
- General Plant Use
- Manufacturing

FEATURES

- Double Dipped with sand finish for improved grip and increased resistance to oil, grease and chemicals
- 45cm length
- Jersey lined for comfort and sweat absorption

Code	Description	Pack	Carton
G-PVC45DD	Green PVC Double Dipped Long Glove	12 pairs	48 pairs
One Size Fits All			

Glove Clip Keeper



- Never misplace your gloves again with this convenient glove clip

Code	Description	Carton
G-GCK	Glove Clip Keeper	50
Sold Individually		

Don't know which glove is right for your line of work?

Our Staff are standing by to answer any questions

1800 678 956

Blue Neoprene Glove



APPLICATIONS

- Chemical Processing and Handling
- Aerospace Industry
- Automotive Industry
- Machine Operating
- Industrial Cleaning
- Metal Fabrication
- Printing Industry
- Painting Industry
- Petroleum Refining
- Pharmaceutical Industry

FEATURES

- Dipped blue neoprene palm over yellow latex rubber for increased chemical resistance
- Triple dip technology improves resistance to puncture and the effects of fats and oils
- Textured palms and fingers for improved grip in wet conditions
- Soft cotton flock lining for comfort
- 33cm length

Code	Description	Pack	Carton
G-NEOYBM	Blue Neoprene Glove Med	12 pairs	144 pairs
G-NEOYBL	Blue Neoprene Glove Lge	12 pairs	144 pairs
G-NEOYBXL	Blue Neoprene Glove XL	12 pairs	144 pairs
G-NEOYB2XL	Blue Neoprene Glove 2XL	12 pairs	144 pairs

Blue Healer® Glove

BLUE & GOLD KEVLAR®



APPLICATIONS

- Construction
- Foundry Work
- Mining
- Smelter Work
- Welding

FEATURES

- High quality blue cow split leather
- Kevlar® stitched to withstand high temperatures for longer periods
- Lined and welted
- Reinforced palm and thumb for added durability
- 406mm (16in) long for forearm protection

Code	Description	Pack	Carton
G-KBW16E	Blue Heeler Kevlar Welders Glove	12 pairs	48 pairs
One Size Fits All			



Black Jack® Glove

BLACK & GOLD



APPLICATIONS

- Construction
- Foundry Work
- Mining
- Smelter Work
- Welding

FEATURES

- High quality cow split leather for comfort and economy
- Lined and welted
- 406mm (16in) long for forearm protection

Code	Description	Pack	Carton
G-BGW16	Black Jack Welders Glove	12 pairs	48 pairs
One Size Fits All			



Interlock Poly/Cotton Liner Glove

MENS

**APPLICATIONS**

- Cold Storage
- Food Processing
- Laboratory
- Light Engineering
- Ultra Light Assembly

FEATURES

- Lightweight and hemmed cuff
- Bleached for clean appearance
- May be used as a glove liner
- Glove can be reversed and used on both sides

Code	Description	Pack	Carton
G-342CL	Mens Interlock Poly/Cotton Liner	12 pairs	600 pairs
ONE SIZE FITS ALL			

Interlock Poly/Cotton Liner Glove

LADIES

**APPLICATIONS**

- Cold Storage
- Food Processing
- Laboratory
- Light Engineering
- Ultra Light Assembly

FEATURES

- Lightweight and hemmed cuff
- Bleached for clean appearance
- May be used as a glove liner
- Glove can be reversed and used on both sides

Code	Description	Pack	Carton
G-342CLL	Ladies Interlock Poly/Cotton Liner	12 pairs	600 pairs
ONE SIZE FITS ALL			

Interlock Poly/Cotton Liner Glove

AMBIDEXTROUS MENS

**APPLICATIONS**

- Automotive
- Assembly Line Operations
- Cold Storage
- Construction
- General Purpose Handling
- Light Engineering
- Warehousing

FEATURES

- 7 gauge knit for strength and ventilation
- Bleached for clean appearance
- Glove can be reversed and used on both sides

Code	Description	Pack	Carton
G-342K	Ambidextrous Interlock Poly/Cott Liner	12 pairs	300 pairs
One Size Fits All			

Knitted Poly/Cotton Glove

MENS



APPLICATIONS

- Automotive
- Assembly Line Operations
- Cold Storage
- Construction
- General Purpose Handling
- Light Engineering
- Warehousing

Code	Description	Pack	Carton
G-342KPDM	Knitted Poly/Cotton Mens PVC Dot	12 pairs	300 pairs
One Size Fits All			

FEATURES

- Bleached with black PVC dot grip on one side for extra grip
- 7 gauge knit for strength and ventilation
- Bleached for clean appearance

Cotton Drill Glove

MENS



APPLICATIONS

- Cold Storage
- Food Processing
- Laboratory
- Light Engineering
- Ultra Light Assembly

Code	Description	Pack	Carton
G-CDB10	Cotton Drill Mens Glove	12 pairs	300 pairs
One Size Fits All			

FEATURES

- Lightweight & hemmed cuff
- Bleached for clean appearance
- May be used as a glove liner
- Glove can be reversed and used on both sides

CUFF STYLES



Knit Wrist Cuff



Safety Cuff



Gauntlet Cuff

Knitted Wrist: Prevents particles and dirt entering the glove.

Safety Cuff: Most common style. Cuffed for additional wrist protection.

Gauntlet Cuff: A longer cuff for additional forearm protection.

Yellow Silver Lined Glove

**APPLICATIONS**

- Food Handling
- Fisheries
- Cleaning
- Painting
- Wet Handling
- Gardening

FEATURES

- Premium Latex rubber food handling gloves
- Nitrile blend for improved fat and abrasion resistance
- Silver lined for easy slip-on, 30 cm length
- Individually packed and sanitised to guarantee cleanliness and to inhibit bacterial growth
- Minimal latex protein content to avoid latex allergy reaction

Code	Description	Pack	Carton
G-MSLYS	Yellow Silver Lined Glove Sm	12 pairs	144 pairs
G-MSLYM	Yellow Silver Lined Glove Med	12 pairs	144 pairs
G-MSLYL	Yellow Silver Lined Glove Lge	12 pairs	144 pairs
G-MSLYXL	Yellow Silver Lined Glove XL	12 pairs	144 pairs
G-MSLY2XL	Yellow Silver Lined Glove 2XL	12 pairs	144 pairs

Blue Silver Lined Glove

**APPLICATIONS**

- Food Handling and Processing
- Fisheries
- Cleaning
- Painting
- Wet Handling
- Gardening

FEATURES

- Designed for the high-volume food processing market
- Double dipped for extra durability and additional resistance against fats and oils
- Silver lined for easy slip-on, 30 cm length
- Sanitised to help reduce bacterial build-up on glove

Code	Description	Pack	Carton
G-NE3553	Ansell Blue Silverlined Gloves Size 08	12 pairs	144 pairs
G-NE3555	Ansell Blue Silverlined Gloves Size 09	12 pairs	144 pairs
G-NE3557	Ansell Blue Silverlined Gloves Size 10	12 pairs	144 pairs

Blue Silver Lined Glove

**APPLICATIONS**

- Food Handling
- Fisheries
- Cleaning
- Painting
- Wet Handling
- Gardening

FEATURES

- Premium Latex rubber food handling gloves
- Nitrile blend for improved fat and abrasion resistance
- Silver lined for easy slip-on, 30 cm length
- Individually packed and sanitised to guarantee cleanliness and to inhibit bacterial growth
- Minimal latex protein content to avoid latex allergy reaction

Code	Description	Pack	Carton
G-MSLBS	Blue Silver Lined Glove Sm	12 pairs	144 pairs
G-MSLBM	Blue Silver Lined Glove Med	12 pairs	144 pairs
G-MSLBL	Blue Silver Lined Glove Lge	12 pairs	144 pairs
G-MSLBXL	Blue Silver Lined Glove XL	12 pairs	144 pairs
G-MSLB2XL	Blue Silver Lined Glove 2XL	12 pairs	144 pairs

Premium Pink™ Glove



APPLICATIONS

- Food Handling
- Fisheries
- Cleaning
- Painting
- Wet Handling
- Gardening

FEATURES

- Premium Latex rubber food handling gloves
- Nitrile blend for improved fat and abrasion resistance
- Silver lined for easy slip-on, 30 cm length
- Individually packed and sanitised to guarantee cleanliness and to inhibit bacterial growth
- Minimal latex protein content to avoid latex allergy reaction

Code	Description	Pack	Carton
	Premium Pink Silver Lined Glove		
G-NE35256.5	Size 6.5	12 pairs	144 pairs
	Premium Pink Silver Lined Glove		
G-NE35257	Size 7	12 pairs	144 pairs
	Premium Pink Silver Lined Glove		
G-NE35258	Size 8	12 pairs	144 pairs
	Premium Pink Silver Lined Glove		
G-NE35259	Size 9	12 pairs	144 pairs
	Premium Pink Silver Lined Glove		
G-NE352510	Size 10	12 pairs	144 pairs
	Premium Pink Silver Lined Glove		144
G-NE352511	Size 11	12 pairs	pairs

Nitrile Examination Gloves



APPLICATIONS

- Medical Examination
- Food Preparation and Handling
- Dental
- Veterinary
- Pharmaceutical
- Assembly
- Painting
- Printing

FEATURES

- Powder free, close fitting
- TGA-listed (ARTG108836) for use in medical examination
- Industrial grade synthetic nitrile - chemical, abrasion and oil resistant
- Fully textured for enhanced grip

Code	Description	Box	Carton
G-MDN-S	Disposable Nitrile Gloves Sm	100 pcs	10 boxes
G-MDN-M	Disposable Nitrile Gloves Med	100 pcs	10 boxes
G-MDN-L	Disposable Nitrile Gloves Lge	100 pcs	10 boxes
G-MDN-XL	Disposable Nitrile Gloves XL	100 pcs	10 boxes

Food Blue Gloves

LIGHTLY POWDERED DISPOSABLE GLOVES



APPLICATIONS

- Catering
- Food Preparation and Handling
- Cleaning
- General Industry
- Veterinary

FEATURES

- Latex free
- Resists oils, fats, greases and some chemical splashes
- Single use, non sterile
- Ambidextrous design
- Manufactured from FDA compliant materials for food contact

Code	Description	Pack	Carton
G-VY1005B	Blue Vinyl Foodies Gloves Sm	100 pcs	10 boxes
G-VY100MB	Blue Vinyl Foodies Gloves Med	100 pcs	10 boxes
G-VY100LB	Blue Vinyl Foodies Gloves Lge	100 pcs	10 boxes
G-VY100XLB	Blue Vinyl Foodies Gloves XL	100 pcs	10 boxes

All Clear Gloves

LIGHTLY POWDERED DISPOSABLE GLOVES



APPLICATIONS

- Catering
- Food Preparation and Handling
- Cleaning
- General Industry
- Veterinary

FEATURES

- Latex free
- Resists oils, fats, greases and some chemical splashes
- Single use, non sterile
- Ambidextrous design
- Manufactured from FDA compliant materials for food contact

Code	Description	Pack	Carton
G-VY100SC	Clear Vinyl Gloves Sm	100 pcs	10 boxes
G-VY100MC	Clear Vinyl Gloves Med	100 pcs	10 boxes
G-VY100LC	Clear Vinyl Gloves Lge	100 pcs	10 boxes
G-VY100XLC	Clear Vinyl Gloves XL	100 pcs	10 boxes

EN Protection Standards

Chemical protection	Cold protection	Mechanical protection
Low chemical resistance	Radioactive contamination	Micro-organisms
Heat protection	Ionizing radiation	

PROTECTION FROM CHEMICALS

A Methanol
 B Acetone
 C Acetonitrile
 D Dichloromethane
 E Carbon Disulphide
 F Toluene
 G Diethylamine
 H Tetrahydrofurane
 I Ethyl Acetate
 J n-Heptane
 K Sodium Hydroxide 40%
 L Sulphuric Acid 96%

EN 374

 J K L

The EN374 standard tells you how effective that glove is at protecting your skin against a wide range of chemicals. The letters indicate a chemical which a breakthrough time of 30 minutes has been achieved.

Performance level	Contact temperature (degrees C)	Threshold time (seconds)
1	100	>15
2	250	>15
3	350	>15
4	500	>15

PROTECTION FROM HEAT

burning behaviour _____ 4 4 4 4 4 4
 contact heat _____
 convective heat _____
 radiant heat _____
 small splashes of molten metal _____
 large quantities of molten metal _____

A tested item is given a rating of 1 to 4 (lowest to highest) on some or all of the listed items. If a number is replaced with an x, this item was not tested.

PROTECTION FROM MECHANICAL RISK

EN 388

 4 5 4 4

abrasion resistance _____
 blade cut resistance _____
 tear resistance _____
 puncture resistance _____

Abrasion Resistance performance level Min 1, Max 4
 Blade Cut Resistance performance level Min 1, Max 5
 Tear Resistance performance level Min 1, Max 4
 Puncture Resistance performance level Min 1, Max 4

Blue Latex Disposable Gloves

POWDERED



APPLICATIONS

- Medical Examination
- Food Preparation and Handling
- Dental
- Veterinary
- Pharmaceutical
- Assembly
- Painting

FEATURES

- Blue disposable Latex glove
- Powdered
- Beaded cuff for rollback prevention
- Ambidextrous and straight fingers

Code	Description	Pack	Carton
G-LX102SP	Premium Latex Gloves Blue Pwd Sm	100	10 Boxes
G-LX102MP	Premium Latex Gloves Blue Pwd Med	100	10 Boxes
G-LX102LP	Premium Latex Gloves Blue Pwd Lge	100	10 Boxes
G-LX102XLP	Premium Latex Gloves Blue Pwd XLge	100	10 Boxes

Blue Latex Disposable Gloves

POWDER FREE



APPLICATIONS

- Medical Examination
- Food Preparation and Handling
- Dental
- Veterinary
- Pharmaceutical
- Assembly
- Painting

FEATURES

- Blue disposable Latex glove
- Powder free to eliminate the risk of corn starch contamination
- Beaded cuff for rollback prevention
- Ambidextrous and straight fingers

Code	Description	Pack	Carton
G-LX103S	Premium Latex Gloves Blue Powder Free Sm	100	10 Boxes
G-LX103M	Premium Latex Gloves Blue Powder Free Med	100	10 Boxes
G-LX103L	Premium Latex Gloves Blue Powder Free Lge	100	10 Boxes
G-LX103XLP	Premium Latex Gloves Blue Powder Free XLge	100	10 Boxes

Clear Latex Disposable Gloves

POWDERED



APPLICATIONS

- Medical Examination
- Food Preparation and Handling
- Dental
- Veterinary
- Pharmaceutical
- Painting

FEATURES

- Clear disposable Latex glove
- Powdered
- Beaded cuff for rollback prevention
- Ambidextrous and straight fingers

Code	Description	Pack	Carton
G-LX100XSP	Premium Latex Gloves Pwd Xtra Sm	100 pcs	10 Boxes
G-LX100SP	Premium Latex Gloves Pwd Sm	100 pcs	10 Boxes
G-LX100MP	Premium Latex Gloves Pwd Med	100 pcs	10 Boxes
G-LX100LP	Premium Latex Gloves Pwd Lge	100 pcs	10 Boxes
G-LX100XLP	Premium Latex Gloves Pwd XLge	100 pcs	10 Boxes

Clear Latex Disposable Gloves

POWDER FREE



APPLICATIONS

- Medical Examination
- Food Preparation and Handling
- Dental
- Veterinary
- Pharmaceutical
- Assembly
- Painting

FEATURES

- Clear disposable Latex glove
- Powder free to eliminate the risk of corn starch contamination
- Beaded cuff for rollback prevention
- Ambidextrous and straight fingers

Code	Description	Pack	Carton
G-LX101S	Premium Latex Gloves Powder Free Sm	100	10 Boxes
G-LX101M	Premium Latex Gloves Powder Free Med	100	10 Boxes
G-LX101L	Premium Latex Gloves Powder Free Lge	100	10 Boxes
G-LX101XL	Premium Latex Gloves Powder Free XLge	100	10 Boxes

Blue Vinyl Disposable Gloves

POWDERED



APPLICATIONS

- Medical Examination
- Food Preparation and Handling
- Dental
- Veterinary
- Pharmaceutical
- Assembly
- Painting

FEATURES

- Blue disposable Vinyl glove
- Powdered
- Double layers of PVC/PU film to provide extra safety
- Odour free as a result of special formulations and heating
- Easy donning due to excellent slippery inner surface

Code	Description	Pack	Carton
G-V102S	Vinyl Blue Gloves Blue Pwd Sm	100	10 Boxes
G-V102M	Vinyl Blue Gloves Blue Pwd Med	100	10 Boxes
G-V102L	Vinyl Blue Gloves Blue Pwd Lge	100	10 Boxes
G-V102XL	Vinyl Blue Gloves Blue Pwd XLge	100	10 Boxes

Blue Vinyl Disposable Gloves

POWDER FREE



APPLICATIONS

- Medical Examination
- Food Preparation and Handling
- Dental
- Veterinary
- Pharmaceutical
- Assembly
- Painting

FEATURES

- Blue disposable Vinyl glove
- Powder free to eliminate the risk of corn starch contamination
- Double layers of PVC/PU film to provide extra safety
- Odour free as a result of special formulations and heating
- Easy donning due to excellent slippery inner surface

Code	Description	Pack	Carton
G-V103S	Vinyl Blue Gloves Powder Free Sm	100	10 Boxes
G-V103M	Vinyl Blue Gloves Powder Free Med	100	10 Boxes
G-V103L	Vinyl Blue Gloves Powder Free Lge	100	10 Boxes
G-V103XL	Vinyl Blue Gloves Powder Free XLge	100	10 Boxes

Clear Vinyl Disposable Gloves

POWDERED



APPLICATIONS

- Medical Examination
- Food Preparation and Handling
- Dental
- Veterinary
- Pharmaceutical
- Assembly
- Painting

FEATURES

- Clear disposable Vinyl glove
- Powdered
- Double layers of PVC/PU film to provide extra safety
- Odour free as a result of special formulations and heating
- Easy donning due to excellent slippery inner surface

Code	Description	Pack	Carton
G-V100S	Vinyl Gloves Clear Powdered Sm	100	10 Boxes
G-V100M	Vinyl Gloves Clear Powdered Med	100	10 Boxes
G-V100L	Vinyl Gloves Clear Powdered Lge	100	10 Boxes
G-V100XL	Vinyl Gloves Clear Powdered XLge	100	10 Boxes

Clear Vinyl Disposable Gloves

POWDER FREE



APPLICATIONS

- Medical Examination
- Food Preparation and Handling
- Dental
- Veterinary
- Pharmaceutical
- Assembly
- Painting

FEATURES

- Clear disposable Vinyl glove
- Powder free to eliminate the risk of corn starch contamination
- Double layers of PVC/PU film to provide extra safety
- Odour free as a result of special formulations and heating
- Easy donning due to excellent slippery inner surface

Code	Description	Pack	Carton
G-V101S	Vinyl Clear Gloves Powder Free Sm	100	10 Boxes
G-V101M	Vinyl Clear Gloves Powder Free Med	100	10 Boxes
G-V101L	Vinyl Clear Gloves Powder Free Lge	100	10 Boxes
G-V101XL	Vinyl Clear Gloves Powder Free XLge	100	10 Boxes

Blue Nitrile Disposable Gloves

POWDERED



APPLICATIONS

- Medical Examination
- Food Preparation and Handling
- Dental
- Veterinary
- Pharmaceutical
- Assembly
- Painting

FEATURES

- Blue disposable Nitrile glove
- Powdered
- Beaded cuff ensures easy donning and prevents roll down
- Superior strength with better puncture resistance
- Full textured enhances wet and dry grip
- Provides an alternative to those allergic to natural rubber

Code	Description	Pack	Carton
G-N100S	Nitrile Blue Gloves Blue Pwd Sm	100	10 Boxes
G-N100M	Nitrile Blue Gloves Blue Pwd Med	100	10 Boxes
G-N100L	Nitrile Blue Gloves Blue Pwd Lge	100	10 Boxes
G-N100XL	Nitrile Blue Gloves Blue Pwd XLge	100	10 Boxes

Blue Nitrile Disposable Gloves

POWDER FREE



APPLICATIONS

- Medical Examination
- Food Preparation and Handling
- Dental
- Veterinary
- Pharmaceutical
- Assembly
- Painting

FEATURES

- Blue disposable Nitrile glove
- Powder Free to eliminate the risk of corn starch contamination
- Beaded cuff ensures easy donning and prevents roll down
- Superior strength with better puncture resistance
- Full textured enhances wet and dry grip
- Provides an alternative to those allergic to natural rubber

Code	Description	Pack	Carton
G-N101S	Nitrile Blue Gloves Blue Powder Free Sm	100	10 Boxes
G-N101M	Nitrile Blue Gloves Blue Powder Free Med	100	10 Boxes
G-N101L	Nitrile Blue Gloves Blue Powder Free Lge	100	10 Boxes
G-N101XL	Nitrile Blue Gloves Blue Powder Free XLge	100	10 Boxes

COMBAT Disposable Coveralls



APPLICATIONS

- General industrial protection
- Laboratories
- Accident Attendance
- Cleaning
- Protection for workers in dusty and dirty environments

FEATURES

- Disposable polypropylene coverall
- Storm flap and zip
- Elasticised hood, wrist & ankles
- Elastic back
- Orange coveralls have high visibility for mines

Code	Description	Carton
O-COM...S	PP Coverall Size Sm	50
O-COM...M	PP Coverall Size Med	50
O-COM...L	PP Coverall Size Lge	50
O-COM...XL	PP Coverall Size XL	50
O-COM...2XL	PP Coverall Size 2XL	50
O-COM...3XL	PP Coverall Size 3XL	50

... denotes colour, W white, B blue or O orange

Disposable Coveralls



APPLICATIONS

- General industrial protection
- Laboratories
- Accident Attendance
- Cleaning
- Protection for workers in dusty and dirty environments

FEATURES

- Lightweight polypropylene material with hood and elastic waist, cuff and ankle
- Easy to put on and remove
- Two way zipper for when nature calls
- Ready access to clothing underneath
- Durable and economical
- Packaged separately

Code	Description	Carton
OPRO...M	PP Coverall Size Med	50
OPRO...L	PP Coverall Size Lge	50
OPRO...XL	PP Coverall Size XL	50
OPRO...2XL	PP Coverall Size 2XL	50
OPRO...3XL	PP Coverall Size 3XL	50

... denotes colour, W white, B blue or O orange

DUPONT TYVEK®



APPLICATIONS

- Asbestos Removal
- Abattoirs
- Painting
- Forensics
- Insulation
- Laboratories
- Factories
- Food Processing
- Waste Control
- Medical
- Law Enforcement
- Pesticide Spraying

FEATURES

- Genuine Dupont Tyvek® proprietary material
- Lightweight yet extremely durable disposable overall
- Provides effective barrier protection through the entire fabric
- Protection is not compromised unless the fabric has been completely torn
- Antistatic treated, electrostatic protection to EN1149-1
- Barrier protection you can trust, durability that is not easily compromised

Code	Description	Carton
OTYWM	TYVEK Coverall White Size Med	100
OTYWL	TYVEK Coverall White Size Lge	100
OTYWL	TYVEK Coverall White Size XL	100
OTYW2XL	TYVEK Coverall White Size 2XL	100
OTYW3XL	TYVEK Coverall White Size 3XL	100

PROVEK™ Coveralls



APPLICATIONS

- Asbestos Removal
- Abattoirs
- Painting
- Forensics
- Insulation
- Laboratories
- Factories
- Food Processing
- Waste Control
- Medical
- Law Enforcement
- Pesticide Spraying

FEATURES

- Made from a polyethylene (Olefin) film laminated to a polypropylene spun bound non-woven substrate
- Lightweight and soft with excellent strength
- Breathability to reduce moisture build up
- Water vapour permeable and water repellent
- Excellent barrier to dust and a broad range of chemicals
- Type 5 and Type 6 protection
- Lint free
- Good opacity
- Two way zipper for when nature calls
- Ready access to clothing underneath



Code	Description	Carton
ODOWPS	PROVEK Coverall White Size Small	50
ODOWPM	PROVEK Coverall White Size Med	50
ODOWPL	PROVEK Coverall White Size Lge	50
ODOWPXL	PROVEK Coverall White Size XL	50
ODOWP2XL	PROVEK Coverall White Size 2XL	50
ODOWP3XL	PROVEK Coverall White Size 3XL	50

MICROCHEM 3000

CHEMICAL AND ACID COVERALLS



APPLICATIONS

- Asbestos Removal
- Abattoirs
- Painting
- Forensics
- Insulation
- Laboratories
- Factories
- Food Processing
- Waste Control
- Medical
- Law Enforcement
- Pesticide Spraying

FEATURES

- Lightweight comfortable and effective chemical protection
- Anti-static
- 3 Layer material
- Welded seams
- Dual zip closure
- Wide range of protection from chemicals in jet or saturation spray

Code	Description	Carton
OMCYM	MicroChem Coverall Yellow Size Med	40
OMCYL	MicroChem Coverall Yellow Size Lge	40
OMCYXL	MicroChem Coverall Yellow Size XL	40
OMC2XL	MicroChem Coverall Yellow Size 2XL	40
OMCY3XL	MicroChem Coverall Yellow Size 3XL	40

HAZGUARD Coveralls

MICROPOROUS, BREATHABLE COVERALLS



APPLICATIONS

- Asbestos Removal
- Insulation
- Pharmaceutical
- Police, Medical/Forensic
- Paint Spraying, Resin application
- Car Industry
- Food Processing
- Pesticide/Insecticide Spraying
- Chemical Cleanup
- Emergency Services
- Waste Management
- Abattoirs

FEATURES

- Breathable, disposable coverall made from microporous film technology
- Exceptional dry particle hold out for Type 5 applications (hazardous dust and dry particles)
- Excellent liquid repellency suited to Type 6 reduced spray (light spray and liquid splashes)
- Double bound seams for greater strength and enhanced particle and spray protection
- Self adhesive zip flap
- Antistatic treated, electrostatic protection to EN1149-1
- Microporous structure allows the passage of moisture vapour from inside to outside keeping the wearer cooler and more comfortable
- Extremely low lint

Code	Description	Carton
OHGS	Hazguard Coveralls White Size Sm	25
OHGM	Hazguard Coveralls White Size Med	25
OHGL	Hazguard Coveralls White Size Lge	25
OHGXL	Hazguard Coveralls White Size XL	25
OHG2XL	Hazguard Coveralls White Size 2XL	25
OHG3XL	Hazguard Coveralls White Size 3XL	25

Hi Calibre™ S.M.S.

pro-val

**APPLICATIONS**

- Asbestos Removal
- Abattoirs
- Painting
- Forensics
- Insulations
- Laboratories
- Factories
- Food Processing
- Waste Control
- Medical
- Law Enforcement
- Pesticide Spraying

FEATURES

- Waterproof
- Breathable, disposable coverall made from *S.M.S. triple layer material
- Lint free
- Liquid repellency to Type 6 light spray and splash
- Dry particle to Type 5 hazardous dust and dry particles
- *S.M.S. - Spunbound, Melt blown, Spunbound

Code	Description	Carton
OHC...M	SMS Coverall Size Med	50
OHC...L	SMS Coverall Size Lge	50
OHC...XL	SMS Coverall Size XL	50
OHC...2XL	SMS Coverall Size 2XL	50
OHC...3XL	SMS Coverall Size 3XL	50
OHC...4XL	SMS Coverall Size 4XL	50

... denotes colour, W white, B blue or O orange

Work safe compliance codes state disposable coveralls must meet European Standards for Chemical Protective Clothing Category III standard - ENISO 13982-1-Type 5- Particle Tight Clothing for handling specified chemicals and materials.

ProChoice Provek CE approved coveralls, Dupont Tyvek Coveralls and Provek Coveralls are suitable for workers involved in the stripping, clean up or handling of asbestos. They are also suitable for use with smaller airborne particles and provide light splash protection.

Don't know which Protective Coverall is right for your business?

CALL US NOW
1800 678 956

Disposable Caps



APPLICATIONS

- Medical Industry
- Pharmaceutical
- Aged Care
- Emergency Services
- Manufacturing Industry
- Food Processing
- Beauty Industry

FEATURES

- Lightweight and comfortable PP head covers
- Available in a range of colours for cross contamination colour coding

Code	Description	Inner Bag	Carton
ADPPC-Y	Disposable Caps Yellow	100	1000
ADDPC-B	Disposable Caps Blue	100	1000
ADDPC-W	Disposable Caps White	100	1000
ADDPC-R	Disposable Caps Red	100	1000
ADDPC-G	Disposable Caps Green	100	1000

Disposable Shoe & Boot Covers



APPLICATIONS

- Medical Industry
- Pharmaceutical
- Aged Care
- Emergency Services
- Manufacturing Industry
- Food Processing
- Maintenance
- Cleaning
- Janitorial

FEATURES

- Hard wearing PVC sole
- Waterproof upper
- Comfortable internal PP lining
- Indoor and outdoor use

Code	Description	Box	Carton
ABC-500	ProVal Boot Cover PP/PE/PVC Blue	50	10 Boxes

Disposable Aprons



APPLICATIONS

- Medical Industry
- Aged Care
- Food Processing
- Beauty Industry

FEATURES

- Made from embossed LDPE
- 0.020mm thickness
- Waterproof
- Lightweight
- Individually folded in dispenser box or on a convenient hang dispenser.

Code	Description	Box	Carton
ADPA-1350WH	Disposable Aprons 810 x 1350	50	20 boxes
ADPA-1500WH	Disposable Aprons 960 x 1500	50	20 boxes

Non Toxic Dust Mask



- Lightweight mask for comfortable, extended wear
- Aluminium nose-piece can be moulded to individual comfort and seal

Code	Description	Box	Carton
SPC101	Non Toxic Dust Mask	50	20 boxes

Respirator P1



- P1 rating indicates suitability for protection against mechanically generated particles
- Colour coded nose-piece and packaging for ease of identification
- Latex free dual straps give firm and comfortable fit
- Resealable Polybag ensuring masks remain hygienically stored

Code	Description	Box	Carton
SP1M	P1 Dust Mask	20	20 boxes

Respirator P1 with Valve



- P1 rating indicates suitability for protection against mechanically generated particles
- Colour coded nose-piece and packaging for ease of identification
- Latex free dual straps give firm and comfortable fit
- Resealable Polybag ensuring masks remain hygienically stored
- Exhalation ProValve for extra air flow

Code	Description	Box	Carton
SP1M-V	P1 Dust Mask with Valve	12	20 boxes

Flat Fold P1 Mask

VERTICAL FLAT FOLD



- P1 rating for protection against mechanically generated particles
- Dual straps give firm and comfortable fit
- Individually packed to avoid contamination
- Designed for easy storage before use

Code	Description	Box	Carton
SP1M-FF	P1 Dust Mask with Flat Fold	20	20 boxes

Respirator P2



- P2 rating for protection against mechanically and thermally generated particles
- Colour coded nose-piece and packaging for ease of identification
- Latex free dual straps give firm and comfortable fit
- Resealable Polybag ensuring masks remain hygienically stored

Code	Description	Box	Carton
SP2M	P2 Dust Mask	20	20 boxes

Respirator P2 with Valve



- P2 rating for protection against mechanically and thermally generated particles
- Colour coded nose-piece and packaging for ease of identification
- Latex free dual straps give firm and comfortable fit
- Resealable Polybag ensuring masks remain hygienically stored
- Exhalation ProValve for extra air flow

Code	Description
SP2M-V	P2 Dust Mask with Valve



Flat Fold P2 Mask with Valve

HORIZONTAL FLAT FOLD



- P2 rating against mechanically and thermally generated particles
- Exhalation ProValve for extra air flow
- Dual straps give firm and comfortable fit
- Individually packed to avoid contamination
- Designed for easy storage before use

Code	Description	Box	Carton
SP2M-VFF	P2 Dust Mask with Valve - Flat Fold	12	20 boxes

ProMesh® Respirator P2



- Flexible mesh which ensures optimum shape retention for a perfect, airtight fit during long periods of wear
- P2 rating protects against mechanically and thermally generated particles
- Moulded nose-piece for close fit
- QuickLock Straps for easy fit and release
- Resealable Polybag ensuring masks remain hygienically stored

Code	Description	Box	Carton
SP2M-821	ProMesh P2 Mask	12	20 boxes

ProMesh® Respirator P2 with Valve



- Flexible mesh which ensures optimum shape retention for a perfect, airtight fit during long periods of wear
- P2 rating protects against mechanically and thermally generated particles
- Moulded nose-piece for close fit
- QuickLock Straps for easy fit and release
- Exhalation ProValve for extra airflow
- Resealable Polybag ensuring masks remain hygienically stored

Code	Description	Box	Carton
SP2M-822	ProMesh P2 Mask with Valve	12	20 boxes

Maxi Mask 2000™



- Fully adjustable four point cradle suspension ensuring an effective facial fit
- Low profile angle filter design for minimum visual impairment
- Durable thermoplastic rubber mask for superior fit
- Contour moulded nose for fit with glasses and goggles
- Low resistance exhalation valve to reduce heat and moisture build up
- Able to be worn under most welding helmets
- Quick and easy filter cartridge connection

Code	Description	Box
S-HPTPM-A	Maxi Mask 2000 Half Face Mask	1

Maxi Mask 2000™ Filters and Retainers



- For use with Pro Cartridge
- Provides protection against mechanical and thermally generated particles
- Lightweight pads fit inside ProCartridge gas cartridge easy replacement system


Code	Description	Box	Carton
S-PCFP2	ProFilter P2 Prefilter	20	50



- For use with ProCartridge and ProFilters

Code	Description	Box	Carton
S-PCRC	Pre Filter Retainer Caps	1 pair	200 pairs

Maxi Mask 2000™ Cartridges



- For use on the Maxi Mask 2000™
- Low profile design for complete vision
- Protects against a wide range of chemicals including Organic Vapour, Acid Gas, Sulphur and Ammonia
- Can be fitted with the P2 ProChoice Filter Pads to provide extra protection against dust/mist particles
- Easy 'Lock-on system'

Code	Description	Box	Carton
S-PCABEK1	ABE1 Cartridges for Maxi mask	1 pair	25 pairs



- For use on the Maxi Mask 2000™
- P2 cartridges protects against mechanically and thermally generated particles
- Easy 'Lock-on system'
- Comes complete with a P2 ProChoice Filter and retainer caps

Code	Description	Box	Carton
S-PCP2	P2 Cartridge for Maxi Mask 2000	1 pair	50 pairs



- For use on the Maxi Mask 2000™
- A1P2 cartridges for gas/vapour and combination particulate/gas/vapour cartridge
- Combination cartridge protects against dust and vapour fumes up to 1000pp
- Easy 'Lock-on system'
- Comes complete with a P2 ProChoice Filter and retainer caps

Code	Description	Box	Carton
S-PCA1P2	A1P2 Cartridges for Maxi Mask	1 pair	25 pairs

Full Face Respirator

SR 200



- The Mask is made from Silicone for comfort
- 2 exhalation valves for low breathing resistance
- Directed air inhalation to prevent misting and condensation
- Can be connected to the SR 307 compressed air attachment

Code	Description	Box
S-SR200	Safety Mask SR 200	1



Half Face Respirator

SR 100



- The Mask is made from Silicone for comfort
- 2 exhalation valves for low breathing resistance
- Valve covers with baffles to protect membrane against dust and paint mist
- Can be connected to the SR 307 compressed air attachment

Code	Description	Box
SHM-SR100	Half Mask Silicone SR 100	1



Half Face Mask Basic Pack



- SR 90 Thermoplastic Elastomer mask
- 2 exhalation valves for low breathing resistance
- Can be connected to the SR 307 compressed air attachment

INCLUSIONS

- 1 x SR 90 half face mask
- 1 x SR 510 particle filter
- 1 x pkt of particulate pre-filters
- 1 x A1 gas filters or ABEK1 gas filter
- Clear storage box
- Cleaning wipe and instructions

Code	Description	Box
SHM-SR90KIT	SR 90 Half Mask Kit with A1 Filter	1
SHM-SR90ABEK	SR 90 Half Mask Kit with ABEK Filter	1



Compressed Air Attachment

SR 307



- To convert half and full face masks to an air fed system
- Belt mounted regulator for air flow

Code	Description	Box
S-SR307	Compressed Air Attachment	1



Respirator Storage Box



- Convenient and practical storage for Sundstrom half masks and filters

Code	Description	Box
S-2820	Respirator Half Mask Storage Box	1





Particle Pre - Filter

P2/P3 PARTICLES



- Protects P2 and P3 particle filters against premature clogging and extends its life

Code	Description	Box
SP3-SR221	P2/P3 Particle Pre Filter	80

Particle Filter

P2/P3 PARTICLES



- Protects against P2 and P3 particles.
- Dust, mist and fume protection
- Protects against bacteria, viruses and radioactive dust

Code	Description	Box
SP3-SR510	P2/P3 Particle Filter	5

Gas Filter

A1 ORGANIC VAPOURS



- Protects against A1 Organic vapours

Code	Description	Box
SA1-SR217	A1 Gas Filter	5

Gas Filter

A2 ORGANIC VAPOURS



- Gas Filters, suitable for A2 Organic Vapours

Code	Description	Box
SA2-SR218	A2 Gas Filter	4

Gas Filter

ABEK1 VAPOURS



- Protects against Organic vapours
- Protects against Inorganic vapours
- Protection against Acid gasses and vapours

Code	Description	Box
S-ABEK1	ABEK1 Gas Filter	4

Gas Filter

ABE1 VAPOURS



- Protects against Organic vapours
- Protects against Inorganic vapours
- Protection against Acid gasses

Code	Description	Box
S-ABE1F	ABE1 Gas Filter for Acid Gasses	5

Gas Filter

K1 VAPOURS



- Protects against K1 Ammonia

Code	Description	Box
S-K1F	K1 Ammonia Filter	5

CHOOSING THE RIGHT TYPE OF LENS FOR THE JOB

The correct choice of lens plays an important part in the safety glass selection process. Consider the following features of the varied lens type available when deciding what spectacles are needed to get the job done in particular work situations.

**Amber Lenses**

The characteristics of the filter show absorption of the blue lights in the visible range; producing contrast enhancement

**Polarised Lenses**

Polarised lenses filter glare and enhance contrast

**Smoke Lenses**

Filters harmful UV rays as well as visible light and reduces glare from artificial light

**Mirror Lenses**

The mirror coating reduces the amount of light through the lens by reflecting the glare

**Clear Lenses**

Provides protection against general indoor hazards

**Indoor/Outdoor Lenses**

A slight mirror coating on a clear lens, allows more visible light through and reduces glare from artificial light

Visitors Safety Glasses



- Medium Impact
- Deep design allows the glasses to be worn over prescription glasses
- 99.9% UV protection for outdoor wear
- One piece lens provides unobstructed 180° view
- Available in Clear or Smoked

Code	Description	Pack	Carton
SG-3000	Visitors Specs Clear	12	288
SG-3002	Visitors Specs Smoke	12	288

Tsunami Safety Glasses



- Medium Impact, anti-scratch lens
- Stylish, wrap around design which promotes wear in any work environment
- 99.9% UV protection for outdoor wear
- Ultra lightweight to increase comfort for extended wear
- Available in Clear or Smoked

Code	Description	Pack	Carton
SG-1600	TSUNAMI Safety Glasses Clear	12	288
SG-1602	TSUNAMI Safety Glasses Smoked	12	288

Breeze Safety Glasses



- Medium Impact, anti-scratch lens
- Stylish, wrap around design which promotes wear in any work environment
- 99.9% UV protection for outdoor wear
- Ultra lightweight to increase comfort for extended wear
- Available in Clear, Smoked, Blue Mirror, Silver Mirror and Amber

Code	Description	Pack	Carton
SG-6700	BREEZE Safety Glasses Clear	12	144
SG-6702	BREEZE Safety Glasses Smoke	12	144
SG-6703	BREEZE Safety Glasses Blue Mirror	12	144
SG-6704	BREEZE Safety Glasses Silver Mirror	12	144
SG-6705	BREEZE Safety Glasses Amber	12	144

Phoenix Safety Glasses



- Medium Impact, anti-scratch lens
- Frameless and ultra lightweight to increase comfort for extended wear
- 99.9% UV protection for outdoor wear
- Comfortable Silicone nose piece
- Adjustable arm length
- Available in Clear, Smoked and Amber

Code	Description	Pack	Carton
SG-8600	PHOENIX Safety Glasses Clear	12	144
SG-8602	PHOENIX Safety Glasses Smoke	12	144
SG-8605	PHOENIX Safety Glasses Amber	12	144

Futura Safety Glasses



- Medium Impact anti-scratch lens
- Anti-fog lens ideal for use with dust masks in humid conditions
- 99.9% UV protection for outdoor wear
- Ultra lightweight to increase comfort for extended wear
- Comfortable silicone nose piece
- Soft, rubber tip arms for added comfort
- Available in Clear, Smoke or Blue Mirror

Code	Description	Pack	Carton
SF-9000	FUTURA Safety Glasses Clear	12	144
SG-9002	FUTURA Safety Glasses Smoke	12	144
SG-9003	FUTURA Safety Glasses Blue Mirror	12	144

Safety Glasses



- Medium Impact anti-scratch lens
- Stylish, wrap around design which promotes wear in any work environment
- 99.9% UV protection for outdoor wear
- Lightweight and durable polycarbonate frame
- Ultra lightweight to increase comfort for extended wear
- Clear, Smoke or Blue Mirror

Code	Description	Pack	Carton
SG-9900	Safety Glasses Clear	12	144
SG-9902	Safety Glasses Smoke	12	144
SG-9903	Safety Glasses Blue Mirror	12	144

Mercury Polarised Safety Glasses



- Medium Impact, anti-scratch, anti-fog lens
- Lightweight and durable polycarbonate frame
- 99.9% UV protection for outdoor wear
- Ribbed 'SMART FIT' adjustable nose bridge for a customised fit
- Comfortable silicone nose piece
- Polarised lens filters glare and enhances contrast
- Comes with bonus Specs Pouch
- Also available individually wrapped

Code	Description	Pack	Carton
SG-8212	MERCURY Safety Glasses Polarised	12	144

Fusion Indoor/Outdoor Safety



- Medium Impact, anti-scratch lens
- 99.9% UV protection for outdoor wear
- Comfortable silicone nose piece
- Comes with bonus spec cord
- Adjustable arm length

Code	Description	Pack	Carton
SG-9202	FUSION Indoor/Outdoor Safety Glasses	12	144

Fusion Safety Glasses



- Medium Impact anti-scratch lens
- One piece wrap around lens offers excellent side-of-face protection
- 99.9% UV protection for outdoor wear
- Comfortable silicone nose piece
- Adjustable arm length
- Comes with bonus spec cord
- Available in Clear or Smoke

Code	Description	Pack	Carton
SG-9200	FUSION Safety Glasses Clear	12	144
SG-9202	FUSION Safety Glasses Smoke	12	144

SupaVu® Safety Goggles



- Excellent general purpose goggle
- Lightweight providing increased comfort for extended wear
- Adjustable strap for custom fit
- 99.9% UV protection for outdoor wear
- Indirect vent allows airflow and reduces fog build up

Code	Description	Pack	Carton
SG-4900	SupaVu Safety Goggles Clear	12	144

Scope II Safety Goggles



- Medium Impact ant-scratch lens
- Anti-fog, hardened 2mm lens ideal for use with dust masks in humid conditions
- Foam bound with wide strap for comfort
- 99.9% UV protection for outdoor wear
- Good chemical splash protection
- Economical replacement lens available

Code	Description	Pack	Carton
SG-3600	SCOPE II Safety Goggles Clear	12	72
SG-3602	SCOPE II Safety Goggles Smoke	12	72

Scope II Safety Goggles Replacement Lens



- Medium impact anti-scratch lens
- Anti-fog, hardened 2mm lens ideal for use with dust masks in humid conditions
- Sold individually

Code	Description	Pack	Carton
SG-3600L	SCOPE II Replacement Lens	12	72

Spectacle Cord



- To suit any style of ProChoice eyewear
- Made from polycotton
- Can be worn around neck for convenience
- Sold individually

Code	Description	Carton
SG-SC	ProChoice Spectacle Cord	100

Spectacle Pouch



- To suit any style of ProChoice eyewear
- Made from microfabric, the pouch protects eyewear and doubles as a lens cleaner
- Sold individually

Code	Description	Carton
SG-SP	ProChoice Spectacle Pouch	500



The SOUND LEVEL CONVERSION (SLC80) rating, as applied to hearing protection devices (HPD) is a simple number and class rating derived from a test procedure outlined in the Australian/New Zealand Standard, AS/NZS 1270: 2002.

It provides a simple number guide to the level of noise attenuation (reduction) that can be expected from a particular HPD.

Class	SLC ₈₀ dB
1	10 to 13
2	14 to 17
3	18 to 21
4	22 to 25
5	26 to 36

Noise Level Examples	Class	SLC ₈₀ dB	Allowable Noise Level Range	
Ringed Telephone - 80dB	1	10 to 13	Less than 90dB	SAFE AREA
Loud Radio - 80dB	1	10 to 13	Less than 90dB	
Busy Traffic - 80dB	1	10 to 13	Less than 90dB	
Band Saws - 85dB	2	14 to 17	Less than 90dB	
Power Lawn Mower - 90dB	2	14 to 17	90 - 95dB	RISK AREA
Belt Sander - 93dB	2	14 to 17	90 - 95dB	
Tractor - 96dB	3	18 to 21	95 - 100db	
Electric Drill - 98dB	3	18 to 21	95 - 100db	
Bulldozer - 105dB	4	22 to 25	100 - 105dB	
Blasting - 110dB	5	26 to 26	110 - 115dB	HARMFUL RANGE
Nail Gun - 110dB	5	26 to 26	110 - 115dB	
Chainsaw - 120dB	5	26 to 26	110 - 115dB	
Propellor Aircraft - 120dB	5	26 to 26	110 - 115dB	
Gun Shot - 130dB	5	26 to 26	110 - 115dB	
Rivetting Hammers - 130dB	5	26 to 26	110 - 115dB	
Jet Engine Aircraft - 140dB	5	26 to 26	110 - 115dB	

ProPlug™ Earplugs



- Class 5, SLCg027dB
- Disposable PU foam
- Hearing protection from noise levels to 100dB(A)
- Pairs packaged in individual poly bags

Code	Description	Box	Carton
SEP-PRO	ProPlug Disposable Uncorded Earplugs	200 pairs	10 boxes


ProPlug™ Bell Earplugs



- Class 5, SLCg027dB
- Disposable PU foam
- Hearing protection from noise levels to 100dB(A)
- ProPlug Bell shape delivers maximum comfort
- Brightly coloured offering high visibility for worker compliance
- Superior design makes it easier to insert and reduces tendency to back out of the ear
- Pairs packaged in individual poly bags

Code	Description	Box	Carton
SEP-YU	ProPlug Bell Disposable Uncorded Earplug	200 pairs	10 boxes

ProPlug™ Bell Earplugs



- Class 5, SLCg027dB
- Disposable PU foam
- Hearing protection from noise levels to 100dB(A)
- ProPlug Bell shape delivers maximum comfort
- Brightly coloured offering high visibility for worker compliance
- Superior design makes it easier to insert and reduces tendency to back out of ear
- Pairs packaged in individual poly bags

Code	Description	Box	Carton
SEP-YC	ProPlug Bell Disposable Corded Earplug	100 pairs	10 boxes

ProSil® Reusable Earplugs



- Class 3, SLCg018dB
- Reusable silicone earplugs
- Hearing protection from noise levels to 100dB(A)
- Comes in re-sealable plastic case

Code	Description	Box	Carton
SEP-PROSIL	ProSil Bell Reussable Corded Earplug	50 pairs	10 boxes

ProBand® Headband Earplugs



- Class 2, SLC8014dB
- Comfortable, convenient and lightweight headband
- Hearing protection from noise levels to 95dB(A)
- Foam ear pads are disposable and not designed for re-use
- Each set comes with bonus replacement earplug pads

Code	Description	Box	Carton
SEP-HBEP	ProBand Headband Earplugs	10 packs	10 boxes

ProBand® Replacement Earplugs



- Class 2, SLC8014dB
- Replacement earplug pads to suit ProBand Headband Earplugs
- Hearing protection from noise levels to 95dB(A)
- Foam ear pads are disposable and not designed for re-use

Code	Description	Box	Carton
SEP-HBEP	ProBand Replacement Earplugs for Headband	50 pairs	10 boxes

Want Professional Advice?



CALL US NOW

1800 678 956

Viper® Earmuffs



- Class 5, SLC8026dB
- General purpose use
- Hearing protection from noise levels to 110dB(A)
- Solid lightweight ear cup construction provides comfort during extended wear
- Low clamping force applies minimum pressure while maintaining a tight, snug seal
- Three position headband (over the head, behind the head and under the chin) allows the earmuffs to be worn comfortably with other safety gear such as hard hats, respirators, safety glasses and visors



Code	Description	Pack	Carton
SEM-VIP	VIPER Earmuffs 26db	1	25

Cobra® Earmuffs



- Class 5, SLC8028dB
- General purpose use
- Hearing protection from noise levels to 110dB(A)
- Convenient fold-away construction
- High quality ear cushions
- Inner foam headband cushions provide comfort during extended wear
- Low clamping force applies minimum pressure while maintaining a tight, snug seal



Code	Description	Pack	Carton
SEM-COB	Cobra Earmuffs 28db	1	25

Python® Earmuffs



- Class 5, SLC8031dB
- High performance and strong durability for maximum protection
- Hearing protection from noise levels to 116dB(A)
- Contemporary design withstands abuse without compromising comfort
- Solid lightweight ear cup construction
- High quality ear cushions
- Padded foam headband minimises pressure on the head
- Steel wire provides a robust construction to withstand demanding use
- Increased wearer comfort due to low clamping force



Code	Description	Pack	Carton
SEM-PYTH	Python Earmuffs 31db	1	24

WORKERS NAME "JOHN DOE"



YOUR BUSINESS NAME HERE

WORKSITE POSITION "SAFETY OFFICER"

Printing Services

The need to distinguish workers in various occupations on a work site can be for safety or convenience. We offer a printing service of either vinyl cut or pad printing. The possibilities are endless.

Vented Hard Hats



- Lightweight, colour range of vented hard hats
- Individually packaged
- Colours can be assigned to location, job or industry
- 6 point ProLock harness
- High quality ear cushions
- Airvents and cotton sweatband prevents perspiration build-up
- Extended peak for added protection
- Edge gutter to catch and deflect the rain

Code	Description	Qty	Carton
SA570-...	ProChoice Vented Hard Hat	1	20

... denotes colour, please specify



Polyester/Cotton Sun Hat



- Wide and protective brim
- Adjustable chin strap
- Sizes: Small 55cm
- Med 57cm
- Lge 59cm
- XL 61cm
- Chin Strap

Code	Description	QTY	CTN
ACSH-N-...	Sun Hat Navy - Specify Size	each	12
ACSH-W-...	Sun Hat White - Specify Size	each	12
ASCH-G-...	Sun Hat Green - Specify Size	each	12

... denotes size S, M, L or XL



Assembled Browguard with Visor



- Anti-fog visor (SVC) and Browguard (SHHBGE)
- High impact rated
- Ready assembled to be on the task immediately
- 99.9% UV protection for outdoor wear

Code	Description	Pack	Ctn
SBGVC	Assembled Brow Guard to suit Visor	1	10

Hard Hat Browguard



- Lightweight guard will accommodate Pro Choice Visors - SVC,SVS, SVS5 and SVM
- Fitted with Quick Lock clips

Code	Description	Pack	Ctn
SHHBGE	Hard Hat Brow Guard	1	10

Clear Polycarbonate Visor



- Anti-fog 2mm visor to suit SHHBGE
- High impact rated
- Molten metal, hot solids and high impact resistant
- 99.9% UV protection for outdoor wear
- One piece wrap around allowing for unobstructed views and excellent side protection - 405mm wide x 205mm high
- Extra 30mm length visor for increased protection

Code	Description	Pack	Ctn
SVC	Clear Polycarbonate Visor	1	50


Smoke Polycarbonate Visor



- Anti-fog 2mm visor to suit SHHBGE
- High impact rated
- Molten metal, hot solids and high impact resistant
- 99.9% UV protection for outdoor wear
- One piece wrap around allowing for unobstructed views and excellent side protection - 405mm wide x 205mm high
- Extra 30mm length visor for increased protection

Code	Description	Pack	Ctn
SVS	Smoke Polycarbonate Visor	1	50

Shade 5 Polycarbonate Visor



- Anti-fog 2mm visor to suit SAHHBGE
- High impact rated
- One piece wrap around allowing for unobstructed views and excellent side protection - 405mm wide x 205mm high
- Extra 30mm length visor for increased protection
- Certified to AS/NZS 1338 ID 4018 for gas welding
- Used in Light oxygen cutting, flame descaling and silver brazing, braze welding light gauge copper, steel and lead
- Used in welding die cast, oxygen cutting, medium thickness materials
- Used in Oxygen Lancing and deseaming, flame gouging, iron and hard facing

Code	Description	Pack	Ctn
SVS5	Shade 5 Polycarbonate Visor	1	50

Mesh Visor



- An absolute must when using electric chainsaws and mowing type operations
- Made from high quality stainless steel
- Certified to BSI for EN1731 with increased robustness

Code	Description	Pack	Ctn
SVM	Mesh Visor	1	50

Hard Hat Chin Strap



- Adjustable hard hat chin strap
- Keeps hard hat in place in active situations
- Comfy elastic material

Code	Description	Pack	Ctn
HHCS	Hard Hat Chin Strap	5	200

Hard Hat Plastic Brim



- UV stabilised plastic
- Removable and washable neck flap
- Holds shape in hot and wet climates

Code	Description	QTY	CTN
AHHPB-W	Hard Hat Plastic Brim with Neck Flap White	each	50
AHHPB-G	Hard Hat Plastic Brim with Neck Flap Green	each	50
AHHPB-B	Hard Hat Plastic Brim with Neck Flap Blue	each	50
AHHPB-O	Hard Hat Plastic Brim with Neck Flap Orange	each	50

Hard Hat Cotton Brim



- Durable cotton
- Excellent sun protection with neck flap

Code	Description	QTY	CTN
AHHB-W	Hard Hat Cotton Brim with Neck Flap White	each	50
AHHB-G	Hard Hat Cotton Brim with Neck Flap Green	each	50
AHHB-B	Hard Hat Cotton Brim with Neck Flap Blue	each	50
AHHB-O	Hard Hat Cotton Brim with Neck Flap Orange	each	50
AHHB-FY	Hard Hat Cotton Brim with Neck Flap Fluro Yellow	each	50

Cotton Sweatband



- ProChoice cotton sweatband to suit SA570 hard hats
- Replaceable for hygiene and comfort

Code	Description	Pack	Ctn
SHHSB	Cotton Sweatband for Hard Hats	5	200

Hard Hat Reflective Tape

Straight



- High performance Retro-reflective silver tape, 25mm
- Designed to work on SA570 hard hats
- Hi Visibility regardless of angle
- Straight or curved finish
- Tested to standards AS/NZS 1801:3:2:5

Code	Description	QTY
AHHRTS	Reflective Tape Straight for Hard Hats	10

Curved



Code	Description	QTY
AHHRTC	Reflective Tape Curved for Hard Hats	10

Generic Induction Stickers



- Self adhesive induction labels
- Printed on premium self adhesive sticker material
- Suitable for indoor and outdoor use

Code	Description	QTY
AGHHIL...	Generic Site Induction Labels 50mm	250

... denotes colour W white, Y yellow, P pink

Custom Induction Stickers



WHY NOT CUSTOM DESIGN YOUR OWN HARD HAT INDUCTION LABELS

- Self adhesive induction labels
- Printed on premium self adhesive sticker material
- Suitable for indoor and outdoor use

Code	Description	QTY
ACHHINL	Custom Hard Hat Site Induction Labels 50mm	250

Emergency Response 52mm Diameter



HHMBLS



HHMCFD



HHMCPD



HHMHMM



HHMERT



HHMRTS



HHMMFB



HHMCTC

Safety 52mm Diameter



HHMFAS



HHMFAS



HHMFAT



HHMFAX



HHMSOB



HHMSRE



HHMHAS



HHMHSC



HHMWTS



HHMSSU



HHMSCO



HHMLOT

Site Visitor 56mm Diameter



HHMSI



HHMVB



HHMVM



HHMVG

Wardens 56mm Diameter



HHMAWA



HHMFLW



HHMWAR



HHMWCW



HHMWDC

Qualifications 52mm Diameter



HHMAFO



HHMCCO



HHMQCO



HHMFST



HHMQFO



HHMQFD

- Self adhesive vinyl motifs
- Printed on premium vinyl self adhesive sticker material
- Suitable for indoor and outdoor use



Code	Description	QTY
AHHMV...	Site Visitor 56mm Diameter	10
AHHMW...	Warden 56mm Diameter	10
AHHM.....	Safety 52mm Diameter	10
AHHM...	Qualifications 52mm Diameter	10
AHHM...	Emergency Response Team 52mm Diameter	10

Fabric and Material Specifications



SUN Protection
UPF 40+ - 50+

Garments are tested for UPF (ultraviolet protection factor) in accordance with AS/NZS4399:1996. The level of protection varies depending on the fabric and colour of the garment. This logo indicated the UPF rating is very good or excellent protection.



CLASS D
High Visibility

HiVis garments are manufactured to comply with Class F AS/NZS1906.4:1997, Class D AS/NZS 4602:1999 to meet the requirements of Hi-Vis safety standards for day use.



CLASS D/N, Class N
High Visibility

HiVis garments are manufactured to comply with Class F AS/NZS1906.4:1997, Class D/N, Class N AS/NZS 4602:1999 to meet the requirements of Hi-Vis safety standards for day and night use.



COOL - BREATHE
Moisture
Absorbancy Fabrics

100% polyester soft feel micromesh and mini pique knit, double sided jersey and mini waffle fabrics all feature "cool-breathe" and "cooldry" moisture wicking treatment. Provides quick drying comfort in hot and sweaty conditions with ability to breathe.



COOL - BREEZE
Airflow Vents

Cool-Breeze airflow cooling system removes sweat and body heat through innovative under-arm vents, back your or vertical vents.



**Environmentally
Friendly Green Dye**

Green dye is in line with the relevant environmentally friendly provisions and can be applied in the production process of the dye.



Cotton Backed Knit

Features a polyester outer for rich colour sustainability and a cotton backed knit for the natural cotton feel against the skin, cooldry moisture wicking treatment.



100% Cotton

100% Cotton garments have a natural feel with anti-static and electrical protection features.



Anti-Static

The latest technology is used in the production of the carbon grid anti-static jackets and pants. These comply with BS5958.2-1991. The cotton garments contain no metal buttons or zippers.



Electrical Protection

Cotton made garments containing no metal buttons or zippers are suitable for use in electrical or gas trades.

Day Use Safety Vests



- No reflective tape - compliant to Australian Standards - Class D
- Day use only

Complies with
AS/NZS 4602:1999

Code	Description	Box
ASVY...	Safety Vest Yellow Class D ...	50
ASVO...	Safety Vest Orange Class D ...	50

... denotes size S, M, L, 2XL, 3XL, 4XL



Day/Night Safety Vests - H Back



- Reflective tape - compliant to Australian Standards - Class D/N
- H pattern on back of vest

Complies with
AS/NZS 4602:1999

Code	Description	Box
ASVYSHV-...	Safety Vest Yellow Class D/N ...	50
ASVOMHV-...	Safety Vest Orange Class D/N ...	50



Day/Night X Back Safety Vest



- Reflective tape - compliant to Australian Standards - Class D/N
- X pattern on back of vest

Complies with
AS/NZS 4602:1999

Code	Description	Box
ASVY...HV-X	Safety Vest Yellow Class D/N ...	50
ASVO...HV-X	Safety Vest Orange Class D/N ...	50

... denotes size S, M, L, 2XL, 3XL, 4XL



Hi Vis Singlet



- 185 gsm polyester outer/cotton back
- Extra cool and breathable
- Contrast binding
- Two tone front and back

Code	Description	Qty
A3841-YN-...	Singlet Hi Vis Yellow and Navy ...	each
A3841-ON-...	Singlet Hi Vis Orange and Navy ...	each
A3841-YG-...	Singlet Hi Vis Yellow and Green ...	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL, 7XL



Cool Breathe Polo with Underarm Cotton Mesh



- 200 gsm combed cotton jersey
- Under arm cooling cotton mesh vents
- Left button down chest pocket
- Two tone front only
- Complies with Class F
- AS/NZS1906.4:1997
- Complies with Class D
- AS/NZS4602:1992

Code	Description	Qty
A3845-YN-...	Polo Cool Breath Hi Vis Yel/Navy ...	each
A3845-ON-...	Polo Cool Breathe Hi Vis Ora/Navy ...	each
A3485-YG-...	Polo Cool Breathe Hi Vis Yel/Green ...	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL, 6XL

Cool Breathe Micromesh



- 175 gsm 100% polyester micromesh
- Micromesh provides extra cool and comfortable wear
- Left button down chest pocket
- Two tone front and back
- Elasticised contrast sleeve banding

Code	Description	Qty
A3891-ON-...	Polo Cool Breath Hi Vis Yel/Nav ...	each
A3891-ON-...	Polo Cool Breathe Hi Vis Yel/Nav Sm	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL, 6XL

Cool Breathe Micromesh



- 175 gsm 100% polyester micromesh
- Micromesh provides extra cool and comfortable wear
- Left button down chest pocket with pencil partition
- Two tone front only

Code	Description	Qty
A3811-YN-...	Polo Cool Breath Hi Vis Yellow/Navy	each
A3811-ON- ...	Polo Cool Breathe Hi Vis Orange/Navy	each
A3811-YG-...	Polo Cool Breathe Hi Vis Yellow/Green	each
A3811-YB- ...	Polo Cool Breathe Hi Vis Yellow/Black	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL, 7XL

Pique Knit Poly/Cotton Polo



- 220 gsm, 65/35 polyester cotton
- Contrast Panel
- Left button down chest pocket
- Does not comply with AUS/NZ Hi Vis Standards

Code	Description	Qty
A3895-YN-...	Polo Contrast Panel Poly/Cotton Yellow/Navy	each
A3895-ON-...	Polo Contrast Panel Poly/Cotton Orange/Navy	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL

Cool Breathe Polo Shirt



- 175gsm 100% micromesh
- Extra cool and comfortable
- Hi Vis two tone
- Pocket with pencil partition
- Full fluoro colour on back



Code	Description	Qty
A3813-YN-...	Polo Cool Breath Hi Vis Yellow/Navy	each
A3813-ON- ...	Polo Cool Breathe Hi Vis Orange/Navy	each
A3813-YG-...	Polo Cool Breathe Hi Vis Yellow/Green	each
A3813-YB- ...	Polo Cool Breathe Hi Vis Yellow/Black	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL

Hi Vis Cool Breeze Contrast Mesh Polo



- 175 gsm polyester micromesh
- Air flow contrast mesh panel
- Left button down chest pocket
- Does not comply with AUS/NZ Hi Vis Standards



Code	Description	Qty
A3901-YN-...	Hi Vis Cool Breathe Yellow/Navy	each
A3901-ON-...	Hi Vis Cool Breathe Orange/Navy	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL

Hi Vis Cool Breathe Contrast Mesh Polo



- 175 gsm polyester micromesh
- Air flow contrast mesh panel
- Left button down chest pocket
- Does not comply with AUS/NZ Hi Vis Standards



Code	Description	Qty
A3902-YN-...	Hi Vis Cool Breathe Yellow/Navy	each
A3902-OR-...	Hi Vis Cool Breathe Orange/Navy	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL

Hi Vis Polar Fleece Vest

REVERSIBLE



- One side: 100% polyester anti-pill polar fleece in yellow and navy, two tone
- Reverse side: Shower proof nylon shell
- Two side pockets
- Hidden zipper for embroider access



Code	Description	Qty
A3826-...	Hi Vis Reversible Polar Fleece Vest Yellow/Navy	each

... denotes size S, M, L, 2XL, 3XL, 4XL, 5XL

Hi Vis Zippered Polar Fleece



- 300 gsm 100% polyester
- Anti-pill polar fleece
- 2 sides internal pockets
- Two tone front and back

Code	Description	QTY
A3827-YN-...	Zippered Polar Fleece Hi Vis Yellow/Navy	each
A3827-ON-S	Zippered Polar Fleece Hi Vis Orange/Navy	each
A3827-YG-M	Zippered Polar Fleece Hi Vis Yellow/Green	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL

Hi Vis 1/2 Zip Polar Fleece



- 300 gsm, 100% polyester anti-pill polar fleece
- Two side pockets
- Two tone front and back

Code	Description	QTY
A3825-YN-...	1/2 Zip Polar Fleece Hi Vis Yellow/Navy	each
A3825-ON-...	1/2 Zip Polar Fleece Hi Vis Orange/Navy	each
A3825-YG-...	1/2 Zip Polar Fleece Hi Vis Yellow/Green	each
A3825-YB-...	1/2 Zip Polar Fleece Hi Vis Yellow/Black	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL, 7XL

Hi Vis 1/2 Zip Windcheater

HI-NECK PANEL FLEECE



- 300 gsm, polyester outer
- Poly/cotton inner
- Two side pockets
- Two tone front and back
- One flap chest pocket

Code	Description	QTY
A3823-YN-...	Hi-Neck Panel Fleecy Windcheater Yellow/Navy	each
A3823-ON-...	Hi-Neck Panel Fleecy Windcheater Orange/Navy	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL, 7XL

Hi Vis 1/2 Zip Reflective Piping Sweat Shirt



- 300 gsm, polyester outer
- Poly/cotton inner
- Two side pockets
- Two tone front
- One flap chest pocket
- Reflective piping

Code	Description	QTY
A3828-YN-...	1/2 Zip Reflective piping Hi Vis Yellow/Navy	each
A3828-ON-...	1/2 Zip Reflective piping Hi Vis Orange/Navy	each

... denotes size S, M, L, 2XL, 3XL, 4XL, 5XL

1/2 Zip Cotton Fleecy Windcheater



- 300 gsm, 100% cotton fleece
- Side zip pockets
- Sleeve pen pocket
- Chest flap pocket
- Two tone front and back

Code	Description	QTY
A3923-YN-...	1/2 Zip Cotton Fleecy Windcheater Yellow/Navy	each
A3923-ON-...	1/2 Zip Cotton Fleecy Windcheater Orange/Navy	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL

Polar Fleece Hoodie

HI VIS, TWO TONE, FULL ZIP



- 300 gsm, 100% polyester anti-pill polar fleece
- Two sides internal pockets
- Hoodie
- Two tone front and back

Code	Description	QTY
A3927-YN-...	Hoodie Polar Fleece Hi Vis Yellow/Navy	each
A3923-ON-...	Hoodie Polar Fleece Hi Vis Orange/Navy	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL

Crew Neck Sloppy Joe



- 300 gsm, 65/35% polyester cotton super fleece
- Low pill fabric

Code	Description	QTY
A5302N...	Crew Neck Sloppy Joe Navy	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL

Day/Night Hi Vis Contrast Bomber Jacket

WATERPROOF



- 200D polyester/PVC, seam sealed, waterproof outer shell
- Quilted lining
- Concealed hood
- Clear ID, phone and pen pockets
- Generic reflective tape

Code	Description	QTY
A3992-YN-...	D/N Bomber Jacket Hi Vis Yellow/Navy	each
A3992-ON-...	D/N Bomber Jacket Hi Vis Orange/Navy	each

... denotes size S, M, L, 2XL, 3XL, 4XL, 5XL, 6XL

Two Tone Flying Jacket

WATERPROOF



- 300 D polyester/PU seam-sealed waterproof outer shell
- Quilted-lined
- Concealed Hood
- Two tone front and back

Code	Description	QTY
A3861-YN-...	Two Tone Flying Jacket Hi Vis Yellow/Navy	each
A3861-ON-...	Two Tone Flying Jacket Hi Vis Orange/Navy	each
A3861-YG-...	Two Tone Flying Jacket Hi Vis Yellow/Green	each

... denotes size S, M, L, 2XL, 3XL, 4XL, 5XL, 6XL

Day Night Breathable Rain Jacket

WATERPROOF



- 300D heavy duty breathable polyester/PU
- Seam-sealed
- Waterproof outer shell
- Matching colour mesh lining
- Quilted lining
- Fold away hood
- Storm cuffs with adjustable sleeve tabs
- 3M 8906 reflective tape
- 3/4 length

Code	Description	QTY
A3867-YN-...	2 Tone Rain Jacket with 3M Reflective Tape Yellow/Navy	each
A3867-ON-...	2 Tone Rain Jacket with 3M Reflective Tape Orange/Navy	each
A3867-YG-...	2 Tone Rain Jacket with 3M Reflective Tape Yellow/Green	each

... denotes size S, M, L, 2XL, 3XL, 4XL, 5XL, 6XL

Classic Rain Jacket & Pants

WATERPROOF



- 200D polyester PVC coated, seam-sealed waterproof outer shell
- Elastic drawstring waist
- Two flap side pockets
- Mesh lining
- Leg zippers and press stud closure
- Foldaway hood
- Storm cuffs with adjustable sleeve tabs
- Mobile phone pocket
- 3/4 length jacket
- This material does not comply with AUS/NZ HiVis Standards

Code	Description	QTY
A3706-Y-...	Classic Rain Jacket Yellow	each
A3706-N-...	Classic Rain Jacket Navy	each
A3707-Y-...	Classic Rain Pants Yellow	each
A3707-N-...	Classic Rain Pants Navy	each

... denotes size S, M, L, 2XL, 3XL, 4XL, 5XL, 6XL

Cotton Drill Utility Shorts



- Heavyweight 311 gsm cotton drill
- Pleat front
- Adjustable side tabs



Code	Description	QTY
A3301-N...	Cotton Drill Utility Short Navy	each
A3301-G...	Cotton Drill Utility Short Bottle Green	each
A3301-B...	Cotton Drill Utility Short Black	each
A3301-K...	Cotton Drill Utility Short Khaki	each

... denotes size 72R - 132R

Lightweight Cool-Breeze Shorts

COTTON CARGO SHORTS




- 190 gsm lightweight cotton drill
- One large flap pocket on right side lower leg
- Tool and mobile phone pockets on other side
- Nylon zipper and plastic button



Code	Description	QTY
A3304...	Lightweight Cool-Breeze Cargo Shorts	each

... denotes size 72R - 132R

Cotton Drill Work Trousers



- Heavy weight 311 gsm cotton drill
- Drill pleat front
- Heavy duty nylon zip



Code	Description	QTY
A3311-N...	Cotton Drill Utility Trousers Navy	each
A3311-G...	Cotton Drill Utility Trousers Bottle Green	each
A3311-B...	Cotton Drill Utility Trousers Black	each
A3311-K...	Cotton Drill Utility Trousers Khaki	each
A3311-W...	Cotton Drill Utility Trousers White	each

... denotes size 72R - 112R, 87S - 132S, 74L - 94L (87S - 152S Navy)

Cotton Drill Cargo Pants

HEAVY WEIGHT



- Heavy weight 311 gsm cotton drill
- One large flap pocket on right side lower leg
- Tool and mobile phone pockets on other side
- Heavy Duty Nylon zipper and plastic button
- Comfort fit



Code	Description	QTY
A3312-N...	Cotton Drill Cargo Pants Navy	each
A3312-G...	Cotton Drill Cargo Pants Bottle Green	each
A3312-B...	Cotton Drill Cargo Pants Black	each
A3312-K...	Cotton Drill Cargo Pants Khaki	each
A3312-W...	Cotton Drill Cargo Pants White	each

... denotes size 72R - 112R, 87S - 132S

Light Weight Cotton Overalls



- 190 gsm light weight cotton drill
- Under arm cotton mesh vents
- Large tool pocket on lower leg
- Large Plastic press studs

Code	Description	QTY
A3101-N-...	Light Weight Cotton Drill Overalls Navy	each
A3101-G-...	Light Weight Cotton Drill Overalls Bottle Green	each
A3101-O-...	Light Weight Cotton Drill Overalls Orange	each
A3101-W-...	Light Weight Cotton Drill Overalls White	each

... denotes size 77R - 117R, 92S - 132S

Day Night Drill Shirt

H PATTERN



- 190 gsm, 100% cotton
- Generic reflective tape
- Cool underarm cotton vents
- Two tone front and back

Code	Description	QTY
A3983-YN-...	D/N Drill Shirt with H Pattern Refl Tape Yel/Nv	each
A3983-ON-...	D/N Drill Shirt with H Pattern Refl Tape Or/Nv	each

... denotes size XS, S, M, L, 2XL, 3XL, 4XL, 5XL

Socks



- 100% Australian made
- Wool/Nylon Blend
- 3 Pair pack
- Available as Hi-Vis

Code	Description	QTY
AS101-N-...	Woollen Socks Navy	each
AS101-B-...	Woollen Socks Black	each
AS102-YN-...	Woollen Safety Socks Yellow/Navy	each
AS102-ON-...	Woollen Safety Socks Orange/Navy	each

... denotes size 2 - 5, 6 - 11, 12 - 13

Boot Covers



- 190 GSM Cotton Drill
- Available with CSR Reflective Tape

Code	Description	QTY
A6001-N	Cotton Boot Covers Navy	each
A6001-G	Cotton Boot Covers Bottle Green	each
A6001-K	Cotton Boot Covers Khaki	each
A6001	Cotton Boot Covers Orange with Ref Tape	each

Rambler Elasticised Boots



- Steel toe cap
- Leather upper
- Elasticised sides
- AirZone comfort system
- Footbed comfort insole
- Scuff cap design

Code	Description	QTY
ASB240011-...	Mongrel Rambler Safety Boots	pair

... denotes size 5 - 12 (including half sizes 6.5 - 10.5)

Rambler Lace Up Boots



- Steel toe cap
- Leather upper
- Padded collar
- AirZone comfort system
- Footbed comfort insole
- Padded collar
- Scuff cap design

Code	Description	QTY
ASB260010-...	Mongrel Rambler Lace Up Boots	pair

... denotes size 5 - 14 (including half sizes 6.5 - 10.5)

Zip Sided Boots



- Steel toe cap
- Laces for foot support
- Zippered sides for easy on and off
- Leather upper
- Elasticised sides
- AirZone comfort system
- Footbed comfort insole
- Scuff cap design

Code	Description	QTY
ASB261020-...	Mongrel Zip Sided Safety Boots	pair

... denotes size 5 - 14 (including half sizes 6.5 - 10.5)

Oliver Work Boots



- High quality leather elastic sided boot
- Dual density polyurethane sole offering a soft shock absorbing low density midsole with hard wearing outer sole
- Tread pattern sweeps away any lubricant leaving dry contact under cleats
- Type 1 steel toe cap
- Anti-static
- Outsole heat resistant to 130 °C surface contact
- Sole resistant to mineral and organic oils and acids
- Superior cut, split and crack resistant sole
- Australian standards AS/NZS 2210.3

Code	Description	QTY
ASB35480-...	Oliver Safety Boots	pair

... denotes size 5 - 13 (including half sizes 6.5 - 10.5)



Lip Balm 12gm Tube

- SPF30+ with moisturising Vitamin E
- 4 hours water resistant
- Twist up stick
- Sold individually

Code	Description	QTY	CTN
SSLB12	Sunscreen Lip Balm 12gm Tube	1	12



Sunscreen 125ml Tube

- SPF30+ with moisturising Vitamin E
- 3 hours water resistant
- Flip top tube
- Sold individually

Code	Description	QTY	CTN
SS125	Sunscreen 125ml Tube	1	12



Sunscreen 250ml Bottle

- SPF30+ with moisturising Vitamin E
- 3 hours water resistant
- Flip top bottle
- Sold individually

Code	Description	QTY	CTN
SS250	Sunscreen 250ml Bottle	1	6



Sunscreen 500ml Bottle

- SPF30+ with moisturising Vitamin E
- 3 hours water resistant
- Pump pack bottle
- Sold individually

Code	Description	QTY	CTN
SS500	Sunscreen 500ml Bottle	1	6



Sunscreen 1L Bottle

- SPF30+ with moisturising Vitamin E
- 3 hours water resistant
- Pump pack bottle
- Sold individually

Code	Description	QTY	CTN
SS1L	Sunscreen 1L Bottle	1	6



Sunscreen 2.5L Bottle

- SPF30+ with moisturising Vitamin E
- 3 hours water resistant
- Pump pack bottle
- Sold individually

Code	Description	QTY	CTN
SS2L	Sunscreen 2.5L Bottle	1	4



Sunscreen Wall Brackets

- Convenient sturdy wall bracket
- White powder coated wire frame
- Sold individually

Code	Description	QTY	CTN
SSWB500	Sunscreen Wall Bracket 500ml Bottle	1	12
SSWB1	Sunscreen Wall Bracket 1L Bottle	1	12
SSWB2.5	Sunscreen Wall Bracket 2.5L Bottle	1	12

Snake & Spider Bite



- For quick response to spider & snake bites
- Tear resistant nylon
- Can be secured to a belt
- Internal webbing with three pouches
- Removable webbing secured by velcro

CONTENTS

- Latex gloves
- 3 Plastic bags
- CPR card
- Venomous bites instructions
- First aid instructions
- Scissors nurse 12.5cm
- Forceps splinter 12.5cm
- 10 Plastic adhesive strips
- 2 Triangular bandages
- Comforming bandage 5cm
- Heavy weight bandage 10cm
- 5 Splinter probes
- 3 Antiseptic skin preps
- Dressing non adhesive 7.5 x 7.5cm

Code	Description	QTY
FAK-SBK	Snake & Spider Bite First Aid Kit	1

Class A



- NSW 'A' Type
- For up to 99 employees at Construction Sites and High Risk Workplaces
- For up to 199 employees at other places of work
- Zinc coated Steel Container
- Hardy Carry Handle
- Wall Mountable
- Key Lock Door
- Baked Enamel Gloss Finish
- Drop Front Forms Work Tray
- Instrument Rack

CONTENTS

- 24 Plastic Adhesive Strips
- 1 6cm x 1m Dressing Strip
- 1 Adhesive Tape 2.5cm x 5m
- 10 pairs Gloves Large
- 12 Asstd Safety Pins
- Splinter Forceps SS
- Scissors SS 12.5cm
- 20 Splinter Probes Disp
- 12 Eye Wash Ampules
- 5 Eye Pads Sterile
- 10 Eye Drops .4ml
- 10 Antiseptic Swabs
- 10 No 15 Wound Dressings
- 6 Plastic Bags Asstd Sizes
- 3 Bandage Conforming Gauze 5cm
- 3 Bandage Conforming Gauze 10cm
- 2 Heavy Crepe Bandage 5cm
- 5 Non Adherent Dressings
- 8 Triangular Bandages
- 60 Cotton Balls
- 100 Cotton Tips
- 30 Gauze Swabs Sterile 7.5cm
- 5 Burn Aid Gel Sachet 3.5g
- 1 Cold Spray Aerosol 250g
- Ice Pack Instant
- 10 Antiseptic Cream Sachets
- 1 Spray Antiseptic 50ml
- 1 Antiseptic Solution Iodine 100ml
- 3 Wound Closures 6.4mm x 76mm
- 1 Drinking Vessel
- 2 Resuscitation Mask (one way valve)
- 10 Unisolve Wipes (adhesive remover)
- 5 Finger Wound Dressings
- 2 Combine Pad 20cm x 40cm
- 2 Bandage Cepe Medium 7.5cm
- 2 Bandage Crepe Medium 10cm
- 1 CPR Guide
- 1 First Aid Guide

Code	Description	QTY
FAKCLAA	First Aid Kit Class A	1

Portable Standard



- NSW 'B' Type
- Construction Sites with less than 10 employees
- For other workplaces with more than 10, but less than 100 employees
- High Impact Plastic
- Carry Handle
- Water Resistant
- Lift Out Tray
- Australian Made

CONTENTS

- 50 Plastic Adhesive Strips
- 1 Adhesive Tape 2.5cm x 5m
- 2 pkts Gloves Large
- 12 Asstd Safety Pins
- Splinter Forceps 12.5cm
- Scissors Sharp/Blunt 12.5cm
- Eye Wash 10ml
- 2 Eye Pads Sterile
- 10 Eye Drops .4ml
- 10 Antiseptic Swabs
- 3 No 15 Wound Dressings
- 3 Plastic Bags Asstd Sizes
- Bandage Conforming Gauze 5cm
- Bandage Conforming Gauze 10cm
- Rescue Blanket Foil
- 2 Non Adherent Dressings
- 4 Triangular Bandages
- First Aid Pamphlet
- CPR Flowchart

Code	Description	QTY
FAKCLABP	First Aid Kit Class B Portable	1

Regulation Type B



- NSW 'B' Type
- Construction Sites or High Risk Sites with 1 - 24 employees
- For other workplaces with up to 99 employees
- Rust Resistant Steel
- Carry Handle
- Wall Mountable
- Key Lock Door
- Baked Enamel Gloss Finish
- Drop Front Forms Work Tray
- Instrument Rack

CONTENTS

- 50 Plastic Adhesive Strips
- 1 Adhesive Tape 2.5cm x 5m
- 2 pkts Gloves Large
- 12 Asstd Safety Pins
- Splinter Forceps 12.5cm
- Scissors Sharp/Blunt 12.5cm
- 6 Eye Wash 10ml
- 2 Eye Pads Sterile
- 10 Antiseptic Swabs
- 3 No 15 Wound Dressings
- 3 Plastic Bags Asstd Sizes
- Conforming Bandage 5cm
- Conforming Bandage 10cm
- Rescue Blanket Foil
- Resuscitation mask
- 4 Triangular Bandages
- 2 Dressing non adherent
- First Aid Pamphlet
- CPR Flowchart

Code	Description	QTY
FAKCLAB	First Aid Kit Class B	1

Exceeds Type B



- Exceeds NSW 'B' Type Regulations
- For Moderate to High Risk Workplaces
- for 1 - 24 Employees at Construction Sites or High Risk Workplaces
- For other workplaces with up to 99 employees
- Rust Resistant Zinc Coating
- Carry Handle
- Wall Mountable
- Baked Enamel Gloss Finish
- Drop Front Forms Work Tray
- Instrument Rack
- Australian Made

CONTENTS

- 50 Plastic Adhesive Strips
- 1 Adhesive Tape 2.5cm x 5m
- 4 Latex Gloves Large
- 12 Safety Pins
- Splinter Forceps 12.5cm
- Scissors Sharp/Blunt 12.5cm
- Eye Wash Ampoule 10ml
- 2 Eye Pads Sterile
- 10 Antiseptic Swabs
- 3 No 15 Wound Dressings
- 3 Plastic Bags Asstd Sizes
- Conforming Bandage 5cm
- Conforming Bandage 10cm
- Rescue Blanket Foil
- 2 Non Adherent Dressings
- 4 Triangular Bandages
- First Aid Pamphlet
- CPR Flowchart
- 2 Bandage Hospital Crepe 7.5cm
- 2 Bandage Hospital Crepe 10cm
- 2 Burn Aid Gel Sachets
- 1 Burn Aid Gel Dressing 10cm x 10cm
- Resuscitation Mask
- 2 Combine Pad 20cm x 40cm
- Instant Ice Pack
- 2 Wound Closure Strips

Code	Description	QTY
FAKCLABE	First Aid Kit Exceeds Type B	1

Work Vehicle



- Complies with NSW Type C regulations
- Suitable for Vehicles, Home, Camping, Personal Use, Marine & 4WD
- Tear Resistant Nylon Exterior
- Soft Nylon Interior
- Carry Handle and Shoulder Strap
- Zippered on three sides
- Internal Webbing for Storage

CONTENTS

- 50 Plastic Adhesive Strips
- 20 Fabric Asstd Adhesive Strips
- 4 Latex Gloves Large
- 12 Safety Pins
- Splinter Forceps 12.5cm
- Scissors Stainless Steel 12.5cm
- 3 Eye Wash Ampoule 15ml
- 2 Eye Pads Sterile
- 10 Antiseptic Wipe Sachets
- 1 No 15 Wound Dressing
- 3 Plastic Bags Asstd Sizes
- 2 Conforming Bandages 2.5cm
- 2 Conforming Bandages 5cm
- 1 Conforming Bandage 10cm
- Rescue Blanket
- 2 Non Adherent Dressings 75mm x 75mm
- 1 Triangular Bandage 110cm
- First Aid Pamphlet
- CPR Guide
- 1 Adhesive tape 1.25cm x 5m
- 5 Splinter Probes
- 1 Light Stick
- 1 Wound Closure Pkt 6
- 2 Cotton Tips Sterile 7.5cm Pkt 3
- Bandage Heavy Crepe 7.5cm
- 2 Burn Aid Gel Sachets
- 5 Rapid Itch Relief Sachets
- 5 Rapid Antiseptic Cream Sachets
- Gauze Swabs Sterile3's 75mm
- Combine Dressing Pad 10cm x 10cm
- Resuscitation Mask

Code	Description	QTY
FAKWV	First Aid Kit for Work Vehicle	1

Regulation Type C



- NSW 'C' Type
- For 1 -10 Employees NOT at a construction Site or High Risk Workplace
- Company Vehicles
- High Impact Plastic
- Clear Case
- Hinged Clipped Lid
- Australian Made

CONTENTS

- 50 Plastic Adhesive Strips
- 2 Nitrile Gloves
- 12 Asstd Safety Pins
- Wound Dressings Large
- Plastic Bag
- Conforming Bandage 5cm
- Triangular Bandage 10cm
- Resuscitation Face Shield
- CPR Guide
- First Aid Instruction Guide

Code	Description	QTY
FAKCLAC	First Aid Kit Class C	1

Exceeds Type C



- NSW 'C' Type Regulation Compliance
- Suitable for Vehicles
- Ideal Personal Kit - can be clipped over a belt
- Tear Resistant Nylon
- Zippered on Three Sides
- Internal Webbing with Three Pouches
- Removable Webbing Secured by Velcro

CONTENTS

- 50 Plastic Adhesive Strips
- 2 Nitrile Gloves
- 12 Asstd Safety Pins
- Wound Dressing Large No 15
- 3 Plastic Bags Asstd Sizes
- Conforming Bandage 5cm
- Triangular Bandage 110cm
- Resuscitation Face Shield
- Eye Wash Ampoule
- Adhesive Tape 1.25cm x 9m
- Forceps Splinter SS 12.5cm
- Scissors Sharp/Blunt SS 12.5cm
- 2 Antiseptic Wipes
- Non-adherent Dressing
- 5 Splinter Probes
- CPR Guide
- First Aid Instruction Guide
- Resuscitation Face Shield

Code	Description	QTY
FAKCLACE	First Aid Kit Class C Exceeding	1



First Aid in the Work Place

All workplaces must have at least one first aid kit, appropriate for the site or place of work. Construction sites have specific requirements.

Where possible, introduce preventative measures to eliminate risk, if this is not possible the employer must control the risk to reduce employee exposure to these hazards. Prevention is far better than a cure.

Employers have legal responsibilities for ensuring adequate first aid provisions for employees. In addition, Section 8 (2) of the OHS Act requires that all persons in a workplace other than employees are not exposed to risks.

It is recommended that access to first aid personnel is available wherever there are more than 25 persons at a workplace, regardless of whether or not those persons are employees (e.g. schools).

A first aid room must be provided and maintained at any construction site at which more than 100 persons work or at any other workplace at which more than 200 persons work.

To ensure adequate first aid provisions, employers must identify their potential problems, assess their requirements and consult with employees in the process.

First Aid Planning Checklist

1. What type of work is performed? List your work activities that may cause injury.
2. List the types of injury or illness likely to be sustained. Refer to the Common Hazards Tool for guidance (page 5 of Work Cover "First Aid in the Workplace" booklet)
3. How many employees or other persons are generally on-site? What is their distribution? Do any employees have special needs?
4. How big is your workplace and what is its layout?

First Aid Kit A - For construction sites at which 25 or more persons work and for other places of work at which 100 or more persons work.

First Aid Kit B - For construction sites at which less than 25 persons work and for other places of work at which less than 100 and more than 10 persons work.

First Aid Kit C - For any place of work, other than a construction site, at which 10 or less persons work.

Mandatory



Material	Size	QTY
Poly	300mm x 225mm	each
Poly	600mm x 450mm	each

Hazard



Code	Description	QTY
Poly	300mm x 225mm	each
Poly	600mm x 450mm	each
Corflute	300mm x 225mm	each

Prohibitory



Code	Description	QTY
Poly	300mm x 225mm	each
Poly	600mm x 450mm	each
Corflute	300mm x 225mm	each

Cautionary



Code	Description	QTY
Poly	300mm x 225mm	each
Poly	600mm x 450mm	each
Corflute	300mm x 225mm	each

First Aid



Code	Description	QTY
Poly	300mm x 225mm	each
Poly	600mm x 450mm	each
Corflute	600mm 450mm	each

Speed Signs




Code	Description	QTY
Poly	300mm x 225mm	each
Poly	600mm x 450mm	each
Corflute	600mm x 450mm	each

Road Signs



Code	Description	QTY
Poly	300mm x 225mm	each
Poly	600mm x 450mm	each
Corflute	600mm x 450mm	each

Hand Held Signs



Material	Size
Reflective	
Telescopic	
Corflute	600mm x 450mm

Construction Site



Code	Description	QTY
Poly	300mm x 225mm	each
Poly	600mm x 450mm	each
Corflute	600mm x 450mm	each

Emergency



Code	Description	QTY
Poly	300mm x 225mm	each
Poly	600mm x 450mm	each
Corflute	600mm x 450mm	each

Suprega Plus Heavy Duty Hand Cleaner



- Contains non-abrasive polybeads
- Neutral pH which is less likely to dry out skin
- Lanolin derivatives prevent skin dryness, chapping and cracking
- Contains Humectant to prevent dryness
- Yellow flowing gel has a light citrus odour

Description	QTY
Suprega Plus 4 Litre Cartridge	4
Suprega Plus 5 KG	4
Suprega Plus 20 KG Drum	1

Suprega Plus Heavy Duty Dispenser



- Heavy duty 4L Dispenser
- Four use with heavy Industrial
- Light Industrial

Description	QTY
Suprega 4 Litre Dispenser	1

System 1000 Spray Soap



- Controlled dosage delivers 2000 portions per cartridge leading to less refilling and reduced risk of running out
- Sealed cartridge with single use pump ensures no bacteria build up
- 400 ml unit
- Pink Spray Soap

Code	Description	QTY
HC-B57210	Suprega 4 Litre Dispenser	1

System 1000 Spray Soap Dispenser



- Controlled dosage delivers 2000 portions per cartridge leading to less refilling and reduced risk of running out
- Sealed cartridge with single use pump ensures no bacteria build up
- Lowest dosage per push in the market

Code	Description	QTY
HC-B57200	System 1000 Dispenser	1

Protecta Pink Hand Wash



- Heavy Duty hand cleaner formulated to remove grease,oil, metal dust, carbon black, coal dust and most industrial soils
- Contains lanolin, Aloe Vera, Vitamin E and Jojoba oil
- Silicone free
- Hydrocarbon solvents and surfactants provide exceptionally fast working cleaning abilities

Code	Description	CTN QTY
HC-PPK500	Protecta Pink Hand Cleaner 500ml	12
HC-PPK4KG	Protecta Pink Hand Cleaner 4KG	4
HC-PPK20KG	Protecta Pink Hand Cleaner 20KG	1

Protecta Pink Hand Grit



- Premium quality Extra Heavy Duty hand cleaner formulated to remove grease,oil, metal dust, carbon black, coal dust and most industrial soils
- Contains Pumice to remove stubborn dirt and grease
- Contains lanolin, Aloe Vera, Vitamin E and Jojoba oil
- Silicone free
- Hydrocarbon solvents, surfactants and pumice abrasive provide exceptionally fast working cleaning abilities

Code	Description	CTN QTY
HC-PROGRIT500	Protecta Grit Hand Cleaner 500ml	12
HC-PROGRIT4KG	Protecta GritHand Cleaner 4KG	4
HC-PROGRIT20	Protecta Grit Hand Cleaner 20KG	1

Merriwipe Cleaning Cloths



- Super heavy duty wipes
- 300mm width, 500mm tear off
- 45m roll
- 90 sheets per roll
- HACCP approved for food handling industry

Code	Description	QTY
HT-MERRIWIPE	Super heavy duty wipes	each



ABC Superslim Interleaved Towel Dispenser



- Display window for ease of restocking
- Lockable
- Durable Plastic

Code	Description	QTY
HT/DISP-21070166	System 1000 Dispenser	1

Supertrim Interleaved Hand Towels



- 20cm x 28.5cm Interleaved hand towels
- Deluxe hand towel
- Premium paper
- 120 sheets per pack
- 18 packs per carton

Code	Description	QTY
HT-08880	Interleaved Hand Towel	1 ctn

Superslim Interleaved Hand Towels



- 24cm x 24cm Interleaved hand towels
- Deluxe hand towel
- 150 sheets per pack
- 16 packs per carton

Code	Description	QTY
HT-2266	Interleaved Hand Towel	1 ctn

Regal Interleaved Hand Towels



- 23cm x 23.5cm Interleaved hand towels
- Deluxe hand towel
- 150 sheets per pack
- 16 packs per carton

Code	Description	QTY
HT-R201	Interleaved Hand Towel	1 ctn

ABC Centre Line Dispenser



- Suitable for HT-ABC1658 & HT-CCFT
- Lockable
- Transparent light grey body

Code	Description	QTY
HT-2204489	Premium Roll Towel	1 ctn

Style Premium Roll Towel



- 18.5cm x 80m roll towel
- Style brand
- Premium paper
- 16 rolls per carton

Code	Description	QTY
HT-ABC168	Premium Roll Towel	1 ctn

Caprice Centre Fold Hand Towel



- 320mm x 190m roll towel
- Low cost, trouble free, cleaning & drying
- 6 rolls per carton

Code	Description	QTY
HT-CCFT	Caprice Centre Feed Towel	1 ctn

Facial Tissues



- Tork 2 ply Facial Tissues
- 224 Clean cut sheets per box
- White 21mm x19.5mm sheets
- Strong, absorbent and hygienic

Code	Description	CTN
HFT224/2	Tork 2ply Facial Tissues 224 sheets	24

Jumbo Toilet Roll Dispenser



- High capacity system holds 7 regular rolls or one jumbo roll
- Unique reserve roll feature ensures that stub rolls are completely used thus no waste
- Part of the award winning, fully coordinated, Tork Elevation range

Code	Description	QTY
HTR-2008548	Tork Jumbo Toilet Roll Dispenser	each


Tork Jumbo Toilet Roll



- Universal quality conventional toilet rolls
- Less servicing and reduced labour costs with high capacity 650m roll
- 1 ply
- FSC certified guaranteeing environmentally responsible purchasing

Code	Description	QTY
HTR-2179142	Tork Jumbo Toilet Roll Dispenser	each

ABC Jumbo Toilet Roll Dispenser



- High Impact ABS plastic construction
- Lockable

Code	Description	QTY
HTR-A34062	ABC Jumbo Toilet Roll Dispenser	each

Style Jumbo Toilet Roll



- Style Deluxe jumbo roll 1 ply
- 500m pr roll
- 90mm width
- 8 rolls per ctn

Code	Description	QTY
HTR-ABC/JB	ABC Jumbo Toilet	ctn

Style Scented Toilet Roll - 2 ply



- 2 ply scented toilet roll
- 400 sheets per roll
- 48 rolls per carton

Code	Description	QTY
HTR-ABC400	Premium scented toilet roll	ctn

Style Toilet Roll - 2 ply



- 2 ply toilet roll
- 650 sheets per roll
- 24 rolls per carton
- sheets 10cm x 10cm

Code	Description	QTY
HTR-0650R	Premium toilet roll 650 sh	ctn

Style Toilet Roll - 2 ply



- 3 ply toilet roll
- 190 sheets per roll
- 48 rolls per carton
- sheets 11cm x 10cm

Code	Description	QTY
HTR-3200	Premium toilet roll	ctn

Breeze Toilet Roll - 2 ply



- 2 ply toilet roll
- 260 sheets per roll
- 4 rolls per pack
- sheets 10.5cm x 10cm

Code	Description	QTY
HTR-BTR260	Breeze Toilet Roll	pack

Basic Toilet Roll



- 1 ply toilet paper
- 950 sheets per roll
- 48 rolls per pack

Code	Description	QTY
HTR-MAB04767	Basic Toilet roll 950 sheets	pack

Perforated Rolls



- Perforated every 400mm for portion control
- Available in 375mm and 750mm width
- 100m roll
- 10mm bubble

Code	Description	QTY
BW10CP	375mm x 100m -400mm perf roll	each
BW750CP	750mm x 100m - 400m perf roll	each

Dispenser Rolls



- 50m roll with easy to use dispenser
- Available in 375mm width
- 10mm bubble

Code	Description	QTY
BWR/WRAP	375mm x 50m Ready Wrap Box	each

50m Bubble Rolls



- 10mm bubble
- Available in 500mm width
- 50m roll

Code	Description	QTY
BW50010-2	500mm x 500m Bubble Wrap roll	each

100m Bubble Rolls



- 10mm bubble
- Available in 300mm, 500mm, 700mm & 1400mm width
- 100m roll

Code	Description	QTY
BW30010	300mm x 100m Bubble Wrap roll	each
BW50010	500mm x 100m Bubble Wrap roll	each
BW70010	700mm x 100m Bubble Wrap roll	each
BW10-2	1.4m x 100m Bubble Wrap roll	each

20mm Bubble



- 20mm bubble
- Available in 1500 width
- 100m roll

Code	Description	QTY
BW20	1500mm x 100m -20mm bubble	each

Double Skinned



- 22mm bubble
- Available in 1500mm width
- 100m roll

Code	Description	QTY
BW20DS	1.5m x 100m-22mm bubble D/S	each



Jiffy Padded Bags



- Rugged paper mailer
- Cushioned with fibre fill
- P1 150 x 225mm (200 per box)
- P2 215 x 280mm (100 per box)
- P4 214 x 343mm (100 per box)
- P5 265 x 380mm (100 per box)
- P6 304 x 406mm (50 per box)
- P7 361 x 483mm (50 per box)

Code	Description	QTY
BJIFFYP1	Jiffy Padded Bag P1	box
BJIFFYP2	Jiffy Padded Bag P2	box
BJIFFYP4	Jiffy Padded Bag P4	box
BJIFFYP5	Jiffy Padded Bag P5	box
BJIFFYP6	Jiffy Padded Bag P6	box
BJIFFYP7	Jiffy Padded Bag P7	box

Jiffy Lite Bubble Bags



- Bubble cushioned mail bag
- White paper exterior
- J000 100 x 175mm (300 per box)
- J1 151 x 220mm (240 per box)
- J2 215 x 280mm (100 per box)
- J4 240 x 340mm (100 per box)
- J5 265 x 380mm (100 per box)
- J6 300 x 405mm (50 per box)
- J7 360 x 480mm (50 per box)
- JCD 190 x 175mm CD Mailer (150 per box)
- JDVD 180 x 280mm DVD Mailer (100 per box)

Code	Description	QTY
BJIFFYLITE000	Jiffy Lite Bag J000	box
BJIFFYLITE1	Jiffy Lite Bag J1	box
BJIFFYLITE2	Jiffy Lite Bag J2	box
BJIFFYLITE4	Jiffy Lite Bag P4	box
BJIFFYLITE5	Jiffy Lite Bag P5	box
BJIFFYLITE6	Jiffy Lite Bag P6	box
BJIFFYLITE7	Jiffy Lite Bag P7	box

Jiffy Utility Bags



- All purpose paper mail bag for non-fragile items requiring tough protection
- White paper exterior
- BU2 215 x 280mm (200 per box)
- BU4 240 x 340mm (200 per box)
- BU5 265 x 380mm (200 per box)
- BU6 304 x 405mm (200 per box)
- BU7 360 x 480mm (200 per box)

Code	Description	QTY
BU2	Jiffy Utility Bag	box
BU4	Jiffy Utility Bag	box
BU5	Jiffy Utility Bag	box
BU6	Jiffy Utility Bag	box
BU7	Jiffy Utility Bag	box

Shurtuff Bags



- Tough, durable plastic courier satchels
- Secure shipping for non-fragile items
- BST1 190 x 260mm (500 per box)
- BST2 250 x 320mm (500 per box)
- BST3 280 x 380mm (500 per box)
- BST4 340 x 440mm (500 per box)
- BST5 420 x 450mm (500 per box)
- BST6 600 x 650mm (500 per box)

Code	Description	QTY
BST1	Shurtuff Mailer	box
BST2	Shurtuff Mailer	box
BST3	Shurtuff Mailer	box
BST4	Shurtuff Mailer	box
BST5	Shurtuff Mailer	box
BST6	Shurtuff Mailer	box

Jiffy Mail-Lite Bubble Bags



- Bubble cushioned mail bag
- Plastic exterior
- BJML1 151 x 220mm (300 per box)
- BJML3 210 x 270mm (200 per box)
- BJML5 241 x 345mm (150 per box)
- BJML6 305 x 400mm (100 per box)
- BJML7 360 x 470mm (75 per box)

Code	Description	QTY
BJML1	Jiffy Mail-Lite Bag	box
BJML3	Jiffy Mail-Lite Bag	box
BJML5	Jiffy Mail-Lite Bag	box
BJML6	Jiffy Mail-Lite Bag	box
BJML7	Jiffy Mail-Lite Bag	box

Bag Type	Cushioning	Rigidity	Strength & Tear Resistance	Edge & Corner Protection	Wear Resistance
Jiffy Padded	★ ★ ★	★ ★	★ ★	★ ★	
Jiffy Lite	★ ★ ★	★ ★	★ ★	★	★
Jiffy Utility	★	★ ★	★ ★	★ ★	★
Jiffy Shurtuff			★ ★ ★		★ ★ ★
Jiffy Mail-Lite	★ ★ ★	★	★ ★ ★	★	★ ★ ★

★ Adequate ★ ★ Good ★ ★ ★ Superior

Postal Tubes



- Tubes supplied with 2 caps
- Available in 25mm, 50mm, 60mm or 90mm diameter
- Available in natural card or white

Code	Description	Bundle
POST-T445	Tube 445mm x 60mm	24
POST-T625	Tube 625mm x 60mm	25
POST-T745	Tube 745mm x 60mm	25
POST-T875	Tube 875mm x 60mm	10

Please speak to your rep for non listed sizes

Foam Wrap



- Designed for surface protection
- Available in various thicknesses
- It's flexibility makes wrapping easy and provides optimum surface contact

Code	Description	QTY
FOAM-1	1200mm x 100m x 1mm	Roll
FOAM-2	1200mm x 100m x 2mm	Roll
FOAM-4	1200mm x 100m x 4mm	Roll
FOAM2-L	1200mm x 250m x 2mm	Roll
FOAM1-L	1200mm x 500m x 1mm	Roll
FOAM-8	1200mm x 50m x 8mm	Roll

Biodegradable Void Fill



- Bio-Fill is manufactured from renewable sources
- 100% Biodegradable
- Compostable
- Dust, Odour and Static free
- Made from natural starch

Code	Description	QTY
VGREENPAK	400l Bio-Fill Void Fill	Bag

Void Fill



- Perfect for filling extra space in a box
- Superior interlocking ability
- 100% recycled polystyrene
- Spring function limits shock during transit

Code	Description	QTY
VFLO-PAK	400l Flo-Pak Void Fill	Bag

Rapid Fill



- Complete void fill solutions

Code	Description	QTY
VRVP1	225mm x 280mm Voidpack	25
VRVP2	280mm x 380mm Voidpack	25
VRVP3	355mm x 455mm Voidpack	25
VRVP4	406mm x 530mm Voidpack	25
VRVP5	455mm x 585mm Voidpack	25
VRVP6	455mm x 910mm Voidpack	12
VRVP7	910mm x 1060mm Voidpack	100



The Fastest Automated Void Fill Solution Available



Insert
a Rapid Fill® Bag

Carton is Sealed and Bag is Inflated
Automatically

Perfect
Custom Fill Every Time

Introducing a Breakthrough Innovation in Void Fill Packaging

The Rapid Fill® automated void fill packaging system, has revolutionised void fill by automatically inflating the bag inside the carton. The system can fill and seal up to 10 cartons per minute, doubling or tripling the speed of most traditional methods



A packer clips an uninflated Rapid Fill® bag to a corner of the carton to be filled




The flaps of the carton are closed, and the carton is then advanced into the Rapid Fill® system, where it is taped closed



The Rapid Fill® bag is automatically inflated through the container wall. The carton is monitored for swell, indicating the correct amount of air.

Support Multiple Work Stations

One Rapid Fill® system can support multiple pick-and-pack workstations, and the speed can reduce the number of overall packagers needed on the line. Operator interaction is minimal - insert bag, fold the flaps, and the Rapid Fill® system does the rest!




Superior Material is Lightweight and Efficient

Rapid Fill® inflatable bags use less material than traditional systems because there is no waste. The material is lightweight, on average 15% lighter than other materials, saving on transportation and shipping costs. Bags are inflated on site, and can be deflated to less than 99% of their inflated volume, making Rapid Fill® bags more space efficient than bulkier materials

Specifications

Electrical:
100 - 110 V ~ Single Phase
4A 50/60 Hz
220 - 240 V ~
2A 50/60 Hz
Air Requirements:
8 - 10 cm @ 227 - 283 LM
Weight:
560 lb 254 kg
Overall Size (L x W x H)
980 mm x 1190 mm x 2290 mm



Newsprint / Butchers Paper



- 500 Sheets per pack
- 860mm x 580mm x 45gsm

Code	Description	QTY
PBP2333	Newsprint/Butchers paper	Pacl

Tissue Paper



- 400 mm x 660 mm
- 480 sheets per pack
- White sheets
- Available in many colours (bulk buy only)

Code	Description	QTY
TP400660**	Tissue Paper 440 x 660mm	Pack

** Denotes colour code

Kraft Paper



- Kraft paper has a high elasticity and tear resistance which makes it ideal for packaging
- Available in various widths : 1520mm, 1220mm, 910mm, 760mm, 610mm & 460mm

Code	Description	QTY
PKP1520150	1520mm x 450m x 50gsm	roll
PKP1520180	1520mm x 300m x 80gsm	roll
PKP122050	1220mm x 450m x 50gsm	roll
PKP122080	1220mm x 300m x 80gsm	roll
PKP91050	910mm x 450m x 50gsm	roll
PKP91080	910mm x 300m x 80gsm	roll
PKP76050	760mm x 450m x 50gsm	roll
PKP76080	760mm x 300m x 80gsm	roll
PKP61050	610mm x 450m x 50gsm	roll
PKP61080	610mm x 300m x 80gsm	roll
PKP46050	460mm x 450m x 50gsm	roll
PKP46080	460mm x 300m x 80gsm	roll
PKPDISP	Kraft Paper Dispenser	each

Marking Pens



- Penline Markers will last up to 70 days with the cap off
- Marks on almost anything permanently
- Waterproof and fade resistant
- Xylene free, alcohol-based ink
- Available in Bullet or Chisel Point

Code	Description	Box Qty
MARKC/BLK	Chisel Point Marker - Black	12
MARKB/BLK	Bullet Point Marker - Black	12

Glue Sticks



- 22g Sticks
- Comes in display box with 12 sticks

Code	Description	QTY
4BG-8211-00	Glue Sticks	12

Plastic Carton Cutter



- Orange 18mm Plastic Cutter
- Pull back safety lock, stops blade slipping
- Blade snapper at rear to remove used points



Code	Description	CTN	QTY
KNCK	Orange Carton Knife	48	1

Carton Opener



- Wide blade opening for thicker materials
- Double blade system for higher capacity cutting



Code	Description	QTY
KCO	Carton Opener	1

Razor Blades



- #9 gauge (.009") blade
- Used in Automotive, Glazing, Cleaning etc
- Most popular scraper blade



Code	Description	QTY
KRB	Single Edge Razor Blade	1 BOX

Cartons



- Cartons can be made to order
- Stock sizes are shown
- Twin or single corrugated indicated

Code	Description	QTY
CNC-HTC-TC	Crystal & Book Carton Twin Cushion 390mm x 330mm x 330mm	each
CNC-A4	A4 sized Carton Single Cushion 320mm x 220mm x 300mm	each
CNC-HTC	Half Tea Chest Sized Carton Single Cushion 390mm x 330mm x 330mm	each
CNC-PTC	Tea Chest Sized Carton Single Cushion 435mm x 410mm x 600mm	each
CNC-PTC-TC	Tea Chest Sized Carton Twin Cushion 435mm x 410mm x 600mm	each


Corrugated Cardboard Rolls



- Single faced corrugated rolls
- Heavy duty rolls available
- Available in different width rolls

Code	Description	QTY
COR1830	1830mm x 50m Single faced	roll
COR1830/HD	1830mm x 50m Heavy Duty	roll
COR1525	1525mm x 75m Single faced	roll
COR1525/HD	1525mm x 75m Heavy Duty	roll
COR1220	1220mm x 75m Single faced	roll
COR1220/HD	1220mm x 75m Heavy Duty	roll
COR915	915mm x 75m Single faced	roll
COR610	610mm x 75m Single faced	roll

Bundle Wrap



- Pre-stretched, blown manufactured bundle wrap is ideal for tying, binding or bundling irregular shaped items such as timber, metal or pipes
- Lightweight, easy to use and strong

Code	Description	QTY
PW10025	100mm x 300mx 25um Bundling Film	Roll

Pre-Stretch Film



- Ex-Cell pallet wrap is a pre-stretched film that requires less operator effort and uses less film
- Increased puncture and tear resistance
- High load retention properties
- Available in Black, Natural or speciality colours
- Available in Hand or Machine rolls

Code	Description	QTY
PW450-SW	500mm x 450m Stretch Wrap	roll
PW40025B/SW	500mm x 400m Black Stretch Wrap	roll
PW150025-BL	500mm x 1600m x 20um Stretch Warp	roll

Cast Stretch Film



- Machine Plus cast film is excellent for many wrapping applications, it's strength, stretch properties and quiet operation make the film an ideal product for various machine wrapping applications
- Value Plus (Hand) cast film has been formulated to provide low cost pallet wrapping providing high strength, clarity and tack

Code	Description	QTY
PW40023	500mm x 400m x 23um Pallet Wrap	roll
PW150023-C	500mm x 1500m x 23um Machine Pallet Wrap	roll

Blown Stretch Film



- Blown grade film offers very high puncture resistance
- Ideal for wrapping items with sharp edges or uneven loads
- Single sided cling to reduce pallet to pallet sticking
- High tensile strength
- Higher load retention
- Available in natural and black
- Available in Hand or Machine rolls

Code	Description	QTY
PW40025	500mm x 400m x 25um Pallet Wrap	roll
PW40025BK	500mm x 400m x 25um Black Pallet Wrap	roll
PW10025-BL	500mm x 1500m x 25um Black Machine Wrap	roll

Bundle Shrink Film



- Cortex - premium bundle shrink
- Available in Industrial Grade or High Gloss for extra shelf appeal
- Delivers a lower wrap cost
- Gives greater load holding
- Gives better end hold strength
- Less plastic in waste stream
- Speeds up the wrap process

Code	Description	QTY
PWSF300/19	300mm x 300mm x 19um	roll
PWSF300/25	300mm x 300mm x 25 um	roll
PWSF400/19	400mm x 800mm x 19um	roll
PWSF400/25	400mm x 400mm x 25um	roll
PWSF450/25	450mm x 450mm x 25um	roll
PWSF500/25	500mm x 450mm x 25um	roll
PWSF560/25	560mm x 1120mm x 25um	roll
PWSF660/25	660mm x 1320mm x 25um	roll
PWSF700/25	700mm x 1400mm x 25um	roll
PWSF750/25	750mm x 450mm x 25um	roll
PWSF800/19	800mm x 600mm x 19um	roll
PWSF900/19	900mm x 450mm x 19um	roll

Pallet Bags/Shrink Film



- Available in gusseted bags or continuous film
- Ideal for securing heavy pallets via heat shrinking
- Protects pallet loads from dust and moisture when in storage or during transit
- Clear plastic for easy identification

Code	Description	QTY
BP1200-100N	1850mm x 1245mm x 1195mm x 100um	roll
BP1200-85N	1850mm x 1200mm x 1200mm x 85um	roll
BP2600-1200	2600mm x 1245mm x 1195mm x100um	roll

Pallet Netting



- Allows faster cooling/drying/freezing
- Maintains constant temperature
- Ideal for products that need ventilation
- Avoids overheating goods
- Reduces internal condensation
- Provides excellent load containment

Code	Description	QTY
PWHR35	500mm x 50m Netting	roll

Pallet Pads



- Pallet liners protect your goods from moisture, contamination and damage from the pallet adding extra load stability
- Critical control points for HACCP accreditation
- Unique non-slip coating

Code	Description	QTY
C-PPAD	Pallet Pad 1170mm x 1170mm	each


Pallet Caps



- Moisture and dust barriers for the top or bottom of the pallet
- Perforated on the roll for simple tear off or as a continuous sheet
- Available in natural or black
- Available in various sizes to suit a wide range of pallet loads
- 250 per roll

Code	Description	QTY
PW168025	Pallet Caps Clear 1680 x 1680	roll
PW168025BK	Pallet Caps Black 1680 x 1680	roll

Cardboard Corners



- Prevents strapping from damaging cartons
- 60mm x 60mm x 1170mm
- Pack of 25

Code	Description	QTY
C/CNR1170	Cardboard Corner	each

Pallet Wrap Machine



- Please speak to your Rep about your palletising needs

Hand Wrapper



- Heavy duty hand wrap dispenser
- Well balanced with adjustable tension

Code	Description	QTY
PWDISP/D	H/Duty Pallet Wrap Dispenser	each

Bundle Wrapper



- Bundle wrap dispenser
- Lightweight, easy to use and strong

Code	Description	QTY
PWDISP3	Bundling Dispenser	each

End Plugs



- Fit to pallet wrap rolls
- Enables seamless dispensation of pallet wrap

Code	Description	QTY
PWDISP4	Pallet Wrap Dispenser Parts	each

Invoice Enclosed



- Invoice Enclosed packing slips
- Available as 150mm x 115mm or 165mm x 115mm
- Aggressive adhesive for strong stick
- 1000 per box

Code	Description	QTY
EIE150115	Invoice Enclosed Envelope	box
EIE165115	Invoice Enclosed Envelope	box

Packing Slip Enclosed



- Invoice Enclosed packing slips
- Available as 150mm x 115mm or 165mm x 115mm
- Aggressive adhesive for strong stick
- 1000 per box

Code	Description	QTY
EIE150115	Invoice Enclosed Envelope	box
EIE165115	Invoice Enclosed Envelope	box

Documents Enclosed



- Document Enclosed packing slips
- Available as 165mm x 115mm
- Aggressive adhesive for strong stick
- 1000 per box

Code	Description	QTY
EDEE165115	Invoice Enclosed Envelope	box

Plain Red Envelopes



- Plain packing slip envelopes with red backing
- Available as 165mm x 230mm
- Aggressive adhesive for strong stick
- 1000 per box

Code	Description	QTY
EIEPL165230	Invoice Enclosed Envelope	box

Plain Envelopes



- Plain packing slips
- Available in assorted sizes
- Aggressive adhesive for strong stick
- 1000 per box

Code	Description	QTY
EIEPL16070	Plain Envelope 160mm x 70mm	box
EIEPL165115	Plain Envelope 165mm x 115mm	box
EIEPL230150	Plain Envelope 230mm x 150mm	box

Shipping Tags



- Avery Buff Shipping Tags
- Reinforced holes
- Size #1 70mm x 35mm
- Size #2 41mm x 82mm
- Size #3 48mm x 96mm
- Size #4 54mm x 108mm
- Size #5 60mm x 120mm
- Size #6 67mm x 134mm
- Size #7 73mm x 146mm
- Size #8 80mm x 160mm
- 1000 tags per box

Code	Description	QTY
LST-NO.1	Shipping Tag No. 1	box
LST-NO2	Shipping Tag No. 2	box
LST-NO3	Shipping Tag No. 3	box
LST-NO4	Shipping Tag No. 4	box
LST-NO5	Shipping Tag No. 5	box
LST-NO6	Shipping Tag No. 6	box
LST-NO7	Shipping Tag No. 7	box
LST-NO8	Shipping Tag No.8	box

Shipping Labels



- Easy to read bold print
- Size 115mm x 75mm
- 500 Individual labels per box

Code	Description	QTY
LSUPA-TF	Supa Label TO FROM	box
LSUPA-DNB	Supa Label DO NOT BEND	box
LSUPA-FRA	Supa Label FRAGILE	box
LSUPA-TLO	Supa Label TOP LOAD ONLY	box
LSUPA-HWC	Supa Label HANDLE WITH CARE	box
LSUPA-HEAV	Supa Label HEAVY	box
LSUPA-GWC	Supa Label GLASS WITH CARE	box
LSUPA-DNC	Supa Label DO NOT CRUSH	box
LSUPA-TWU	Supa Label THIS WAY UP	box
LSUPA- PRIO	Supa Label PRIORITY	box
LSUPA-URG	Supa Label URGENT	box


Labels on a Roll



- Fast and economical alternative to individual stickers
- Size 115mm x 75mm
- 500 labels per roll

Code	Description	QTY
LRIP-TLO	TOP LOAD ONLY	roll
LRIP-FRA	FRAGILE	roll
LRIP-HWC	HANDLE WITH CARE	roll
LRIP-TWU	THIS WAY UP	roll
LRIP-HEA	HEAVY	roll
LRIP-URG	URGENT	roll
LRIP-MG	MIXED GOODS	roll

PP Strapping



- Available in 12, 15, & 19mm x 1000m rolls
- Made from 100% pure polymer for minimal curvature
- Tensile strength 110kg approx

Code	Description	QTY
STSPST12	12mm x 1000m PP Strapping	roll
STSPST15	15mm x 1000m PP Strapping	roll
STSPST19	19mm x 1000m PP Strapping	roll

PP Heavy Duty Strapping



- Available in 12, 15, & 19mm x 1000m rolls
- Thickness 0.8 - 0.9mm
- Tensile strength 12mm 200kg
- Tensile strength 15mm 200-250kg
- Tensile strength 19mm 400kg

Code	Description	QTY
STSPST12HD	12mm x 1000m HD PP Strapping	roll
STSPST15HD	15mm x 1000m HD PP Strapping	roll
STSPST19HD	19mm x 1000m HD PP Strapping	roll

PP Strapping Seals



- Available in 12, & 15mm
- Injection moulded polypropylene for lightweight packaging
- No tools required

Code	Description	QTY
STSEAL12	12mm PP Strapping Seal	1000
STSEAL15	15mm PP Strapping Seal	1000

Heavy Duty PP Seals



- Heavy weight, open flanged seals for use with heavy duty PP Strapping
- Available in 12, 15, and 19mm x 32mm long
- 12mm - 2.77mm diameter
- 15mm - 3.2mm diameter
- 19mm - 3.5mm diameter

Code	Description	QTY
STSEAL12-HD	12mm HD PP Strapping Seal	1000
STSEAL15-HD	15mm HD PP Strapping Seal	1000
STSEAL19-HD	19mm HD PP Strapping Seal	1000

Wire Buckle for PP Strapping



- Wire Buckles for medium weight packaging
- No tools required but can be used with tensioner
- Galvanised finish
- Available in 12, 15, and 19mm
- 12mm - 2.77mm diameter
- 15mm - 3.2mm diameter
- 19mm - 3.5mm diameter

Code	Description	QTY
STSPPBK12	12mm PP Strapping Buckle	1000
STSPPBK15	15mm PP Strapping Buckle	1000
STSPPBK19	19mm PP Strapping Buckle	1000

Combination Tensioner/Crimper



- Combination tool for PP strap up to 0.5mm thick
- Suits 12mm - 16mm strapping

Code	Description	QTY
STTENSOCR	Combination Tensioner/Crimper	each

PP Tensioner



- Heavy Duty PP Tensioner
- Can be used for flat or embossed strapping
- Suits strapping 12mm to 19mm

Code	Description	QTY
STTENS-83HD	Hand Tensioner for HD Strapping	each

PP Crimper



- Long handled labour saving PP strapping sealer (420mm)
- All metal parts are heat treated
- Suits strapping 12mm to 19mm

Code	Description	QTY
STCRIMP12	Crimper for 12mm PP Strapping	each
STCRIMP15	Crimper for 15mm PP Strapping	each
STCRIMP19	Crimper for 19mm PP Strapping	each

Steel Strapping




- Cold rolled and tempered then painted to prevent rust
- Doesn't stain packages or hands
- Coil diameter 153mm inner, 432mm outer
- Available in 12,15, and 19mm widths

Width (mm)	Length (m)	Thickness (mm)	Weight (kg)	Tensile (kg)
12.7	330	.4	12.5	268
15.9	270	.5	17.5	420
19	230	.6	21.0	638

Code	Description	QTY
STSS12	12mm Steel Strapping	roll
STSS15	15mm Steel Strapping	roll
STSS19	19mm Steel Strapping	roll

Steel Strapping Seals



- Open flanged snap on seals
- Thickness .5mm
- Available in 12,15, and 19mm widths x 30mm long
- Zinc finish

Code	Description	QTY
STSEAL12-SS	12mm Steel Strapping Seal	roll
STSEAL15-SS	15mm Steel Strapping Seal	roll
STSEAL19-SS	19mm Steel Strapping Seal	roll

Stainless Steel Strapping



- For applications which are exposed to the weather
- Can be used on lamp posts and underwater
- Available in 12,15, and 19mm widths

Code	Description	QTY
STSSS12	12mm Stainless Steel Strapping	roll
STSSS15	15mm Stainless Steel Strapping	roll
STSSS19	19mm Stainless Steel Strapping	roll



Steel Strapping Cutter



- Economical Steel strap cutter
- Suits strapping 12mm to 19mm

Code	Description	QTY
STSSC04	Steel Strapping Cutter	each

Steel Strapping Cutter



- Safety steel strap cutter with rubber protection pads for strap
- Suits strapping 12mm to 19mm

Code	Description	QTY
STSSC06	Safety Steel Strapping Cutter	each

Steel Strapping Cutter



- Heavy duty steel strap cutter
- Suits strapping 12mm to 50mm

Code	Description	QTY
STSSC08	HD Steel Strapping Cutter	each

Steel Strapping Cutter



- Extra heavy duty steel strap cutter
- Suits strapping 12mm to 50mm

Code	Description	QTY
STSSC04	Extra HD Steel Strapping Cutter	each

Steel Strapping Sealer



- Double notched steel strapping sealer
- All metal parts are heat treated
- Suitable for 12mm - 19mm steel strapping

Code	Description	QTY
STCRIMPSS/12	12mm Steel Strapping Sealer	each
STCRIMPSS/15	15mm Steel Strapping Sealer	each
STCRIMPSS/19	19mm Steel Strapping Sealer	each

Steel Strapping Tensioner



- Economic feed wheel tensioner for 12mm - 19mm steel strapping

Code	Description	QTY
STTENS-12	12mm Steel Strap Tensioner	each
STTENS-15	15mm Steel Strap Tensioner	each
STTENS-19	19mm Steel Strap Tensioner	each

Steel Strapping Dispenser



- Static strap dispenser for ribbon wound steel strap
- Suits 12mm - 19mm strapping

Code	Description	QTY
STDISP-SS	Steel Strapping Dispenser	each


Hanging Strap



- Ideal for hanging ducting and piping
- Poly woven material for extra flexibility
- Comes in a roll for ease of use

Code	Description	QTY
T53022550	25mm x 50m Blue Hanging Strap	each


Seat Belt Webbing



- Truck Webbing for strapping heavy duty loads
- Polyester cord strap comes in a roll for ease of use
- As strong as steel strapping
- Weather resistant
- Will not rust or rot
- High retained tension
- Shock absorbent and doesn't damage goods

Code	Description	QTY
ST2-TW50*	50mm Truck Webbing	each
	* denotes colour BL Blue, BK Black, WH White	

**LOAD SAFETY
IS
ROAD SAFETY**



Did you know?

- Ropes are extremely ineffective for restraining loads
- Even though a rope might feel tight, the tension on it is very low
- There is a greater chance of losing a load when braking at low speed than at high speed as it is easier for the brakes to grab at a low speed
- A heavy load is just as likely to fall off as a light load. The same 'g' forces are acting on both
- If a load is properly restrained, on a stationary tipping truck or trailer, it will not dislodge, even when the deck is fully tilted
- Loading directly onto slippery steel decks, roof racks or A-frames should be avoided. Use wood or rubber to improve the grip

* Information taken from RTA Load Restraint Guide

Wheelie Bin Liner



- 240 litre Black Bin Liner
- LDPE Extra Heavy Duty 30um
- 1450mm x 600 + 560 to suit 240 litre Wheelie Bins
- 100 bags per box

Code	Description	QTY
BIN-240LTR	Bin Liner 240 L	box

Bin Liner



- 72 litre Black Bin Liner
- LDPE Extra Heavy Duty 30um
- 750 x 900mm
- 100 bags per box

Code	Description	QTY
BIN-72LTR	Bin Liner 72 L	box

Kitchen Bin Liner



- 18 litre White Bin Liner
- 1000 bags per box

Code	Description	QTY
BIN-KT18L	Kitchen Bin Liner 18 L	box

Hessian Bags



- Hessian Bags
- 840mm x 355mm

Code	Description	QTY
BHB840	Hessian Bag 840 x 355mm	each

Carry Bags



- Singlet Bags
- HDPE
- Available in small, medium, large, jumbo and super jumbo

Code	Description	CTN QTY
	Gusset + Width x Length	
BSB-SWH	Small 175mm + 125mm x 420mm	5000
BSB-MWH	Medium 250mm + 125mm x 500mm	3000
BSB-LWH	Large 300mm + 160mm x 540mm	2000
BSB-JB	Jumbo 310mm + 210mm x 630mm	1000
BSB-SJWH	Super Jumbo 440mm + 250mm x 750mm	500
	WH - White B - Blue	

Bag on a roll



- Bags on a roll
- HDPE
- Available with or without gusset

Code	Description	Roll/CTN
	Gusset + Width x Length	
BOR250-380	250mm x 380 mm	6
BOR250-450	250mm + 50mm x 450mm	6

Clip Together Carry Bag



- Clip Handle Boutique Bags
- LDPE

Code	Description	CTN
BCTHB-200	200mm x 250mm x 60um	1000
BCTHB-250360	250mm x 360mm x 60um	1000
BCTHB-300380	300mm x 380mm x 75um	1000
BCTHB-420480	420mm x 480mm x 50um	1000

Boutique Bags



- Paper Carry Bags with Twine Handles
- Available in Brown or White
- Recyclable
- Heavy duty and environmentally friendly

Code	Description	QTY
	Length x Width x Gusset	
BPCB265*	260mm x 160mm x 50mm	500
BPCB350*	350mm x 260mm x 90mm	500
BPCB420*	420mm x 320mm x 110mm	250
BPCP480*	480mm x 1102mm x 110	250
BPCP500W	500mm x 450mm x 125mm	250
	* Denotes B-Brown or W-White	

Brown Paper Bag



- Paper Bags
- Available in numerous sizes


Code	Description	QTY
	Length x Width x Gusset	
BP1	180mm x 160mm	500
BP2	200mm x 200mm	500
BP3	230mm x 200mm	500
BP4	260mm x 240mm	500
BP5	330mm x 240mm	500
BPLS	330mm x 290mm (long sponge)	500
BPSS	280mm x 290mm (square sponge)	500
BP6	380mm x 270mm	500
BPLB	380mm x 150mm x 80mm (large bread)	500
BPDLB	380mm x 260mm x 90mm (double bread)	500
BP1G	310mm x 150mm x 80mm	500
BP2G	270mm x 120mm x 80mm	500
BP3G	230mm x 120mm x 80mm	500
BP4G	230mm x 110mm x 50mm	500
BP5G	180mm x 100mm x 40mm	500

Wicketed Bags



- Wicketed Bags
- Available in numerous sizes

Code	Description	QTY
	Please speak to your Rep for sizes	



Asbestos Bags



- 200um Construction Grade Plastic
- High quality
- Printed for safe processing
- Meet Australian Standards

Code	Description	Pack
BARB7001100	Large 700mm x 1100mm Bag	50
BARBCL	Small 600mm x 900mm Bag	100

Press Seal Bags



- LDPE Bags
- Available in an assortment of sizes and microns
- Available in Clear
- Standard, Premium, Heavy Duty

Standard Press Seal Bags

Code	Description	QTY
Width x Length x Micron		
BSS5075-40	50mm x 75mm x 40um	5000
BSS6590-40	65mm x 90mm x 40um	1000
BSS75100-40	75mm x 100mm x 40um	1000
BSS75125-40	75mm x 125mm x 40um	1000
BSS90150-40	90mm x 150mm x 40um	1000
BSS100125-40	100mm x 125mm x 40um	1000
BSS100150-40	100mm x 150mm x 40um	1000
PSS100180-40	100mm x 180mm x 40um	1000
BSS125200-40	125mm x 200mm x 40um	1000
BSS150200-40	150mm x 200mm x 40um	1000
BSS150230-40	150mm x 230mm x 40um	1000
BSS180250-40	180mm x 250mm x 40um	1000
BSS200250-40	200mm x 250mm x 40um	1000
BSS200300-40	200mm x 300mm x 40um	1000
BSS230305-40	230mm x 305mm x 40um	1000
BSS230330-40	230mm x 330mm x 40um	1000
BSS250305-40	250mm x 305mm x 40um	1000
BSS250360-40	250mm x 360mm x 40um	1000
BSS280380-40	280mm x 380mm x 40um	1000
BSS305380-40	305mm x 380mm x 40um	1000
BSS355400-40	355mm x 400mm x 40um	1000
BSS380480-40	380mm x 480mm x 40um	1000
BSS460500-40	460mm x 500mm x 40um	1000

Premium Press Seal Bags

Code	Description	QTY
Width x Length x Micron		
BSS3540-50	35mm x 40mm x 50um	1000
BSS3850-50	38mm x 50mm x 50um	1000
BSS5075-50	50mm x 75mm x 50um	1000
BSS6575-50	65mm x 75mm x 50um	1000
BSS6590-50	65mm x 90mm x 50um	1000
BSS701-80	70mm x 180mm x 50um	1000
BSS7575-50	75mm x 75mm x 50um	1000
BSS75100-50	75mm x 100mm x 50um	1000
BSS75125-50	75mm x 125mm x 50um	1000
BSS90150-50	90mm x 150mm x 50um	1000
BSS100125-50	100mm x 125mm x 50um	1000
BSS100150-50	100mm x 150mm x 50um	1000
BSS100180-50	100mm x 180mm x 50um	1000
BSS100200-50	100mm x 200mm x 50um	1000
BSS125125-50	125mm x 125mm x 50um	1000
BSS150150-50	150mm x 150mm x 50um	1000
BSS150200-50	150mm x 200mm x 50um	1000
BSS150230-50	150mm x 230mm x 50um	1000
BSS165250-50	165mm x 250mm x 50um	1000
BSS180180-50	180mm x 180mm x 50um	1000
BSS200200-50	200mm x 200mm x 50um	1000
BSS200250-50	200mm x 250mm x 50um	1000
BSS200300-50	200mm x 300mm x 50um	1000
BSS230305-50	230mm x 305mm x 50um	1000
BSS230330-50	230mm x 330mm x 50um	1000
BSS250250-50	250mm x 250mm x 50um	1000
BSS250305-50	250mm x 305mm x 50um	1000
BSS250330-50	250mm x 330mm x 50um	1000
BSS250360-50	250mm x 360mm x 50um	1000
BSS280380-50	280mm x 380mm x 50um	1000
BSS305460-50	305mm x 460mm x 50um	1000
BSS330330-50	330mm x 330mm x 50um	1000
BSS340400-50	340mm x 400mm x 50um	1000
BSS355400-50	355mm x 400mm x 50um	1000
BSS380480-50	380mm x 480mm x 50um	1000
BSS41041050	410mm x 410mm x 50um	1000
BSS460500-50	460mm x 500mm x 50um	1000

Heavy Duty Press Seal Bags

Code	Description	QTY
Width x Length x Micron		
BSS505075	50mm x 50mm x 75um	2000
BSS659075	65mm x 90mm x 75um	1000
BSS757575	75mm x 75mm x 75um	1000
BSS7510075	75mm x 100mm x 75um	1000
BSS9015075	90mm x 150mm x 75um	1000
BSS10010075	100mm x 100mm x 75um	1000
BSS10015075	100mm x 150mm x 75um	1000
BSS12520075	125mm x 200mm x 75um	1000
BSS15020075	150mm x 200mm x 75um	1000
BSS15023075	150mm x 230mm x 75um	1000
BSS18025075	180mm x 250mm x 75um	1000
BSS20025075	200mm x 250mm x 75um	1000
BSS20030075	200mm x 300mm x 75um	1000
BSS23030575	230mm x 305mm x 75um	1000
BSS23033075	230mm x 330mm x 75um	1000
BSS25036075	250mm x 360mm x 75um	1000
BSS28038075	280mm x 380mm x 75um	1000
BSS30546075	305mm x 460mm x 75um	1000
BSS34040075	340mm x 400mm x 75um	1000
BSS38048075	380mm x 480mm x 75um	1000

Write On Panel Press Seal Bags



- LDPE Bags
- Available in an assortment of sizes and microns
- Write on panel for ease of identification
- Standard, Premium, Heavy Duty

Code	Description	QTY
Width x Length x Micron		
BSSW5075-50	50mm x 75mm x 50um	1000
BSSW75125-50	75mm x 125mm x 50um	1000
BSSW90150-50	90mm x 150mm x 50um	1000
BSSW100150-40	100mm x 150mm x 40um	1000
BSSW100180-50	100mm x 180mm x 50um	1000
BSSW125200-50	125mm x 200mm x 50um	1000
BSSW150230-40	150mm x 230mm x 40um	1000
BSSW150230-50	150mm x 230mm x 50um	1000
BSSW230305-50	230mm x 305mm x 50um	1000

Resealable Polypropylene Bags



- Polypropylene
- Available in an assortment of sizes and microns
- Resealable adhesive

Code	Description	QTY
Flap + Width x Length x Micron		
BPPRS50180-35	30mm + 50mm x 180mm x 35um	1000
BPPRS75180-35	30mm + 75mm x 180mm x 35um	1000
BPPRS100150-35	30mm + 100mm x 150mm x 35um	1000
BPPRS112230-35	30mm + 112mm x 230mm x 35um	1000
BPPRS125130-35	30mm + 125mm x 130mm x 35um	1000
BPPRS125200-35	30mm + 125mm x 200mm x 35um	1000
BPPRS138190-35	30mm + 138mm x 190mm x 35um	1000
BPPRS150200-35	30mm + 150mm x 200mm x 35um	1000
BPPRS155230-35	30mm + 155mm x 230mm x 35um	1000
BPPRS150230-60	30mm + 150mm x 230mm x 60um	1000
BPPRS170170-35	30mm + 170mm x 170mm x 35um	1000
BPPRS180250-35	30mm + 180mm x 250mm x 35um	1000
BPPRS200250-35	30mm + 200mm x 250mm x 35um	1000
BPPRS230305-35	30mm + 230mm x 305mm x 35um	1000
BPPRS230305-60	30mm + 230mm x 305mm x 60um	1000
BPPRS230330-35	30mm + 230mm x 330mm x 35um	1000
BPPRS250360-35	30mm + 250mm x 360mm x 36um	1000
BPPRS280380-35	30mm + 280mm x 380mm x 35um	1000
BPPRS305405-35	30mm + 305mm x 405mm x 35um	1000
BPPRS315315-35	30mm + 315mm x 315mm x 35um	1000
BPPRS330330-35	30mm + 330mm x 330mm x 35um	1000
BPPRS350450-35	30mm + 350mm x 450mm x 35um	1000

Permanent Adhesive



- Polypropylene Bags
- Available in an assortment of sizes and microns
- Permanent Adhesive

Code	Description	QTY
Flap + Width x Length x Micron		
BPPPA125180-60	40mm + 125mm x 180mm x 60um	1000
BPPPA250360-60	40mm + 250mm x 360mm x 60um	1000

Plain Clear Polythylene Bags



- Polythylene is the most common and lowest cost transparent plastic bag
- Made from low grade, low density polyethylene (LDPE) and most are produced by the blown film method and bottom sealed
- LDPE has a high impact strength, is chemically inert, non-toxic, non-static, and printable
- Easily heat sealed
- Usable from -50°C to 66°C

Code	Description	QTY
Width x Length x Micron		
BPB5075-35	50mm x 75mm x 35um	1000
BPB6575-50	65mm x 75mm x 50um	1000
BPB6583-38	65mm x 83mm x 38um	1000
BPB6590-38	65mm x 90mm x 38um	1000
BPB65105-25	65mm x 105mm x 25um	1000
BPB75100-38	75mm x 100mm x 38um	100
BPB75125-35	75mm x 125mm x 35um	1000
BPB75130-30	75mm x 130mm x 30um	1000
BPB75270-25	75mm x 270mm x 25um	1000
BPB75270-50	75mm x 270mm x 50um	1000
BPB75385-100	75mm x 385mm x 100um	1000
BPB90120-60	90mm x 120mm x 60um	1000
BPB98400-100	98mm x 400mm x 100um	1000
BPB100145-25	100mm x 145mm x 25um	1000
BPB100150-30	100mm x 150mm x 30um	1000
BPB100150-35	100mm x 150mm x 35um	1000
BPB100150-38	100mm x 150mm x 38um	1000
BPB100150-50	100mm x 150mm x 50um	1000
BPB100150-75	100mm x 150mm x 75um	1000
BPB100150-100	100mm x 150mm x 100um	1000
BPB100165-30	100mm x 165mm x 30um	1000
BPB100165-50	100mm x 165mm x 50um	1000
BPB100180-38	100mm x 180mm x 38um	1000
BPB100180-50	100mm x 180mm x 50um	1000
BPB100200-38	100mm x 200mm x 38um	1000
BPB100394-100	100mm x 394mm x 100um	1000
BPB105175-35	105mm x 175mm x 35um	1000
BPB105240-35	105mm x 240mm x 35um	1000
BPB115185-38	115mm x 185mm x 38um	1000
BPB115197-30	115mm x 197mm x 30um	1000
BPB115265-30	115mm x 265mm x 30um	1000
BPB117413-100	117mm x 413mm x 100um	1000
BPB125200-35	125mm x 200mm x 35um	1000
BPB130130-30	130mm x 130mm x 30um	1000
BPB130150-50	130mm x 150mm x 50um	1000
BPB130180-30	130mm x 180mm x 30um	1000
BPB130180-38	130mm x 180mm x 38um	1000
BPB130180-50	130mm x 180mm x 50um	1000
BPB130230-30	130mm x 230mm x 30um	1000
BPB130305-30	130mm x 305mm x 30um	1000
BPB140425-150	140mm x 425mm x 150um	1000
BPB150200-35	150mm x 200mm x 35um	1000
BPB150200-50	150mm x 200mm x 50um	1000
BPB150200-60	150mm x 200mm x 60um	1000
BPB150230-25	150mm x 230mm x 25um	1000
BPB150230-30	150mm x 230mm x 30um	1000
BPB150230-38	150mm x 230mm x 38um	1000
BPB150230-50	150mm x 230mm x 50um	1000
BPB150230-63	150mm x 230mm x 63um	1000
BPB150250-30	150mm x 250mm x 30um	1000
BPB150250-38	150mm x 250mm x 38um	1000
BPB150250-100	150mm x 250mm x 100um	1000

Code	Description	QTY
Width x Length x Micron		
BPB150305-30	150mm x 305mm x 30um	1000
BPB150610-50	150mm x 610mm x 50um	1000
BPB150660-30	150mm x 660mm x 30um	1000
BPB155230-35	155mm x 230mm x 35um	1000
BPB155230-60	155mm x 230mm x 60um	1000
BPB159230-50	159mm x 230mm x 50um	1000
BPB165230-50	165mm x 230mm x 50um	1000
BPB165432-38	165mm x 432mm x 38um	1000
BPB180230-30	180mm x 230mm x 30um	1000
BPB180230-35	180mm x 230mm x 35um	1000
BPB180255-30	180mm x 255mm x 30um	1000
BPB180260-50	180mm x 260mm x 50um	1000
BPB180305-30	180mm x 305mm x 30um	1000
BPB180305-150	180mm x 305mm x 150um	1000
BPB180585-38	180mm x 585mm x 38um	1000
BPB190180-30	190mm x 180mm x 30um	1000
BPB200230-30	200mm x 230mm x 30um	1000
BPB200230-38	200mm x 230mm x 38um	1000
BPB200240-35	200mm x 240mm x 35um	1000
BPB200250-50	200mm x 250mm x 50um	1000
BPB200250-100	200mm x 250mm x 100um	1000
BPB200255-25	200mm x 255mm x 25um	1000
BPB200255-30	200mm x 255mm x 30um	1000
BPB200260-38	200mm x 260mm x 38um	1000
BPB200305-30	200mm x 305mm x 30um	1000
BPB200395-75	200mm x 395mm x 75um	1000
BPB200305-100	200mm x 305mm x 100um	1000
BPB200560-25	200mm x 560mm x 25um	1000
BPB210356-30	210mm x 356mm x 30um	1000
BPB216381-30	216mm x 381mm x 30um	1000
BPB225340-200	225mm x 340mm x 200um	1000
BPB230305-25	230mm x 305mm x 25um	1000
BPB230305-30	230mm x 305mm x 30um	1000
BPB230305-60	230mm x 305mm x 60um	1000
BPB230330-25	230mm x 330mm x 25um	1000
BPB230330-30	230mm x 330mm x 30um	1000
BPB230330-35	230mm x 330mm x 35um	1000
BPB230330-50	230mm x 330mm x 50um	1000
BPB230380-30	230mm x 380mm x 30um	1000
BPB230380-50	230mm x 380mm x 50um	1000
BPB230400-30	230mm x 400mm x 30um	1000
BPB230405-30	230mm x 405mm x 30um	1000
BPB250250-50	250mm x 250mm x 50um	1000
BPB250305-30	250mm x 305mm x 30um	1000
BPB250305-38	250mm x 305mm x 38um	1000
BPB250305-75	250mm x 305mm x 75um	1000
BPB250305-100	250mm x 305mm x 100um	1000
BPB250355-38	250mm x 355mm x 38um	1000
BPB250380-30	250mm x 380mm x 30um	1000
BPB250380-100	250mm x 380mm x 100um	1000
BPB250405-30	250mm x 405mm x 30um	1000
BPB250405-35	250mm x 405mm x 38um	1000

Code	Description	QTY
Width x Length x Micron		
BPB250405-50	250mm x 405mm x 50um	1000
BPB250400-35	250mm x 400mm x 35um	1000
BPB250430-38	250mm x 430mm x 38um	1000
BPB250455-30	250mm x 455mm x 30um	1000
BPB250455-50	250mm x 455mm x 50um	1000
BPB250813-50	250mm x 813mm x 50um	1000
BPB280380-50	280mm x 380mm x 50um	1000
BPB280405-25	280mm x 405mm x 25um	1000
BPB280455-100	280mm x 455mm x 100um	1000
BPB300400-35	300mm x 400mm x 35um	1000
BPB305402-12	305mm x 405mm x 12um	1000
BPB305405-30	305mm x 405mm x 30um	1000
BPB305405-38	305mm x 405mm x 38um	1000
BPB305405-50	305mm x 405mm x 50um	1000
BPB305405-150	305mm x 405mm x 150um	1000
BPB305455-20	305mm x 455mm x 20um	1000
BPB305455-30	305mm x 455mm x 30um	1000
BPB305455-50	305mm x 405mm x 50um	1000
BPB305510-25	305mm x 510mm x 25um	1000
BPB305510-30	305mm x 510mm x 30um	1000
BPB305598-100	305mm x 598mm x 100um	1000
BPB355510-38	355mm x 510mm x 38um	1000
BPB355510-50	355mm x 510mm x 50um	1000
BPB355510-63	355mm x 510mm x 63um	1000
BPB375510-100	375mm x 510mm x 100um	1000
BPB380355-38	380mm x 355mm x 38um	1000
BPB380380-30	380mm x 380mm x 30um	1000
BPB405305-12	405mm x 305mm x 12um	1000
BPB405610-75	405mm x 610mm x 75um	1000
BPB460610-30	460mm x 610mm x 30um	1000
BPB460610-38	460mm x 610mm x 38um	1000
BPB460660-38	460mm x 660mm x 38um	1000
BPB460838-50	460mm x 838mm x 50um	1000
BPB460838-100	460mm x 838mm x 100um	1000
BPB480740-63	480mm x 740mm x 63um	1000
BPB500740-63	500mm x 740mm x 63um	1000
BPB510510-30	510mm x 510mm x 30um	1000
BPB560560-38	560mm x 560mm x 38um	1000
BPB560865-20	560mm x 865mm x 20um	1000
BPB5601220-12	560mm x 1220mm x 12um	1000
BPB5601220-25	560mm x 1220mm x 25um	1000
BPB5601520-25	560mm x 1520mm x 25um	1000
BPB610635-50	610mm x 635mm x 50um	1000
BPB6101140-50	610mm x 1140mm x 50um	1000
BPB6301104-75	630mm x 1104mm x 75um	1000
BPB710760-38	710mm x 760mm x 38um	1000
BPB710990-30	710mm x 990mm x 30um	1000
BPB710990-38	710mm x 990mm x 38um	1000
BPB9151220-50	915mm x 1220mm x 50um	1000
BPB10151220-50	1015mm x 1220mm x 50um	1000
BPB10151500-50	1015mm x 1500mm x 50um	1000
BPB10151500-100	1015mm x 1500mm x 100um	1000

Standard Heat Sealer



- The original and most popular Heat Sealer
- Made by the originators of the 'scissors' bench sealer configuration
- Choose from 100, 200, 300 and 400mm sealing lengths
- 2mm Seal Width
- Automatic timer .2 to 1.3 seconds
- For sealing polypropylene and polythene bags and tubing

Code	Description	QTY
BVHIB100	100mm Heat Sealer	each
BVHIB200	200mm Heat Sealer	each
BVHIB300	300mm Heat Sealer	each
BVHIB400	400mm Heat Sealer	each

Mark III Heat Sealer



- The Mark III has superior long life element terminals
- Consumes power only when the sealing arm is depressed
- Choose from 100, 200, 300, 400 and 600mm sealing lengths
- 2mm Seal Width
- Automatic timer .2 to 1.3 seconds
- For sealing polypropylene and polythene bags and tubing

Code	Description	QTY
BVHIB100MIII	100mm Heat Sealer	each
BVHIB200MIII	200mm Heat Sealer	each
BVHIB300MIII	300mm Heat Sealer	each
BVHIB400MIII	400mm Heat Sealer	each
BVHIB600MIII	600mm Heat Sealer	each

Mark III Heat Sealer with Cutter



- The Mark III has superior long life element terminals
- Consumes power only when the sealing arm is depressed
- Choose from 200 and 300mm sealing lengths
- Automatic timer .2 to 1.3 seconds
- Easy to use cutter for more accuracy and neatness

Code	Description	QTY
BVHIB200CMIII	200mm Heat Sealer with cutter	each
BVHIB300CMIII	300mm Heat Sealer with Cutter	each
BVHIB205CMIII	200mm Heat Sealer with cutter & 5mm Seal	each
BVHIB305CMIII	300mm Heat Sealer with cutter & 5mm Seal	each


Automatic Foot Pedal Sealer



- Heavy Duty Impulse Sealer
- For use with Polythene and Polypropylene bags up to 2 x 300um thick
- Automatic or electronic foot operation with timer and cool down cycle
- Seal width 2mm or 5mm
- Available in 450mm or 600mm widths

Code	Description	QTY
BVHIFT-452	450mm Heat Sealer with 2mm Seal	each
BVHIFT-602	600mm Heat Sealer with 2mm Seal	each
BVHIFT-455	450mm Heat Sealer with 5mm Seal	each
BVHIFT-605	600mm Heat Sealer with 5mm Seal	each

Teflon Tape Replacement



- Replacement parts are available for all heat sealing machines

Code	Description	QTY
BVHIB-BLADE	Cutter Blade	each
BVHIB***-TEF	Teflon Tape for Heat Sealer	each
BVHIB***-WIRE	Round Wire Element for Heat Sealer	each
BVHIB***-TUW	Flat Wire Element for Under Teflon	each

WHATS IN A BAG

There are two types of commonly used plastic bags, HDPE and LDPE.

HDPE or High Density Polyethylene is a polyethylene thermoplastic made from petroleum. Known for its large strength to density ratio, HDPE is commonly used in the production of plastic bottles, corrosion-resistant piping, geomembranes, and plastic lumber. HDPE is commonly recycled and has the number "2" as its recycling symbol

LDPE or Low Density Polyethylene is a thermoplastic made from the monomer ethylene. It was the first grade of polyethylene, produced in 1933, using a high pressure process via free radical polymerization. Its recycling symbol is "4"

Roof & Gutter Sealant



Premium natural cure, medium to high modulus silicone that offers primerless adhesion to many common construction materials including concrete, aluminium, steel and plastics.

- Plumbing roofing applications
- Metal roofing systems
- Metal Water Tanks
- Spouting/Flashing and Downpipes
- Lap joint in Zincalume, Colourbond® and other decorative sheet metal
- Skylights, metal and PVC flues and extraction unit
- Pipe or sprinkler system penetrations
- Air conditioning ducting and sheet metal fabrications
- General purpose adhesive and sealant for building materials such as steel, glass, concrete, brick, ceramic and terracotta roof tiles
- High performance UV resistant
- Permanently flexible
- One component
- Natural cure silicone sealant
- Available in 15 colour
- Clear and Grey are suitable for drinking water applications

Code	Description	CTN
R&GSIL...	Roof & Gutter Silicone 300ml	20
R&SSILS...	Roof & Gutter Silicone Sausage 600ml	6
... denotes colour - see colour chart		

Z Bond General Purpose



A one component, non-flowing, acetic cure and mid modulus silicone sealant.

- Joints in Metal Gutting
- Aluminium Roofing
- Colourbond® Steel Products
- Window Frames
- Light Fittings
- Skylights
- Pluming Applications
- Vents
- Cures by absorption of atmospheric moisture
- Forms a flexible, durable elastomeric sealant

Code	Description	CTN
R&GSIL333...	Roof & Gutter Silicone 300ml	12
... denotes colour - see colour chart		

Flex - E - Duct II Sealant



A one component, water based acrylic, high strength duct and metal sealant.

- Air Conditioning and Duct Work
- Aluminium Window Frames
- Bus and Trailer bodies
- Sealing metal sheet to duct work
- Suitable for use with Polystyrene foam
- Acrylic (water based)
- Fire rated AS 1530.3.1989
- Flexible and paintable
- Excellent adhesion to most building materials
- Weather resistant

Code	Description	CTN
Q-FLEX-E-DUCT	Flex-E-Duct II Sealant 450g	20

Duct Sealer 1465



Bostik 1465 is a one part, solvent based, sealing compound.

- Used in general Air Conditioning and Duct work sealing
- Sealing Metal Sheetting
- Suitable for Heating/Cooling applications
- High Velocity Duct work
- Use in Truck and Trailer sealing
- Setting and Sealing Aluminium Window Frames
- Fire-rated
- Fast setting/drying time (30 mins)
- Excellent adhesion to most materials
- Internal/External use, completely weatherproof when cured
- Good chemical resistance
- Paintable and Flexible
- Very long lasting

Code	Description	CTN
DUCT-SEALER	1465 Duct Sealer 320g Grey	20

Seal 'N' Flex I



Bostik Seal N Flex 1 is resistant to normal weathering conditions such as rain, sunlight, snow, sleet, ozone, atmospheric contamination and pollution. It's excellent weather ability enables it retain it's original properties after years of exposure.

- Insitu concrete and render
- Precast and Tilt up panels
- Brickwork and Block work
- Plasterboard face and paper lined recessed edges
- Fibre cement sheets
- Aluminium windows
- Granite, Sandstone Marble
- GRC, Fibreglass and most speciality panel systems
- Low modulus 50% (\pm 25%)
- Excellent durability
- One component, no mixing required
- Australian made
- Colour range
- Paintable (refer limitations)
- Non staining

Code	Description	CTN
SEALNFLEX...	Seal N Flex I 300m cartridge	20
SEALNFLEXS...	Seal N Flex I 600ml sausage	20
... denotes colour - see colour chart		

Heat Transfer Sealer



- Designed specifically for use in the refrigeration industry
- Odourless, non staining sealing compound
- Heat transfer properties which make it ideal for improving the efficiency between refrigerator coils and cabinets
- Non-sagging

Code	Description	CTN
HTS5603	Heat Transfer Sealer 1128/5603 20kg	1

Flex - E - Duct



- Suitable for High Velocity Air Ducting and Heating Ducts
- A brushable, acrylic sealant which provides a flexible, air tight seal in non-fire rated air conditioning duct work
- Water based (easy clean up)
- Paintable
- Dust proof
- Weatherproof
- Flexible
- Non slump
- Excellent adhesion to most construction surfaces including galvanised and primed metal, masonry, brick and concrete
- Excellent aging properties

Code	Description	CTN
WFLEXEDUCT	Flex-E-Duct, Duct Sealer 4L Grey	4

COLOUR CHART

ROOF & GUTTER PREMIUM SILICONE		
Size	Colour	Carton
300g cartridge	Translucent	20
300g cartridge	White	20
300g cartridge	Grey	20
300g cartridge	Black	20
300g cartridge	Classic Cream	6
300g cartridge	Manor Red	6
300g cartridge	Pale Eucalypt	6
300g cartridge	Cottage Green	6
300g cartridge	Surfmist	6
300g cartridge	Woodland Grey	6
300g cartridge	Loft	6
300g cartridge	Deep Ocean	6
300g cartridge	Galvanised Grey	6
300g cartridge	Jasper	6
615g sausage	Grey	20
615g sausage	Translucent	20

SEAL N FLEX 1		
Size	Colour	Carton
380g cartridge	Grey	20
380g cartridge	Black	20
380g cartridge	White	20
720g sausage	Grey	20
720g sausage	Limestone	20
720g sausage	Black	20
720g sausage	White	20
720g sausage	Bahama Beige	20
720g sausage	Sandstone	20
720g sausage	Redwood	20
720g sausage	Off White	20
720g sausage	Manilla Sand	20
720g sausage	Classic Bone	20
720g sausage	Epping Grey	20
720g sausage	Bronze	20



Plumb-Weld PVC - Type N



- Synthetic resin-based welding cement specially formulated for adhering rigid unplasticised PVC to itself, both in pipe and sheet form
- Ideal adhesion for non pressure applications such as commercial and residential sewerage and drainage work
- Ideal for use on pipes 100mm or less in diameter, Electrical applications, Non pressure storm water drainage and sewerage work
- Water Mark certified as per the Plumbing Code of Australia
- Colour coded packaging for easy product selection
- Natural bristle brush applicator
- Ready for use - no mixing required
- Fast drying and setting
- Ideal viscosity - easily applied with minimal dripping

Code	Description	Colour	CTN
D078328	Pipe Cement 125ml	Blue	18
D078336	Pipe Cement 250ml	Blue	18
D078344	Cement 500ml	Blue	18
D078352	Pipe Cement 1L	Blue	6
D078360	Pipe Cement 4L	Blue	4
D078247	Pipe Cement 250ml	Clear	18
D078255	Pipe Cement 500ml	Clear	18
D078271	Pipe Cement 4L	Clear	4

Plumb-Weld PVC - Type P



- Synthetic resin-based adhesive specially formulated for adhering rigid unplasticised PVC to itself, both in pipe and sheet form
- Ideal adhesion for pressure applications such as irrigation and reticulation usage
- Water Mark certified as per the Plumbing Code of Australia
- Colour coded packaging for easy product selection
- Early strong welding power
- Ready for use - no mixing required
- Fast drying and setting
- Ideal viscosity - easily applied with minimal dripping

Code	Description	Colour	CTN
D223832	Pipe Cement 125ml	Green	18
D223840	Pipe Cement 250ml	Green	18
D223859	Pipe Cement 500ml	Green	18
D223875	Pipe Cement 1L	Green	4

Plumb-Weld PVC - Priming Fluid



- Plumb-Weld PVC Priming Fluid is a solvent based fluid formulated for cleaning and priming PVC pipes and fitting prior to application of Plumb-Weld PVC Solvent Cements Type N or Type P
- Water Mark certified as per the Plumbing Code of Australia
- Colour coded packaging for easy product selection
- Ready for use - no mixing required

Code	Description	Colour	CTN
D045675	Priming Fluid 250ml	Red	18
D045683	Priming Fluid 500ml	Red	18
D087378	Priming Fluid 1L	Red	6
D113859	Priming Fluid 4L	Red	4
D045632	Priming Fluid 250ml	Clear	18
D045640	Priming Fluid 500ml	Clear	18

Rapid Weld PVC - Type N



- Synthetic resin based cement specially formulated for adhering rigid unplasticised PVC to itself, both in pipe and sheet form
- Ideal adhesion for non pressure applications such as commercial and residential sewage and drainage work
- Water Mark certified as per the Plumbing Code of Australia
- Pipes 100mm or less in diameter
- Electrical application
- Colour coded packaging for easy product selection
- Natural bristle brush applicator
- Ready for use - no mixing required
- Fast drying and setting
- Ideal viscosity - easily applied with minimal dripping

Code	Description	Colour	CTN
D345458	PVC Pipe Cement 125ml	Blue	18
D345539	PVC Pipe Cement 250ml	Blue	18
D345636	PVC Pipe Cement 500ml	Blue	18
D345733	PVC Pipe Cement 1L	Blue	6
D345814	PVC Pipe Cement 4L	Blue	4
D345946	PVC Pipe Cement 125ml	Clear	18
D345946	PVC Pipe Cement 250ml	Clear	18
D346020	PVC Pipe Cement 500ml	Clear	18
D346179	PVC Pipe Cement 4L	Clear	4

Rapid Weld PVC - Type P



- Synthetic resin based adhesive specially formulated for adhering rigid unplasticised PVC to itself, both in pipe and sheet form
- Ideal adhesion for pressure applications such as irrigation and reticulation usage
- Water Mark certified as per the Plumbing Code of Australia
- Colour coded packaging for easy product selection
- Early strong welding power
- Ready for use - no mixing required
- Fast drying and setting
- Ideal viscosity - easily applied with minimal dripping

Code	Description	Colour	CTN
D34926	PVC Pipe Cement 500ml	Clear	18
D347000	PVC Pipe Cement 4L	Clear	4
D346446	PVC Pipe Cement 125ml	Green	18
D346632	PVC Pipe Cement 500ml	Green	18
D346705	PVC Pipe Cement 1L	Green	6
D34676	PVC Pipe Cement 4L	Green	4

Rapid-Weld PVC - Priming Fluid



- Rapid Weld PVC Priming Fluid is a solvent based fluid, formulated for cleaning and priming of PVC pipes and fitting prior to application of Rapid-Weld PVC cements
- Can be used with Type N or Type P Cements
- Water Mark certified as per the Plumbing Code of Australia
- Colour coded packaging for easy product selection
- Ready for use - no mixing required

Code	Description	Colour	CTN
D34785	Priming Fluid 250ml	Clear	18
D347884	Priming Fluid 500ml	Clear	18
D347949	Priming Fluid 4L	Clear	4
D347299	Priming Fluid 125ml	Red	18
D347399	Priming Fluid 250ml	Red	18
D347523	Priming Fluid 500ml	Red	18
D347612	Priming Fluid 1L	Red	6
D347728	Priming Fluid 4L	Red	4

Slow Setting - Type N



- Type N Slow Plumb-Weld is a high bond strength PVC with a slow setting time, providing a longer working time
- Ideal adhesion for non pressure applications such as larger diameter pipes (100mm>), storm water drainage and sewerage pipes
- Water Mark certified as per the Plumbing Code of Australia
- Approved for potable drinking water applications
- Natural bristle brush applicator
- Ready for use - no mixing required
- Ideal viscosity - easily applied with minimal dripping

Code	Description	Colour	CTN
D101095	Slow Plumb-Weld 500ml	Blue	18

Want Professional
Advice?



CALL US NOW

1800 678 956

Light Duty



We recommend cable tie guns CTLDCTG, CTHDCTG/P or CTHDCTG/M for easy fastening

- UL approved nylon with 6/6 flammability rating of UL94V-2
- UV weather resistant with a temperature rating of -40°C to 85°C
- All nylon, one piece construction with min. loop tensile strength 8.1KG
- Approved to the requirements of MILITARY 3367- 1978 and UL Underwriters Laboratories E156597
- Available in natural or black
- Available in 100mm or 200mm lengths

Code	Length mm	Width mm	Colour	Unit	Ctn Qty
CT10025NT	100	2.5	Natural	1000	55 units
CT10025BK	100	2.5	Black	1000	55 units
CT20025NT	200	2.5	Natural	1000	30 units
CT20025BK	200	2.5	Black	1000	30 units

Standard Duty



We recommend cable tie guns CTLDCTG, CTHDCTG/P or CTHDCTG/M for easy fastening

- UL approved nylon with 6/6 flammability rating of UL94V-2
- UV weather resistant with a temperature rating of -40°C to 85°C
- All nylon, one piece construction with min. loop tensile strength 18.2KG
- Approved to the requirements of MILITARY 3367- 1978 and UL Underwriters Laboratories E156597
- Available in natural or black
- Available in several lengths

Code	Length mm	Width mm	Colour	Unit	Ctn Qty
CT15035NT	150	3.5	Natural	1000	30 units
CT15035BK	150	3.5	Black	1000	30 units
CT20035NT	200	3.5	Natural	1000	20 units
CT20035BK	200	3.5	Black	1000	20 units
CT25035NT	250	3.5	Natural	1000	20 units
CT25035BK	250	3.5	Black	1000	20 units
CT29035NT	290	3.5	Natural	1000	17 units
CT29035BK	290	3.5	Black	1000	17 units

Medium Duty



We recommend cable tie guns CTLDCTG, CTHDCTG/P or CTHDCTG/M for easy fastening

- UL approved nylon with 6/6 flammability rating of UL94V-2
- UV weather resistant with a temperature rating of -40°C to 85°C
- All nylon, one piece construction with min. loop tensile strength 22.2KG
- Approved to the requirements of MILITARY 3367- 1978 and UL Underwriters Laboratories E156597
- Available in natural or black
- Available in several lengths

Code	Length mm	Width mm	Colour	Unit	Ctn Qty
CT16048NT	160	4.8	Natural	1000	16 units
CT16048BK	160	4.8	Black	1000	16 units
CT20048NT	200	4.8	Natural	1000	16 units
CT20048BK	200	4.8	Black	1000	16 units
CT25048NT	250	4.8	Natural	1000	12 units
CT25048BK	250	4.8	Black	1000	12 units
CT30048NY	300	4.8	Natural	1000	11 units
CT30048BK	300	4.8	Black	1000	11 units
CT38048NT	300	4.8	Natural	1000	9 units
CT43048BK	430	4.8	Black	1000	9 units

Heavy Duty



We recommend cable tie gun CTDCTG/9 or CTHDCTG/13 for easy fastening

- UL approved nylon with 6/6 flammability rating of UL94V-2
- UV weather resistant with a temperature rating of -40°C to 85°C
- All nylon, one piece construction with min. loop tensile strength as shown
- Approved to the requirements of MILITARY 3367- 1978 and UL Underwriters Laboratories E156597
- Available in natural or black
- Available in several lengths

Code	Length mm	Width mm	Tensile	Colour	Unit	Ctn Qty
CT20076NT	200	7.6	54.4KG	Natural	1000	6 units
CT20076BK	200	7.6	54.4KG	Black	1000	6 units
CT30076NT	300	7.6	54.4KG	Natural	1000	5 units
CT30076BK	300	7.6	54.4KG	Black	1000	5 units
CT38076NT	380	7.6	54.4KG	Natural	1000	4 units
CT38076BK	380	7.6	54.4KG	Black	1000	4 units
CT38013NT	380	13	114KG	Natural	1000	2 units
CT38013BK	380	13	114KG	Black	1000	2 units
CT43090NT	430	9	79.4KG	Natural	1000	2.5 units
CT43090BK	430	9	79.4KG	Black	1000	2.5 units
CT53090NT	530	9	79.4KG	Natural	1000	2 units
CT53090BK	530	9	79.4KG	Black	1000	2 units
CT58013NT	580	13	114KG	Natural	1000	1.2 units
CT58013BK	580	13	114KG	Black	1000	1.2 units

Extra Long



We recommend cable tie gun CTDCTG/9 or CTHDCTG/13 for easy fastening

- UL approved nylon with 6/6 flammability rating of UL94V-2
- UV weather resistant with a temperature rating of -40°C to 85°C
- All nylon, one piece construction with min. loop tensile strength as shown
- Approved to the requirements of MILITARY 3367- 1978 and UL Underwriters Laboratories E156597
- Available in natural or black
- Available in several lengths

Code	Length mm	Width mm	Tensile	Colour	Unit	Ctn Qty
CT76090NT	760	9	79.4KG	Natural	1000	2 units
CT76090BK	760	9	79.4KG	Black	1000	2 units
CT81290NT	812	9	79.4KG	Natural	1000	1.5 units
CT18290BK	812	9	79.4KG	Black	1000	1.5 units
CT102090NT	1020	9	79.4KG	Natural	1000	1 unit
CT102090BK	1020	9	79.4KG	Black	1000	1 unit
CT103013NT	1030	13	114KG	Natural	1000	1 unit
CT103013BK	1030	9	114KG	Black	1000	1 unit
CT122090NT	1220	9	79.4KG	Natural	1000	1 unit
CT122090BK	1220	9	79.4KG	Black	1000	1 unit
CT155090NT	1550	9	79.4KG	Natural	1000	.5 unit

1000 Piece Packs



- Multi Sized pack
- UL approved nylon with 6/6 flammability rating of UL94V-2
- UV weather resistant with a temperature rating of -40°C to 85°C
- All nylon, one piece construction with min. loop tensile strength as shown
- Approved to the requirements of MILITARY 3367- 1978 and UL Underwriters Laboratories E156597
- Available in black only

Code	Length mm	Width mm	Tensile	Qty
CT1000	Contains the following:-			
CT10025BK	100	2.5	8.1KG	200
CT15035BK	150	3.5	18.2KG	200
CT20048BK	200	4.8	22.2KG	400
CT30048BK	300	4.8	22.2KG	200

Mounting Head



We recommend cable tie guns CTLDCTG, CTHDCTG/P or CTHDCTG/M for easy fastening

- UL approved nylon with 6/6 flammability rating of UL94V-2
- UV weather resistant with a temperature rating of -40°C to 85°C
- All nylon, one piece construction with min. loop tensile strength as shown
- Approved to the requirements of MILITARY 3367- 1978 and UL Underwriters Laboratories E156597
- Available in natural or black

Code	Length mm	Width mm	Tensile	Qty	Hole Dia mm
CTMH15236BK	152	3.6	18.2KG	1000	3.2
CTMH15236NT	152	3.6	18.2KG	1000	3.2
CTMH20048BK	200	4.8	22.2KG	1000	5.5
CTMH20048NT	200	4.8	22.2KG	1000	5.5

Push Mount




Push mount ties are used once a hole is drilled. For example, in the fire wall of a car. The head of the tie can then be pushed in, leaving the remaining tie to be bundled around cabling or harness

- UL approved nylon with 6/6 flammability rating of UL94V-2
- UV weather resistant with a temperature rating of -40°C to 85°C
- All nylon, one piece construction with min. loop tensile strength as shown
- Approved to the requirements of MILITARY 3367- 1978 and UL Underwriters Laboratories E156597
- Available in natural or black


Code	Length mm	Width mm	Tensile	Qty	Hole Dia mm
CTPT15036BK	150	3.6	13.6KG	1000	5.2
CTPT15036NT	150	3.6	13.6KG	1000	5.2
CTPT20048BK	200	4.8	22.2KG	1000	6.3
CTPT20048NT	200	4.8	22.2KG	1000	6.3

Identification



- Identification ties can be written on with permanent marker
- Landscape or Portrait tag tops
- UL approved nylon with 6/6 flammability rating of UL94V-2
- Weather resistant with a temperature rating of -40°C to 85°C
- All nylon, one piece construction with min. loop tensile strength as shown
- Approved to the requirements of MILITARY 3367- 1978 and UL Underwriters Laboratories E156597
- Available in white
- Available in several lengths

Code	Length mm	Width mm	Tensile	Colour	Unit
CTID10025	100	2.5	8.1KG	White	1000
CTID11225	112	2.5	8.1KG	White	1000
CTID19048	190	4.8	22.5KG	White	1000



Releasable Standard Duty



- UL approved nylon with 6/6 flammability rating of UL94V-2
- Weather resistant with a temperature rating of -40°C to 85°C
- All nylon, one piece construction with min. loop tensile strength as shown
- Approved to the requirements of MILITARY 3367- 1978 and UL Underwriters Laboratories E156597
- Available in black or natural
- Available in several lengths

Code	Length mm	Width mm	Tensile	Colour	Unit
CTRT14036NT	140	3.6	18.2KG	Natural	1000
CTRT14036BK	140	3.6	18.2KG	Black	1000
CTRT20048NT	200	4.8	22.5KG	Natural	1000
CTRT20048BK	200	4.8	22.5KG	Black	1000
CTRT20076NT	200	7.6	22.5KG	Natural	1000
CTRT20076BK	200	7.6	22.5KG	Black	1000
CTRT30076NT	300	7.6	22.5KG	Natural	1000
CTRT30076BK	300	7.6	22.5KG	Black	1000
CTRT37048NT	370	4.8	22.5KG	Natural	1000
CTRT37048BK	370	4.8	22.5KG	Black	1000
CTRT37076NT	370	7.6	22.5KG	Natural	1000
CTRT37076BK	370	7.6	22.5KG	Black	1000

Reusable Hook and Loop



- UL approved nylon with 6/6 flammability rating of UL94V-2
- Weather resistant with a temperature rating of -40°C to 85°C
- All nylon, one piece construction with min. loop tensile strength as shown
- Approved to the requirements of MILITARY 3367- 1978 and UL Underwriters Laboratories E156597
- Available in black
- Available in several lengths

Code	Length mm	Width mm	Colour	Pack
CTV20016	200	16	Black	5
CTV30016	300	16	Black	5
CTV20019	200	19	Black	100
CTV30025	300	25	Black	75

Mixed Pack Coloured



- UL approved nylon with 6/6 flammability rating of UL94V-2
- UV weather resistant with a temperature rating of -40°C to 85°C
- All nylon, one piece construction with min. loop tensile strength as shown
- Approved to the requirements of MILITARY 3367- 1978 and UL Underwriters Laboratories E156597
- Assorted colour pack, red, blue, yellow, black, and natural

Code	Length mm	Width mm	Tensile	Colour	Qty
CT350C	100	2.5	8.1KG	Natural	100
	100	2.5	8.1KG	R,B,Y,BK	100
	200	2.5	8.1KG	Natural	50
	200	2.5	8.1KG	R,B,Y,BK	50
	280	3.5	18.2KG	R,B,Y,BK	50

R Red, B Blue, Y Yellow, BK Black

Coloured 100 in a Pack



- UL approved nylon with 6/6 flammability rating of UL94V-2
- UV weather resistant with a temperature rating of -40°C to 85°C
- All nylon, one piece construction with min. loop tensile strength as shown
- Approved to the requirements of MILITARY 3367- 1978 and UL Underwriters Laboratories E156597
- Available in red, blue, yellow, Green, Orange, Pink or Purple

Code	Length mm	Width mm	Tensile	Colour	Unit
CT10025Y	100	2.5	8.1KG	Yellow	1000
CT10025B	100	2.5	8.1KG	Blue	1000
CT10025G	100	2.5	8.1KG	Green	1000
CT10025R	100	2.5	8.1KG	Red	1000
CT15035Y	150	3.5	18.2KG	Yellow	1000
CT15035B	150	3.5	18.2KG	Blue	1000
CT15035G	150	3.5	18.2KG	Green	1000
CT15035R	150	3.5	18.2KG	Red	1000
CT20048Y	200	4.8	22.2KG	Yellow	1000
CT20048B	200	4.8	22.5KG	Blue	1000
CT20048G	200	4.8	22.5KG	Green	1000
CT20048R	200	4.8	22.5KG	Red	1000
CT30048Y	300	4.8	22.5KG	Yellow	1000
CT30048B	300	4.8	22.5KG	Blue	1000
CT30048G	300	4.8	22.5KG	Green	1000
CT30048R	300	4.8	22.5KG	Red	1000
CT30048O	300	4.8	22.5KG	Orange	1000
CT30048P	300	4.8	22.5KG	Pink	1000
CT30048PU	300	4.8	22.5KG	Purple	1000

Standard Duty Stainless Steel



We recommend cable tie gun CTGSS

- Type 304 is an all purpose austenitic, low carbon 18-8 chromium-nickel stainless steel
- Good corrosion resistance and weld ability
- Type 304 is suitable for use with chemical and food processing equipment, hospital and paper mill equipment and heat exchange

Code	Length mm	Width mm	Tensile	Qty
CTST20046	200	4.6	45KG	1000
CTST36046	360	4.6	45KG	1000
CTST52046	520	4.6	45KG	1000

Heavy Duty Stainless Steel



We recommend cable tie gun CTGSS

- Type 304 is an all purpose austenitic, low carbon 18-8 chromium-nickel stainless steel
- Good corrosion resistance and weld ability
- Type 304 is suitable for use with chemical and food processing equipment, hospital and paper mill equipment and heat exchange

Code	Length mm	Width mm	Tensile	Qty
CTST20080	200	8.0	114KG	1000
CTST36080	360	8.0	114KG	1000
CTST52080	520	8.0	114KG	1000

Light Duty



- Light Duty Cable Tie Gun
- Cuts 2.5mm to 4.8mm width
- Size 155mm

Code	Description	QTY
CTLDCTG	Light Duty Cable Tie Gun	each

Heavy Duty Plastic



- Heavy Duty Plastic Cable Tie Gun
- Cuts 2.5mm to 4.8mm width
- Adjustable tension
- Automatic cutting

Code	Description	QTY
CTLDCTG/P	Heavy Duty Plastic Cable Tie Gun	each

Heavy Duty Metal



- Heavy Duty Metal Cable Tie Gun
- Cuts 2.5mm to 4.8mm width
- Adjustable tension
- Automatic cutting

Code	Description	QTY
CTHDCTG/M	Heavy Duty Metal Cable Tie Gun	each

Heavy Duty Metal



- Heavy Duty Metal Cable Tie Gun
- Cuts 2.9mm to 9mm width
- Adjustable tension
- Automatic cutting

Code	Description	QTY
CTLDCTG/9	Heavy Duty Metal Cable Tie Gun	each

Heavy Duty Metal



- Heavy Duty Metal Cable Tie Gun
- Cuts 7.5mm to 13mm width
- Adjustable tension
- Automatic cutting

Code	Description	QTY
CTLDCTG/13	Heavy Duty Metal Cable Tie Gun	each

Stainless Steel Cable Tie Gun



- Stainless Steel Cable Tie Gun
- Cuts 4.8mm to 7.9mm width
- Adjustable bundling pressure
- Automatic cutting

Code	Description	QTY
CTGSS	Stainless Steel Cable Tie Gun	each



Standard Silt Fencing



- A very robust economical fencing fabric for use in highway projects.
- Woven UV stabilised Polypropylene tapes
- Pore size 360um (EOS-0.95) (AS3706.7)
- Allows the flow of water without losing sediment from a site
- Flow rate - under 100mm head, 32l/m²/s (AS3706.9)
- Fabric weight of 85 g/m²
- Wide strip tensile strength 9 kN/m (AS3706.11)

Code	Length m	Width mm	QTY
WSF1500	50	860	each
WSF1500-2	100	860	each

Premium Silt Fencing



- An extremely robust premium quality silt fencing, specifically designed to allow the free passage of water through a purpose constructed band
- Woven green and black yarns to resist degradation
- UV stabilised Polypropylene tapes
- Pore size 260/360um (EOS-0.95) (AS3706.7)
- Flow rate - under 100mm head, 30/60 l/m²/s (AS3706.9)
- Fabric weight of 120/110 g/m²
- Wide strip tensile strength 20 kN/m (AS3706.2)

Code	Length m	Width mm	QTY
SF2000	50	860	each
SF2000-2	100	860	each

Standard Silt Bags



- Bags are routinely used as a filtration medium in gutters or on open ground to prevent silt from travelling off a building site or other open ground.
- Woven UV stabilised Polypropylene tapes
- Pore size 360um (EOS-0.95) (AS3706.7)
- Allows the flow of water without losing sediment from a site
- Flow rate - under 100mm head, 32l/m²/s (AS3706.9)

Code	Length mm	Width mm	QTY
WSFB1500	840	250	100



Premium Silt Bags



- An extremely robust premium quality silt , specifically designed to allow the free passage of water through a purpose constructed band
- Woven green and black yarns to resist degradation
- UV stabilised Polypropylene tapes
- Pore size 260/360um (EOS-0.95) (AS3706.7)
- Flow rate - under 100mm head, 30/60 l/m²/s (AS3706.9)
- Fabric weight of 120/110 g/m²
- Wide strip tensile strength 20 kN/m (AS3706.2)

Code	Length mm	Width mm	QTY
WSFB2000	840	250	100

Economy Barrier Fencing



- High visibility barricade
- All purpose economy work barricade
- Fade resistant
- Comes with a suspension cord, top and bottom and is supplied on a core for easy installation
- Custom printing available
- Economical solutions for single-use or short term projects

Code	Length m	Width mm	QTY
W740400	50	900	roll

Standard Barrier Fencing



- High visibility barricade
- Manufactured from HDPE, has superior strength and exceptional rigidity requiring fewer star pickets
- UV stabilised and weather resistant
- Ideal for hazardous sites, roadworks, excavations, construction and footpaths
- Manufactured to AS1742.3-2002
- General purpos and limited re-use

Code	Length m	Width m	QTY
W740100	50	1	roll

Bison Barrier Fencing



- High visibility barricade
- Designed to be used and re-used due to its robust construction
- High level of UV stability
- Supplied with support clips
- Manufactured to AS1742.3-2002
- Medium/heavy long term barricade

Code	Length m	Width mm	QTY
W7401300	30	915	roll



Carpet Saver



- Thickest and strongest films on the market
- Pressure sensitive adhesive will not leave residue on designated surface
- Reverse rolled for ultra quick install
- Suitable for carpeted stairs, high traffic areas, lifts and hallways
- Anti-slip surface for safety
- Can be used in conjunction with Poly tarp Floor protection products

Code	Description	Roll
WCP5/100	500mm x 100m Carpet Saver	1
WCP1/100	1000mm x 100m Carpet Saver	1
WCP15/100	1500mm x 100m Carpet Saver	1

Hardfloor Saver



- Thickest and strongest films on the market
- Medium high adhesive strength
- Reverse rolled for ultra quick install
- Suitable for ceramic tiles, vinyl and polished floorboards
- Anti-slip surface for safety
- Can be used in conjunction with Poly tarp Floor protection products

Code	Description	Roll
WHFS500	500mm x 100m Carpet Saver	1
WHFS1000	1000mm x 100m Carpet Saver	1

Floor Saver Applicator



- For use with 500mm and 1000mm products

Code	Description	Roll
WHFS500	500mm x 100m Hard Floor Saver	1
WHFS1000	1000mm x 100m Hard Floor Saver	1

Window Saver



- The use of window film will protect valuable glass surfaces during construction or renovations
- UV resistant for up to 6 months
- Medium high adhesive strength
- Customised adhesive that will not leave any residue glue when removed (when manufacturers instructions are followed)

Code	Description	Roll
WWS1220	1200mm x 200m Window Saver	1

High Impact Polythene Builders Film



- All products comply to AS2870
- High Impact Underlays require the falling dart impact test to pass a load of 340g on the body of the film and 310g on the fold of the film
- Slab on-ground construction requires that a branded concrete underlay or vapour barrier is used to prevent moisture vapour or groundwater penetration into the concrete slab

Code	Description	Roll
	2m x 200um x 50m	1
	4m x 200um x 50m	1
	6m x 200um x 35m	1

High Impact Polythene Builders Film



- All products comply to AS2870
- High Impact Underlays require the falling dart impact test to pass a load of 340g on the body of the film and 310g on the fold of the film
- Slab on-ground construction requires that a branded concrete underlay or vapour barrier is used to prevent moisture vapour or groundwater penetration into the concrete slab

Code	Description	Roll
WSBBO250	2m x 200um x 50m	1
WSBBO450	4m x 200um x 50m	1
WSBBOS	4m x 300um x 25m Super	1

Medium Impact Polythene Builders Film



- All products comply to AS2870
- Medium Impact Underlays require the falling dart impact test to pass a load of 200g on the body of the film and 180g on the fold of the film
- Slab on-ground construction requires that a branded concrete underlay or vapour barrier is used to prevent moisture vapour or groundwater penetration into the concrete slab

Code	Description	Roll
WSBBL250	2m x 200um x 50m	1
WSBBL450	4m x 200um x 50m	1
WSBBL635	6m x 200um x 35m	1

Tie Wire



- Annealed Tie Wire (black iron wire) is a fully softened, low carbon steel wire
- The tie wire is packed in a convenient 1.42kg belt coil and designed to be used with or without the reeler

Code	Description	Roll
TW	Tie Wire	1

Builders Line



- No 8 Braided Nylon line is strong for easy tensioning
- 100m on line on each spool
- On a spool for ease of use

Code	Description	Roll
WBLP	Builders Line No.8 100m Pink	1
WBLG	Builders Line No.8 100m Green	1
WBLW	Builders Line No.8 100m White	1

Spot Marking Paint



- Ideal for marking out roadworks, building sites, golf courses and sporting areas
- Use on bitumen, dirt, concrete, timber and grass
- Unique trigger cap for easy, safe, inverted marking
- Available in 8 standard colours and 7 fluoro colours

Code	Description	Ctn
MP11801	Black Spot Marking Paint	12
MP11802	Red Spot Marking Paint	12
MP11803	Blue Spot Marking Paint	12
MP11804	Green Spot Marking Paint	12
MP11805	Yellow Spot Marking Paint	12
MP11806	White Spot Marking Paint	12
MP11808	Orange Spot Marking Paint	12
MP11811	Fluro Red Spot Marking Paint	12
MP11812	Fluro Blue Spot Marking Paint	12
MP11813	Fluro Orange Spot Marking Paint	12
MP11814	Fluro Pink Spot Marking Paint	12
MP11815	Fluro Green Spot Marking Paint	12
MP11816	Fluro Yellow Spot Marking Paint	12

Line Marking Paint



- Fast drying to minimise downtime
- 500g can produces over 80m of line on concrete, bitumen or grass
- High UV resistance for long life in the harsh Australian climate
- Lead Free
- Lemon Line Marking Paint matches the vivid yellow colour of most bulk line marking brands
- Acuator enables hand held use

Code	Description	Ctn
LMP11521	Black Line Marking Paint	12
LMP11522	Red Line Marking Paint	12
LMP11523	Blue Line Marking Paint	12
LMP11524	Green Line Marking Paint	12
LMP11525	Lemon Line Marking Paint	12
LMP11526	White Line Marking Paint	12
LMP11527	Orange Line Marking Paint	12
LMP11528	Grey Line Marking Paint	12
LMP11529	Yellow Line Marking Paint	12
LMP11556	White Turf Marking Paint	12

Marking Paint



- Built in flourescing capability means marks brighten to strong, highly visible colour within minutes
- Distinctive and easy to see outdoors and from a distance - ideal for forestry, timber and local government authorities
- Concentrated nozzle designed for multi-directional writing associated with marking trees and timber - minimise wastage and overspray
- 360° valve for any direction spray
- Toluene free for increased comfort in enclosed environments

Code	Description	Ctn
MP23321	Fluro Red Marking Spray	12
MP23322	Fluro Blue Marking Spray	12
MP23323	Fluro Green Marking Spray	12
MP23324	Fluro Yellow Marking Spray	12
MP23326	Fluro Orange Marking Spray	12
MP23328	Fluro Pink Marking Spray	12

Bollard & Base



- High Quality PVC
- Available with 6kg or 8kg base
- 240mm reflective tape complies to AS/NZS 1906.1:2007

Code	Description	Pack	Carton
W-BOL6KG	HiVis Bollard with 6kg Base	1	12
W-BOL8KG	HiVis Bollard with 8kg Base	1	12

Extension Bar



- Made from exterior grade ABS plastic and UV stabilised to withstand temperature extremes and sunlight
- Extendable bar starts at 135cm, extending to 210cm long as required
- Includes simple twist lock style at required length
- Features 4 yellow reflective bands for added visibility
- Includes soft durable rubber loops on both ends for easy attachment to cones or bollards

Code	Description	Pack
W-EB	Extension Bar for Bollard Base	1

Orange Hi-Vis



- High Quality Orange PVC
- Available in three heights - 300mm, 450mm or 700mm

Code	Description	Carton
W-TC300	Traffic Cone 300mm height	1
W-TC450	Traffic Cone 450mm height	1
W-TC700	Traffic Cone 700mm height	1

Orange Hi-Vis with Reflective Band



- High Quality PVC
- Available in 450mm height with 150mm reflective tape complies to AS/NZS 1906.1:2007
- Available in 700mm height with 250mm reflective tape complies to AS/NZS 1906.1:2007
- High Intensity Reflective Tape

Code	Description	Pack
W-TC450R	Traffic Cone 450mm with Ref Band	1
W-TC700R	Traffic Cone 700mm with Ref Band	1

Safety Chain



- 8mm UV stabilised
- 25 metre roll
- Provides excellent visibility for hazard areas

Code	Description	Pack	Carton
W-SC	Yellow Safety Chain	1	4

Bunting



- Hi Vis Fluoro PVC Triangle Flags
- 30 metre Length
- Reusable High Strength Nylon Rope
- 45 Flags
- Available in Day/Night with 44 Reflective Tabs

Code	Description	Pack	Carton
W-BUN	Bunting 30m - 45 Flags	1	25
W-BUNDN	Bunting 30m - 45 Flags Day Night	1	15

Fire Extinguishers



Code	Description	Ctn
SFED2KG	Fire Extinguisher Dry Powder 2KG	1
SFED4.5KG	Fire Extinguisher Dry Powder 4.5KG	1
SFED9KG	Fire Extinguisher Dry Powder 9KG	1
SFECO23.5KG	Fire Extinguisher CO ² 3.5KG	1
SFEF9.1L	Fire Extinguisher Foam 9.1L	1

Want Professional Advice?

CALL US NOW

1800 678 956

Spill Kit Selector Chart

	non toxic general liquids	oil/fuel/ solvent	herbicide/ pesticide	acids/ caustics
GENERAL PURPOSE	✓	✓	✓	✗
HAZCHEM	✓	✓	✓	✓
OIL/FUEL	✗	✓	✗	✗

- For spills of 1 litre of oil to 1000 litres of acid, we have the Spill Kit to help you meet your environmental protection obligations
- Spill Station Spill Kits contain absorbents that meet EPA requirements
- A complete training package is available free of charge with your Spill kit purchase.
- All kit components are available individually or as a complete refill
- Use the table opposite to select the right Spill Kit for your application. For additional assistance consult our staff

General Purpose Spill Kit



Contents

- 50 480 x 430mm Hazchem Absorbent Pads
- 3 30 litre Bags of Sukerup Organic Absorbent
- 2 3m x 75mm General Purpose Boom
- 4 1.2m x 75mm General Purpose Boom
- 10 Contaminated Waste Bags & Ties
- 2 Pairs of Oil Resistant Gloves
- 1 240L Orange mobile bin

Code	Description
STSS240GP	General Purpose Spill Kit

General Purpose Spill Kit



Contents

- 10 480 x 430mm Hazchem Absorbent Pads
- 1 15 litre Bag of Sukerup Organic Absorbent
- 1 1.2m x 75mm General Purpose Boom
- 2 Contaminated Waste Bags & Ties
- 1 Pairs of Oil Resistant Gloves
- 1 Weather resistant Zip-Top Bag

Code	Description
STSS32GP	General Purpose Spill Kit

Dangerous Goods Spill Kit



Contents

- 100 480 x 430mm Chemical Absorbent Pads
- 1 3m x 75mm Chemical Absorbent Boom
- 2 1.2m x 75mm Chemical Absorbent Booms
- 10 Contaminated Waste Bags & Ties
- 1 800g Plugstop Putty
- 1 Pair of Chemical Resistant Gloves
- 1 Disposable Overall
- 1 Splash Goggle
- 3 Tamper Evident Seals
- 1 240L Blue Mobile Bin

Code	Description
STSSDGK	Dangerous Goods Spill Kit

Hazchem Spill Kit



Contents

- 100 240 x 430mm Chemical Absorbent Pads
- 1 3m x 75mm Chemical Absorbent Boom
- 2 1.2m x 75mm Chemical Absorbent Booms
- 5 Contaminated Waste Bags & Ties
- 1 Pair of Chemical Resistant Gloves
- 1 Weather Resistant Kit Cap
- 1 120L Blue Mobile Bin

Code	Description
STSS120EA	Hazchem Spill Kit

Hazchem Spill Kit



Contents

- 50 240 x 430mm Chemical Absorbent Pads
- 3 1.2m x 75mm Chemical Absorbent Booms
- 3 Contaminated Waste Bags & Ties
- 1 Pair of Chemical Resistant Gloves
- 1 Weather Resistant Zip-Top Bag

Code	Description
STSS50EA	Hachem Spill Kit

Oil / Fuel Spill Kit



Contents

- 150 480 x 430mm Oil/Fuel Absorbent Pads
- 3 3m x 75mm Oil/Fuel Absorbent Booms
- 4 1.2m x 75mm Oil/Fuel Absorbent Booms
- 10 Contaminated Waste Bags & Ties
- 2 Pairs of Oil Resistant Gloves
- 1 Weather Resistant Kit Cap
- 1 240L Mobile Bin

Code	Description
STSS240W	Oil/Fuel Spill Kit

Oil / Fuel Spill Kit



Contents

- 100 240 x 430mm Oil/Fuel Absorbent Pads
- 1 3m x 75mm Oil/Fuel Absorbent Booms
- 2 1.2m x 75mm Oil/Fuel Absorbent Booms
- 5 Contaminated Waste Bags & Ties
- 1 Pairs of Oil Resistant Gloves
- 1 Weather Resistant Kit Cap
- 1 240L Mobile Bin

Code	Description
STSS120W	Oil/Fuel Spill Kit

Oil / Fuel Spill Kit



Contents

- 10 240 x 430mm Oil/Fuel Absorbent Pads
- 1 1.2m x 75mm Oil/Fuel Absorbent Booms
- 1 Contaminated Waste Bags & Ties
- 1 Pairs of Oil Resistant Gloves
- 1 Weather Resistant Zip-Top Bag

Code	Description
STSS20W	Oil/Fuel Spill Kit

EXPLANATION OF FEATURES

Confined Space Attachment Loops

Fully encapsulated loops to eliminate snagging and minimise metal components in contact with the body.

Suspension Relief Straps

Should an operative become suspended and is still conscious, simply join the two adjustable straps together to form a loop into which the operative can stand in order to further relieve the pressure on the inner thigh and work the leg muscles to aid circulation.

Padded Leg Straps

Simplifies the donning by virtually eliminating twists in the leg strap. Greatly enhances comfort should an operative become suspended.

Stainless Steel Easy Glide Buckles

Easy to adjust and webbing friendly. They do not creep in use and are as small as possible to minimise contact with the body.

Composite Foam/Mesh Breathable Padding

Fits like a jacket and is virtually tangle free. Almost impossible to fit incorrectly leading to safer compliance. Offers the security of being permanently attached while still allowing full adjustment.

Front D Ring Rated for Fall Arrest

For ease of rescue and attachment. Made to order, no charge options for ERGOplus harness.

Polished Steel Easy Glide Buckles

Easy to adjust and webbing friendly. They do not creep in use and are as small as possible to minimise contact with the body.

Breathable Rear Mesh Panel

Fits like a jacket and allows the quick identification of the correct donning orientation while giving the harness "body" and form.

Large Rear D Ring

Easy to locate and connect to. The large D is always orientated correctly due to the design and configuration of the webbing. It does not require springs or gadgets to hold it in place.

Soft Construction

The hip is a critical pressure point when a fall occurs. The presence of any metal component here can increase the chance of injury, hence our "soft" approach.

Xtreme-Guard Webbing with Self Healing Matirx

A super soft feel webbing which has been treated with non toxic compound to maximise oil and water resistance. This makes cleaning a much easier task and enhances abrasion resistance. The treatment will self repair should the extremely thin polymer coating become damaged, due to its plasticine like flow qualities and the ability to re-close mechanically.

Sub Pelvic Strap

The sub pelvic strap eliminates the potential to "peel" out of the harness when falling backwards in a crouched position, (when the folded body allows the buttocks and upper legs to slip out of the back of the harness). Many harnesses do not have this feature or the design is insufficient to retain the person in this manner. Elastic harnesses can be particularly vulnerable to this.

2/3 Bar Connection Buckles

Ease and convenience add to ready worker acceptance and compliance. Secure and reliable while still being easy to adjust.

Quick Connect Buckles

Easy to adjust and webbing friendly. They do not creep in use and are as small as possible to minimise contact with the body.

Riggers Kit



- 1 x SH3400 Safety line
- 2 x 3.25T Safety shackles
- 1 x SH1100 Safety harness
- 1 x SH3055 Lanyard with Scaffold Hook
- 2 x SHE2000 round slings
- 1 x Kit bag

Code	Description	Pack
SH6000	Riggers Kit	1

Roofers Kit



- 1 x SH3108 Fall arrest anchorage line and adjuster
- 1 x SH1104 safety harness
- 1 x SHK2 Karabiner
- 1 x SH3053 Lanyard
- 1 x SH3501 Anchor sling
- 1 x Kit bag

Code	Description	Pack
SH6001	Roofers Harness Kit	1

Roofers Kit for SA



- 1 x SH3108SA Fall Arrest Anchorage Line & Adjuster
- 1 x SH1104 Safety Harness
- 1 x SHK2 Karabiner
- 1 x SH3501 Anchor Sling
- 1 x Kit Bag

Code	Description	Pack
SH6001SA	Roofers Harness Kit for use in South Australia	1

Basic Kit



- 1 x SH1100 Harness
- 1 x SH3053 Lanyard
- 1 x SH3501 Anchor Sling
- 1 x Kit Bag

Code	Description	Pack
SH6002	Basic Harness Kit	1

Order Picker Kit



- 1 x SH1100 Harness
- 1 x SH3301 Retracting Lanyard with Triple Action Karabiners
- 1 x Kit Bag

Code	Description	Pack
SH6002OP	Order Picker Kit	1

All Purpose Kit



- 1 x SH1104 Harness
- 1 x SH3055 Lanyard with Scaffold Hook
- 1 x SH3051 Shock Absorber
- 1 x SH3501 Anchor Sling
- 1 x SH3108 Rope Restraint line & adjuster
- 1 x Kit Bag

Code	Description	Pack
SH6008	All Purpose Kit	1

ERGOplus premium energy absorbing lanyards are designed to minimise the forces endured by an operator should a fall occur

Maximum user weight is 140 kg while still remaining within the parameters and certification to AS/NZS 1891.1 2007.

No additional fall clearance needs to be calculated when performing risk assessments

Lightweight aluminium components and Xrteme Guard Webbing combine to add outstanding safety and value to this range

1100 ERGOplus



- Roof Work
- Ladder Systems
- Maintenance
- Construction
- Elevated Work Platforms
- Fall Rest
- Confined Space Entry
- Full body harness
- Rear fall arrest D
- Front fall arrest D
- Confined space attachment loops
- Fully adjustable leg and shoulder straps
- Fully padded leg and shoulder straps
- Suspension trauma relief straps

Code	Description	Pack
SHP1100+	ERGOplus Full Body Harness	1

ERGOplus Fittings



SH1Alu



SH3Alu



SH3BF



SH3WBF



SHK10Alu

Code	Description	Gate Type	Gate Opening	Strength	Gate Strength	Weight	Material
SH1Alu	Safety Hook	Double Action	23mm	25kN	≥1kN	200g	Aluminium
SH3Alu	Safety Scaffold Hook	Double Action	60mm	25kN	≥1kN	459g	Aluminium
SH3BF	Safety Jumbo Scaffold Hook	Double Action	110mm	25kN	≥1kN	915g	Aluminium
SH3WBF	Safety Wire Scaffold Hook	Double Action	86mm	20kN	≥1kN	488g	Aluminium
SHK10Alu	Fixed Eye Karabiner	Triple Action	20mm	25kN	≥1kN	120g	Aluminium

ERGOplus Webbing Lanyards



SH3053K10+



SH3058+

Code	Type	Material	Length	Fitting & Shock Absorber	Fitting at Free End(s)
SH3053+	Single Leg	Webbing	1.8m	SH1Alu Snap Hook	SHA1u Snap Hook
SH3055+	Single Leg	Webbing	1.8m	SH1Alu Snap Hook	SHAlu Snap Hook
SH3058+	Twin Leg	Webbing	1.8m	SH1Alu Snap Hook	SHAlu Snap Hook
SH3053A+	Single Leg Adjustable	Webbing	0.75 - 1.8m	SH1Alu Snap Hook	SHAlu Snap Hook
SH3055A+	Single Leg Adjustable	Webbing	0.75 - 1.8m	SH1Alu Snap Hook	SHAlu Snap Hook
SH3058A+	Twin Adjustable Leg	Webbing	0.75 - 1.8m	SHAlu Snap Hook	SHAlu Snap Hook

ERGOplus Elastic Lanyards



Code	Type	Material	Length	Fitting & Shock absorber	Fitting at Free End(s)
SH3053E+	Single Leg	Webbing	1.4 - 1.8m	SH1Alu Snap Hook	SHA1u Snap Hook
SH3055E+	Single Leg	Webbing	1.4 - 1.8m	SH1Alu Snap Hook	SHA1u Snap Hook
SH3058E+	Twin Leg	Webbing	1.4 - 1.8m	SH1Alu Snap Hook	SHA1u Snap Hook
SH3053EK10+	Single Leg Adjustable	Webbing	1.4 - 1.8m	SH1Alu Snap Hook	SHA1u Snap Hook
SH3055EBF+	Single Leg Adjustable	Webbing	1.4 - 1.8m	SH1Alu Snap Hook	SHA1u Snap Hook
SH3058EWBF+	Twin Adjustable Leg	Webbing	1.4 - 1.8m	SH1Alu Snap Hook	SHA1u Snap Hook

ERGOplus Rope Lanyards



Code	Type	Material	Length	Fitting & Shock absorber	Fitting at Free End(s)	Weight
SH3061+	Single Leg	Rope	1.8m	SH1Alu Snap Hook	SHA1u Snap Hook	900g
SH3063+	Single Leg	Rope	1.8m	SH1Alu Snap Hook	SHA1u Snap Hook	1246g
SH3068+	Twin Leg	Rope	1.8m	SH1Alu Snap Hook	SHA1u Snap Hook	2030g
SH3063A+	Single Leg Adjustable	Rope	0.75 - 1.8m	SH1Alu Snap Hook	SHA1u Snap Hook	1661g
SH3068A+	Twin Leg Adjustable	Rope	0.75 - 1.8m	SH1Alu Snap Hook	SHA1u Snap Hook	2260g

ERGO energy absorbing lanyards are designed to minimise the forces endured by an operator should a fall occur

Our lanyards feature back up straps should the tear web be fully deployed, all are certified to AS/NZS 1891.1 2007.

Heavy duty, alloy steel, corrosion resistant components and high tenacity polyester webbing, these features offer outstanding safety and value to this range

1100 ERGO



- Roof Work
- Ladder Systems
- Maintenance
- Construction
- Elevated Work Platforms
- Fall Rest
- Confined Space Entry
- Full body harness
- Rear fall arrest D
- Front fall arrest D
- Confined space attachment loops
- Fully adjustable leg and shoulder straps
- Breathable rear mesh panel
- Hi-Vis webbing
- Suspension trauma relief straps

Code	Description	Pack
SHP1100	ERGO Full Body Harness	1

ERGO Fittings



Code	Description	Gate Type	Gate Opening	Strength	Gate Strength	Weight	Material
SHK2	Oval Karabiner	Screw Gate	15mm	25kN	≥1kN	157g	Alloy Steel
SHK4	Equal D Karabiner	Triple Action	24mm	30kN	≥1kN	183g	Alloy Steel
SHK10	Forged Eye Karabiner	Triple Action	20mm	50kN	≥1kN	257g	Alloy Steel
SH3	Safety Scaffold Hook	Double Action	51mm	25kN	≥1kN	415g	Alloy Steel
SH3HD	Safety Scaffold Hook	Double Action	60mm	25kN	≥1kN	780g	Alloy Steel
SH3L	Safety Scaffold Hook	Double Action	64mm	25kN	≥1kN	603g	Alloy Steel
SH1	Safety Hook	Double Action	21mm	25kN	≥1kN	280g	Carbon Steel
SH1HD	Safety Hook	Double Action	21mm	45kN	≥16kN	369g	Carbon Steel
SN3050	Safety Back Hook	Double Action	21mm	45kN	≥16kN	454g	Alloy Steel

ERGO Webbing Lanyards



Code	Type	Material	Length	Fitting & Shock absorber	Fitting at Free End(s)	Weight
SH3051	Shock Absorber	Webbing	.45m	SK2 Karabiner	SK2 Karabiner	750g
SH3053	Single Leg	Webbing	1.8m	SH1 Snap Hook	SH1 Snap Hook	1070g
SH3053K4	Single Leg	Webbing	1.8m	SK4 Karabiner	SK4 Karabiner	960g
SH3054	Single Leg	Webbing	1.2m	SH1 Snap Hook	SH1 Snap Hook	1050g
SH3054K4	Single Leg	Webbing	1.2m	SK4 Karabiner	SK4 Karabiner	940g
SH3055	Single Leg	Webbing	1.8m	SH1 Snap Hook	SH1 Snap Hook	1320g
SH3055K4	Single Leg	Webbing	1.8m	SK4 Karabiner	SK4 Karabiner	1265g
SH3058	Twin Leg	Webbing	1.8m	SH1 Snap Hook	SH1 Snap Hook	2035g
SH3058K4	Twin Leg	Webbing	1.8m	SK4 Karabiner	SK4 Karabiner	1490g
SH3053A	Single Leg Adjustable	Webbing	0.75 - 1.8m	SH1 Snap Hook	SH1 Snap Hook	1220g
SH3055A	Single Leg Adjustable	Webbing	0.75 - 1.8m	SH1 Snap Hook	SH3 Scaffold Hook	1470g
SH3058A	Twin Adjustable Leg	Webbing	0.75 - 1.8m	SH1 Snap Hook	SH3 Scaffold Hook	2335g
SH3055L	Single Leg	Webbing	1.8m	SH1L Snap Hook	SH3L Scaffold Hook	1430g
SH3058L	Twin Leg	Webbing	1.8m	SH1L Snap Hook	SH3L Scaffold Hook	2255g

ERGO Elastic Lanyards



SH3055E



SH3058E

Code	Type	Material	Length	Fitting & Shock absorber	Fitting at Free End(s)	Weight
SH3053E	Single Leg	Webbing	1.4 - 1.8m	SH1 Snap Hook	SH1 Snap Hook	1115g
SH3055E	Single Leg	Webbing	1.4 - 1.8m	SH1 Snap Hook	SH3 Scaffold Hook	1310g
SH3058E	Twin Leg	Webbing	1.4 - 1.8m	SH1 Snap Hook	SH3 Scaffold Hook	1732g
SH3053EK4	Single Leg	Webbing	1.4 - 1.8m	SK4 Karabiner	SK4 Karabiner	1005g
SH3053EK10	Single Leg	Webbing	1.4 - 1.8m	SK10 Karabiner	SK10 Karabiner	1015g
SH3058EK4	Twin Leg	Webbing	1.4 - 1.8m	SK4 Karabiner	SK4 Karabiner	1669g
SH3058EK10	Twin Leg	Webbing	1.4 - 1.8m	SK10 Snap Hook	SH3 Scaffold Hook	1690g

ERGO Rope Lanyards



SH3061



SH3063



SH3061A

Code	Type	Material	Length	Fitting & Shock absorber	Fitting at Free End(s)	Weight
SH3061	Single Leg	Rope	1.8m	SH1 Snap Hook	SH1 Snap Hook	1215g
SH3061K4	Single Leg	Rope	1.8m	SK4 Karabiner	SK4 Karabiner	1105g
SH3063	Single Leg	Rope	1.8m	SH1 Snap Hook	SH3 Scaffold Hook	1400g
SH3063K4	Single Leg	Rope	1.8m	SK4 Karabiner	SK4 Karabiner	1100g
SH3068	Twin Leg	Rope	1.8m	SH1 Snap Hook	SH3 Scaffold Hook	1723g
SH3068K4	Twin Leg	Rope	1.8m	SK4 Karabiner	SK4 Karabiner	1723g
SH3061AK4	Single Leg Adjustable	Rope	0.75 - 1.8m	SK4 Karabiner	SK4 Karabiner	1688g
SH3063SK4	Single Leg Adjustable	Rope	0.75 - 1.8m	SK4 karabiner	SH3 Scaffold Hook	1878g
SH3068AK4	Twin Leg Adjustable	Rope	0.75 - 1.8m	SK4 Karabiner	SH3 Scaffold Hook	2535g

ERGO Wire Rope Lanyards



Code	Type	Material	Length	Fitting & Shock absorber	Fitting at Free End(s)	Weight
SH3072	Single Leg	Wire Rope	1.8m	SH1 Snap Hook	SH1 Snap Hook	1390g

Retracting Lanyards



- A lightweight 2.25m retracting lanyard which is ideal for many light duty applications such as order pickers, EWPs, static lines etc
- Comes complete with triple action karabiners and an integral energy absorber

Code	Length	Lifeline	Casing	Connector	Weight	Field Serviceable	Size L x W x D mm
SH3201	2.25m	50mm Webbing	Steel/Plastic	Triple Action Karabiner	1.2kg	No	240 x 110 x 75

Fall Arrest Inertia Reels



- This aluminium housed fall arrest block is a sturdy heavy duty, low maintenance device fitted with a steel rope lifeline, terminated with a steel double action hook

Code	Length	Lifeline	Casing	Connector	Weight with hardware	Field Serviceable	Size L x W x D mm
SHIKH30	30m	5mm Galvanised Cable	Cast Aluminium	Swivel Double Action Snap Hook	18.0kg	No	640 x 320 x 120
SHIKH42	42m	5mm Galvanised Cable	ABS Plastic	Swivel Double Action Snap Hook	27.2kg	No	750 x 370 x 120

Site Serviceable Inertia Reels



- Super robust for the most extreme environments these sealed units can be serviced in the field with minimal training
- IP56 certified

Code	Length	Lifeline	Casing	Connector	Weight with hardware	Field Serviceable	Size L x W x D mm
SHLW62810	9m	5mm Stainless Steel Cable	Aluminium/Stainless Steel	Swivel Stainless Steel Karabiner	9.5kg	Yes	240 x 240 x 180
SHLW62816	15m	5mm Stainless Steel Cable	Aluminium/Stainless Steel	Swivel Stainless Steel Karabiner	12.0kg	Yes	280 x 280 x 200
SHLW62826	25m	5mm Stainless Steel Cable	Aluminium/Stainless Steel	Swivel Stainless Steel Karabiner	20.0kg	Yes	330 x 330 x 200
SHLW62841	40m	5mm Stainless Steel Cable	Aluminium/Stainless Steel	Swivel Stainless Steel Karabiner	26.0kg	Yes	380 x 380 x 215

Inertia Reels



SHFAB3W



SHFAB10
SHFAB18



SHUB033
MERLIN 3.3A

- Outstanding compliance value with these aluminium cased Merlin and ABS Plastic case units
- All units have load indicating hooks for ease of inspection

Code	Length	Lifeline	Casing	Connector	Weight with hardware	Field Serviceable	Size L x W x D mm
SHUB033	3.3m	Webbing	Aluminium	Swivel Triple Action Karabiner	1.6kg	No	141 x 107 x 61
SHFAB3W	3.0m	Webbing	ABS Plastic	Swivel Triple Action Karabiner	1.4kg	No	388 x 210 x 85
SHFAB10	10m	5mm Galvanised Cable	ABS Plastic	Swivel Triple Action Karabiner	4.1kg	No	244 x 183 x 144
SHFAB18	18m	5mm Galvanised Cable	ABS Plastic	Swivel Triple Action Karabiner	6.5kg	No	300 x 226 x 144

Don't know which Harness is right for your business?

CALL US NOW



1800 678 956

Product	Page
A	
Acid Coveralls	154
Aluminium Foil Tape	20-21
Aprons Disposable	56
Asbestos Bags	127
Auto Masking Tape	8
B	
Bag Sealing Tape	26
Bags & Sealers	121-129
Bags - Asbestos	127
Bags - Bubble	102-103
Bags - Garbage	121
Bag Heat Sealing Machine	128-129
Bags - Hessian	121
Bags - Jiffy Mail Lite	103
Bags - Jiffy Shur Tuff	102
Bags - Jiffy Utility	102
Bags - Jiffylite	102
Bags on a Roll	122
Bags - Paper	122-123
Bags - Pallet	110
Bags - Poly	124-126
Bags - Self Seal	124-125
Bags - Shopping	122
Bags - Wicketed	123
Barrier Fencing	143
Barrier Tape	22
Barriers - Portable	147
Bi-Directional Filament Tape	29
Bin Liners	121
Black Jack Welding Gloves	43
Black Panther Gloves	32
Black Steel Strapping	117
Blown Machine Wrap	109
Blown Wrap	109
Blue Healer Welding Glove	43
Blue Silverlined Gloves	46
Bollards	147
Book Binding Tape	12
Boots	86
Boot Covers Cotton Drill	85
Boot Covers Disposable	56
Boxes	108
Breeze Safety Glasses	63
Browguard & Visor	71-73
Brown Packaging Tape	3
Bubble Wrap	100-101
Bubble Bags	103
Bubble - Ready to Roll	109
Builders Film	145
Builders Line	146
Building Supplies	142-146
Bundle Wrap	109-110
Bunting	148
Butchers Paper	106
C	
Cable Ties	136-141
Candy Stripe Gloves	36
Caps - Disposable	56
Caps - Pallet	110
Cardboard Corners	110
Carpet Saver	144
Carton Cutter	107
Cartons	108
Cast Hand Wrap	109
Cast Machine Wrap	109
Caution Cones	147
Cautionary Signs	92
Centrefeed Hand Towel	97
Chemical Coveralls	54
Chemical Gloves	39-43
Chemical Spill Kit	148

Product	Page
C	
Chux Wipes	95
Clear Packaging Tape	4
Cloth Tape	11-13
Clothing	77-85
Cobra Gloves	36
Cloths - Cleaning	95
Cobra Earmuffs	69
Combat Disposable Coveralls	52
Cotton Gloves	44-45
Corner Protectors	110
Corrugated Board	108
Cotton Backed Gloves	44-45
Coveralls	52-55
Crimper - Strapping	115
Crossweave Filament Tape	29
D	
Danger Signs	91-93
Dangerous Goods Labels	114
Despatch Labels	114
DexiPro Gloves	32
Diamond Gripper Gloves	33
Dispenser Bubble Wrap	100
Disposable Aprons	56
Disposable Caps	56
Disposable Coveralls/Overalls	52-56
Disposable Dust Masks	57-60
Disposable Ear Plugs	67-68
Disposable Gloves	47-51
Disposable Shoe & Boot Covers	56
Document Enclosed Envelopes	113-114
Double Sided Cloth Tape	13
Double Sided Foam Tape	18-19
Double Sided Tissue Tape	27-28
Double Skinned Bubble Wrap	101
Drill Shirts	85
Duct Sealant	130-132
Duct Tape	10
Dupont Tyvek Type 5 Coveralls	53
Dust Masks	57-59
E	
Ear Muffs	69
Ear Plugs	67-68
Easy Cover	8-9
Electrical Tape	24
Emergency Signs	93
Envelopes - Invoices	113-114
Envelopes - Jiffy Bags	102-103
Envelopes - Packing Slips	113-114
Envelopes - Plain Packing	113-114
Examination Gloves	48-51
Exit Signs	91-93
Eye Protection	62-65
F	
Facial Tissues	97
Factory & Site Signs	91-93
Fall Arrest Inertia Reels	158-159
Filament Tape	29
Fill - Air Foam	105
Film - Builders	145
Film - Bundling	108
Film - Handwrap	108
Film - Machine Wrap	109
Film - Shrink Wrap	110
Filters - Masks	61
Fingerless Gloves	38
Fire Extinguishers	148
Fire Safety Signs	91-93
First Aid Kits	38-90
First Aid Signs	92

Product	Page
F	
Flag on a Rope	148
Flame Retardant Electrical Tape	24
Flat Fold Dust Masks	57-58
Flex - E - Duct Sealant	130-132
Floor Marking Tape	23
Floor Saver	144
Fluoro Marking Spray	146
Foam WrapFoam Tape	14-19
Foil Tape	20-21
Food Blue Gloves	47
Freight Labels	114
Fuel/Oil Spill Kit	149
Full Face mask Respirators	59-60
Fusion Glasses	64
Futura Safety Glasses	63
G	
Gaffer Tape	11-13
Garbage Bags	121
General Purpose Spill Kit	147
General Purpose Tape	4
Glass Gripper Gloves	34
Glasses	62-65
Gloves	32-51
Glove Keeper	42
Glove Liners	44
Glue	107
Goggles	64-65
Green Latex Gloves	34
Gripper Gloves	34
H	
Half Face Mask Respirator	60
Hand Cleaner	94-95
Hand Cleaner Dispensers	94-95
Hand Held Signs	93
Hand Masker	9
Hand Pallet Wrap	108
Hand Wrap	108
Hand Towel	96-97
Hand Towel Dispensers	96-97
Hand Strap	115
Hanging Strap	120
Hard Floor Saver	144
Hard Hats	70-76
Hard Hat Browguard	71
Hard Hat Browguard with Visor	71
Hard Hat Chin Strap	72
Hard Hat Cotton Brim	73
Hard Hat Labels	74-76
Hard Hat Mesh Visor	72
Hard Hat Plastic Brim	73
Hard Hat Reflective Tape	73
Hard Hat Sweat Band	73
Hard Hat Visors	71-72
Harness Equipment	150-159
Hazard Net	143
Hazard Tape	22
Hazard Signs	91
Hazardous Chemical Spill Kit	148
Hazguard Coveralls	54
Health & Safety Signs	91-93
Hearing Protection	66-69
Heat Sealers	128-129
Heat Shrink Bags	125-126
Helmet Brim & Neck Flap	73
Helmet Ear Muffs	69
Helmets	70
Hessian Bags	121
Hi Calibre S.M.S. Coveralls	55
Hi Visibility Clothing	78-85
Hi Visibility Warning Tape	22
High Temperature Masking Tape	7-8
High Tensile Steel Strap	117

Product	Page
I	
Inertia Reels	158-159
Interleave Hand Towel	96
Interlock/Polycotton Liner Gloves	44-45
Invoice Enclosed Envelopes	113-114
Insulation Tape - Electrical	24
Isolation Tape	25
J	
Jiffy Bags	102-103
Jiffy Lite Bubble Bags	102
Jiffy Mail Lite	103
Jiffy Padded Bags	102
Jiffy Shur Tuff Bags	102
Jiffy Utility Bags	102
Joining Tape - Duct	10
Jumbo Markers	106
Jumbo Toilet Tissue	98
K	
Kevlar Gloves	38
Kitchen Bin Liners	121
Knives	107
Kraft Wrapping Paper	106
L	
Labels - Freight	114
Labels - Loading Instructions	114
Lane Marking Tape	23
Lanyard Rope Assembly	149-159
Latex Gloves	33,34,38,46,49
Leather Gloves	35-36
Line Marking Paint	146
LiteGrip Gloves	32
Loading Instruction Labels	14
Loose Fill Packaging	104
M	
Machine Pallet Wrap	109
Machine Strap	115
Machine Tape	3
Mandatory Signs	91
Marker Pens	106
Masking Tape	5-7
Masks - Dust	57-59
Mercury Polarised Safety Glasses	64
Merriwipe Cloths	97
Metal Buckles	115-116
Metal Seals	115-116
MicroChem Disposable Coveralls	54
N	
Neoprene Glove	43
Newsprint Paper	106
Nitrile Gloves	39-42,46,51
Non Skid Tape	23
O	
Oil/Fuel Spill Kit	149
Order Picker Kit	151
Overalls - Cotton	85
Overalls - Disposable	52-55
P	
P1 Dust Masks	57
P2 Dust Masks	58
Packaging Tape	4
Padded Bags	102-103
Pads - Pallet	110
Paint - Spray	146
Pallet Bags	109
Pallet Caps	110
Pallet Netting	110
Pallet Pads	110

Product	Page
P	
Pallet Wrap	109
Paper - Kraft	106
Paper - Masking	9
Paper - Newsprint	106
Paper - Tissue	106
Phoenix Safety Glasses	63
Plain Document Enclosed Envelopes	113
Plumb-Weld	133-135
Polar Fleece Jumpers	81-82
Polka Dot Gloves	45
Polo Shirts	79-80
Poly Bags	125-126
Poly Cotton Gloves	44-45
Polypropylene Strapping	115
Portable Extendable Barriers	147
Portable First Aid Kit	88-89
Postal Tubes	103
Powder Free Gloves	47,49,51
Pre Folded Film	8-9
Pre Stretched Film	108
Printed Hard Hats	70
Printed Tape	22,26
Printed Cartons	108
Printed Labels	74
Pro Masker Pre Folded Film	8
Prohibitory Signs	92
PV3 Protection Tape	25
PVC Duct Tape	10
PVC Electrical Tape	24
PVC Protection Tape	25
PVC Tape	26
Python Earmuffs	69
R	
Raincoats	83
Rapid Fill	104
Rapid Weld	133-135
Razor Blades	107
Ready to Roll Bubblewrap	100
Reflector Drill Shirt	85
Reflector Jackets	83
Reflector Safety Vests	78
Removalist Cartons	108
Render Cloth Tape	11
Replacement Knife Blades	107
Respirators	57-61
Retractable Knives	107
Riggers Gloves	35-37
Riggers Kit	150
Road Signs	93
Roof & Gutter Sealant	130-132
RONIN Stealth Glove	33
Roofers Kit	150
Rubber Gloves	46
S	
Safety Boots	86
Safety Chain	148
Safety Glasses	62-65
Safety Goggles	64-65
Safety Helmets	70
Safety Knife	107
Safety Vests	78
Sanitiser	94
Scope Safety Goggles	65
Seal N Flex Silicone	131
Seat Belt Webbing	120
Security Tape	22
Self Seal Bags	124-125
Sheet Protectors	8-9
Shipping Cartons	108
Shipping Tags	114
Shoe Covers	56,85

Product	Page
S	
Shopping Bags	122
Shorts - Clothing	84
Shrink Film	109
Shrink Film Machines	109
Signs	91-93
Silicone	130-132
Silt Bags	142
Silt Fencing	142
Silverlined Gloves	46
Snap Blades	107
Singlets Hi Vis	78
Singlet Bags	122
Snake and Spider First Aid Kit	88
Snap on Seals	115-117
Soap	94
Socks	85
Spectacle Cord	65
Spectacle Pouch	65
Speed Signs	93
Spider and Snake First Aid Kit	88
Spill Kits	147-149
Spill Kit - General Purpose	147
Spill Kit - HazChem	148
Spill Kit - Oil/Fuel	149
Spot Marking Paint	146
Stanley Knife	107
Stationery Tape	4
Stealth RONIN Glove	33
Steel Strapping	117
Stinga Gloves	37
Strapping	115-120
Strapping Dispensers	119
Strapping Machines	115-120
Strapping Tape	30-31
Strapping Tools	115-120
Stretch Film	109
Sun Hats	70
Sunscreen	87
SupaVu Safety Goggles	64
Suprega Hand Cleaner	94
T	
Taeki 5 Glove	38
Tags - Cable Ties	136-141
Tags - Shipping	114
Tapes and Dispensers	4-31
Tape - Cloth	11-13
Tape - Double Sided Foam	18-19
Tape - Double Sided Tissue	27-28
Tape - Duct	10
Tape - Electrical	24
Tape - Filament	29
Tape - Floor Marking	23
Tape - Gaffer	11-13
Tape - Hazard	22-23
Tape - Machine	4
Tape - Masking	5-7
Tape - Sign Mounting	27-28
Tape - Stationery	4
Tape - Strapping	30-31
Tape - Tread	23
Tissues - Facial	97
Tissue Paper	106
Tissue Tape	27-28
Tie Wire	145
Toilet Roll Dispenser	98
Toilet Tissue	98-99
Traffic Signs	93
Traffic Cones	147
Tread Tape	23
Tsunami Safety Glasses	62
Tube - Postal	103
Twine	146



HARRISON PACKAGING

NSW BRANCH

Harrison Packaging
11 - 12 / 4 Merinee Road
West Gosford NSW 2250
Ph 02 4322 4811
Fax 02 4322 4855

POSTAL ADDRESS

Harrison Packaging
PO Box 6263
West Gosford NSW 2250

QLD BRANCH

Harrison Packaging
2 / 65 Business Street
Yatala QLD 4207
Ph 07 3382 7182
Fax 07 3382 7818




YOUR ONE STOP PACKAGING SHOP!



Phone 1800 678 956



sales@harrisonpackaging.com.au



Fax 02 4322 4855

www.harrisonpackaging.com.au or CALL 1800 678 956