



# HARRISON PACKAGING

***YOUR ONE STOP PACKAGING SHOP!***



# PAINTERS CATALOGUE

[www.harrisonpackaging.com.au](http://www.harrisonpackaging.com.au) or CALL 1800 678 956



**NSW BRANCH**  
Harrison Packaging  
11/4 Merinee Road  
West Gosford NSW 2250  
Ph 02 4322 4811  
Fax 02 4322 4855

**POSTAL ADDRESS**  
Harrison Packaging  
PO Box 5201  
Erina Fair NSW 2250

**QLD BRANCH**  
Harrison Packaging  
2/65 Business Street  
Yatala QLD 4207  
Ph 07 3382 7182  
Fax 07 3382 7818

**Our friendly, helpful staff are on  
hand to take your order.**

[www.harrisonpackaging.com.au](http://www.harrisonpackaging.com.au) or CALL 1800 678 956

# FREE DELIVERY

At Harrison Packaging, we deliver  
free to your door!

Harrison Packaging was established on the Central Coast of New South Wales in 1997. Since its inception, Harrison Packaging has built up an enviable reputation as one of Australia's premium packaging supply companies. We supply products Australia wide through our facilities in New South Wales and Queensland.

We specialise in an extensive range of products which include:

- \* Adhesive Tapes
- \* Packaging Materials
- \* Warehouse Consumables
- \* Safety Products
- \* Stretch Film
- \* Washroom Products
- \* Protective Packaging

We provide a valuable service to industry by supplying well known brands at competitive prices.

We offer professional advice and service on our products and provide customer service that is unequalled in our industry.

We are constantly searching for new products to add to our range, and for ways of providing increasingly higher standards of service.

Harrison Packaging has a strong team focus, and our sales staff are familiar with our entire range and are looking forward to assisting you.

[www.harrisonpackaging.com.au](http://www.harrisonpackaging.com.au) or CALL 1800 678 956



## General Purpose Masking

Economy Grade



An economy grade paper masking tape for general purpose applications; masking, holding, sealing, fixing, light duty packaging etc. Temperature resistance up to 60°C (1 hour).

Code	Description	Width	Length	Ctn Qty
T5010118	General Purpose Masking Tape	18mm	50m	48
T5010124	General Purpose Masking Tape	24mm	50m	36
T5010136	General Purpose Masking Tape	36mm	50m	24
T5010150	General Purpose Masking Tape	48mm	50m	24



## General Purpose Masking

Premium Grade



This is a finely creped masking tape with a natural rubber adhesive. The product is suitable for general purpose applications: Masking, holding, sealing, fixing, light duty packaging etc. Temperature resistance up to 50° C short term.

Code	Description	Width	Length	Ctn Qty
T432319	General Purpose Masking Tape	19mm	50m	96
T432325	General Purpose Masking Tape	25mm	50m	72
T432338	General Purpose Masking Tape	38mm	50m	48
T432350	General Purpose Masking Tape	50mm	50m	36



## General Purpose Masking



This general purpose masking tape is easily conformable with a cured rubber adhesive. It is suitable for automotive baking ovens and provides a good solvency resistance. Temperature resistance up to 90°C.

Code	Description	Width	Length	Ctn Qty
T120006	General Purpose Masking Tape	6mm	50m	144
T120012	General Purpose Masking Tape	12mm	50m	72
T120018	General Purpose Masking Tape	18mm	50m	48
T120024	General Purpose Masking Tape	24mm	50m	36
T120036	General Purpose Masking Tape	36mm	50m	24



## General Purpose Masking

Premium Grade



This is a finely creped masking tape with a natural rubber adhesive. The product is suitable for all kinds of indoor painting processes. tesa 4307 features a high immediate bond and can be easily removed without leaving any adhesive residue. Can be used in temperatures up to 50°C short term.

Code	Description	Width	Length	Ctn Qty
T430719	General Purpose Masking Tape	19mm	50m	48
T430725	General Purpose Masking Tape	25mm	50m	36
T430738	General Purpose Masking Tape	38mm	50m	24
T430750	General Purpose Masking Tape	50mm	50m	18
T430772	General Purpose Masking Tape	72mm	50m	12



## 3 Day Masking Tape

For Hard-to-Stick Surfaces



This tape can be removed cleanly for up to 3 days. It features very high adhesion for use with lacquer coatings or cool temperatures. It is also ideal for rough surfaces such as render, concrete or brick.

Code	Description	Width	Length	Ctn Qty
3M-2060/18	Masking for Hard-to-Stick Surfaces	18mm	55m	48
3M-2060/24	Masking for Hard-to-Stick Surfaces	24mm	55m	36
3M-2060/36	Masking for Hard-to-Stick Surfaces	36mm	55m	24



## Premium Masking Tape

High Performance

The 233+ features the latest developments in premium masking tape technology. Its unique green backing is highly conformable and has a clean edge designed for critical masking applications. The specially formulated adhesive sticks to most surfaces securely (including EPDM) and removes cleanly for up to 5 days. 233+ also has excellent resistance to paint bleed-through and good temperature resistance up of up to 121° (short term).



Code	Description	Width	Length	Ctn Qty
3M-233/18	233 High Performance Masking	18mm	55m	48
3M-233/24	233 High Performance Masking	24mm	55m	24
3M-233/36	233 High Performance Masking	36mm	55m	16
3M-233/48	233 High Performance Masking	48mm	55m	12



## Professional 5 Day Masking



A medium tack masking for professional applications. This tape provides a high quality finish leaving no residue for up to 5 days. There is no bleed-through, the tape is UV resistant and resists lifting. Not suitable for plasterboard or painted surfaces.

Code	Description	Width	Length	Ctn Qty
TCL-RB181/24	Professional 5 Day Masking	24mm	50m	72
TCL-C41/36	Professional 5 Day Masking	36mm	50m	32
TCL-C41/48	Professional 5 Day Masking	48mm	50m	24

# Want Professional Advice?

CALL US NOW

# 1800 678 956







## Long Life 14 Day Masking

Indoor/Outdoor



A medium to low tack masking tape for long term masking jobs. Outdoor masking tape is ideal for use in direct sunlight, it is tear and UV resistant. Not suitable for plasterboard or painted surfaces. Provides a high quality finish leaving no residue for up to 14 days.

Code	Description	Width	Length	Ctn Qty
TCL-RB183	Long Life 14 Day Masking	24mm	50m	72
TCL-C16B/36	Long Life 14 Day Masking	36mm	50m	32
TCL-C16B/48	Long Life 14 Day Masking	48mm	50m	24



## 4308 Blue Masking

Suitable for Infrared and Oven Drying up to 110°

tesa 4308 adheres dependably on plastics, it specialises in particularly challenging tasks. This blue tape ensures that edges of varnish work are precise and very clean. It is also suitable for infrared and oven drying at up to 110°C.



Code	Description	Width	Length	Ctn Qty
T430819	Blue Masking Tape	19mm	50m	48
T430825	Blue Masking Tape	25mm	50m	36
T430850	Blue Masking Tape	50mm	50m	18



## Professional Painters Tape

14 Days Outdoors



This product is designed for masking wherever it will be exposed to weather for up to 14 days. Excellent conformability with a smooth backing for superior paint lines and reduced fingertip abrasion. Compatible for most surfaces including freshly painted wallboard.

Code	Description	Width	Length	Ctn Qty
TA56918	Blue 14 Day Masking Tape	18mm	50m	64
TA56924	Blue 14 Day Masking Tape	24mm	50m	48



## Delicate 30 Day Masking

Suitable for Painting Surfaces & Plasterboard

A low tack masking tape for painted surfaces and plasterboard. It provides a high quality finish leaving no residue for up to 30 days. It is ideal for multi coat painting and removes cleanly. This tape is recommended for decorative painting.



Code	Description	Width	Length	Ctn Qty
TCL-RB182/24	30 Day Purple Masking	24mm	50m	72
TCL-RB182/36	30 Day Purple Masking	36mm	50m	32



## Render Cloth Tape

Outdoor Use



This tape has been specially developed for the professional renderer. K180 has a special adhesive engineered to cope with the heat, UV and humidity. It's heavy duty construction allows it to strip cleanly up to 14 days after being applied. outdoors.

Code	Description	Width	Length	Ctn Qty
TK18024BL	Blue Render Cloth Tape	24mm	25m	48
TK18036BL	Blue Render Cloth Tape	36mm	25m	32
TK18048BL	Blue Render Cloth Tape	48mm	25m	24



## 4309 High Temp Auto Masking

Premium Grade Creped Paper

The 4309 is a finely creped, extremely stretchable and flexible paper masking tape. It is resistant to wet sanding and the adhesion of fillers or paints to the reverse side of the tape, it also prevents any kind of flaking. tesa 4309 can be used on painted metal, rubber, glass and chromed parts. The tape can be oven dried up to 120°C and then easily removed without tearing or leaving residue.



Code	Description	Width	Length	Ctn Qty
T430919	Premium Grade Hi Temp Auto	19mm	50m	96
T430925	Premium Grade Hi Temp Auto	25mm	50m	72
T430938	Premium Grade Hi Temp Auto	38mm	50m	48
T430950	Premium Grade Hi Temp Auto	50mm	50m	36



## Easy Cover Auto

3 in 1 Auto Masking System



Easy Cover® Auto is a 3 in 1 Auto Masking system. The masking tape is a finely creped extremely flexible paper masking. It is suitable for water and solvent based paints and be used for spray painting with subsequent over or IR-drying up to a temperature of 120°C. The additional paper edge provides perfect paint absorption on the most critical area close to the repair.

Code	Description	Width	Length	Ctn Qty
T43781000	Easy Cover Auto 3 in 1	1m	20m	24
T43782000	Easy Cover Auto 3 in 1	2m	20m	24





## Easy Cover Indoor/Outdoor

Suitable for large areas



Easy Cover® 4368 is a combination of an environment-friendly HDPE film and a slightly creped adhesive paper tape for the masking of large areas in one working step. It is resistant against dispersion paints and can easily be removed after short term application without residues.

Code	Description	Width	Length	Ctn Qty
T4368/550	Easy Cover	550mm	33m	60
T4368/1800	Easy Cover	1.8m	33m	20
T4368/2600	Easy Cover	2.6m	17m	20



## Easy Cover Dispenser

For use with the 4368

The tesa® Easy Cover dispensers ensure an easy and fast application. The cutting blade adjusts the material from the roll and the dispensers protect it against dust and damage.



Code	Description	Suitable for
T4377-550	Easy Cover Dispenser	550mm
T4377	Easy Cover Dispenser	1.8m to 2.6m

## Masking Film With Dispenser

4 Hour Film



Packmate Masking Film is an innovative product designed for mess-free painting. It comes complete with masking tape and is treated with static properties to cling to surfaces.

Code	Description	Width	Length	Ctn Qty
TMF1800	Easy Cover with Dispenser	1.8m	33m	30
TMF2400	Easy Cover with Dispenser	2.4m	20m	30
TMF2700	Easy Cover with Dispenser	2.7m	17m	30



## Hand Masker Plus

3M™ Hand-Masker Masking Film Plus, comes pre-folded. It is a high-density, nonporous film for paint masking and paint overspray protection. It is flake resistant for multiple coat use. This product may also be used with lacquers.



Code	Description	Width	Length	Ctn Qty
3M-MF24	Pre Fold Mask Film	609mm	54.8m	12
3M-MF48	Pre Fold Mask Film	1219mm	54.8m	12
3M-MF72	Pre Fold Mask Film	1829mm	27.4m	12





## Paper Masking

For use with 3M Dispenser



This paper masking is specifically designed for ease of use in masking smaller areas.

Code	Description	Width	Length	Ctn Qty
TPA144	Paper Masking Rolls	144mm	50m	50
TPA288	Paper Masking Rolls	288mm	50m	25



## Respirator P1

The P1 rating indicates suitability for protection against mechanically generated particles. The colour coded nose-piece and packaging provide ease of identification. The respirators come in a resealable bag and feature latex free dual straps for a firm and comfortable fit.



Code	Description	Box Qty	Ctn Qty
SP1M	P1 Dust Mask	20	20



## Respirator P2



The P2 rating indicates suitability for protection against mechanically and thermally generated particles. It is complete with an exhalation Pro Valve for extra air flow. The respirators come in a resealable bag and feature latex free dual straps for a firm and comfortable fit.

Code	Description	Box Qty	Ctn Qty
SP2M-V	P2 Dust Mask with Valve	12	20



## Half Face Mask

The SR 100 is made of silicone and has two exhalation valves for very low breathing resistance. It has valve covers with baffles to protect membranes against dust and paint mist. Can be connected to the SR 307 compressed air attachment.



Code	Description	Box Qty	Ctn Qty
SHM-SR100	Silicone Half Mask	1	10

## Particle Pre-filter

SR 221



Protects P2/P3 particle filters against premature clogging and extends its life.

Code	Description	Box Qty	Ctn Qty
SP3-SR221	P2/P3 Particle Filters	80	800

## Full Face Respirator

SR 200



The mask is made from silicone for comfort. It has 2 exhalation valves for very low breathing resistance. Inhaled air is directed past the visor to prevent misting from condensation. The SR 200 can be connected to the SR 307 compressed air attachment.

Code	Description	Box Qty
S-SR2	Full Face Silicone Mask	1

## Particle Pre-Filter

SR 218



SR 218 Gas Filters Suitable for A2 Organic Vapours.

Code	Description	Box Qty	Ctn Qty
SP3-SR218	A2 Organic Vapours Filter	4	40

## Particle Filter

SR 510

P2/P3 Particle prefilters against dust, mist, fumes, bacterial viruses and radioactive dust.



Code	Description	Box Qty	Ctn Qty
SP3-SR510	P2/P3 Particle Filters	5	50



WE STOCK A LARGE RANGE OF DISPOSABLE COVERALLS

Personal Service  
Guaranteed

Your Reps Name \_\_\_\_\_

Direct Phone Number \_\_\_\_\_



***YOUR ONE STOP PACKAGING SHOP!***



Phone 1800 678 956



[sales@harrisonpackaging.com.au](mailto:sales@harrisonpackaging.com.au)



Fax 02 4322 4855

[www.harrisonpackaging.com.au](http://www.harrisonpackaging.com.au) or CALL 1800 678 956